
Skype: bestsales-jack

URL:www.cndelon.com

The biscuit processing line DLS-225



Brief introduction:

This biscuit production line may be Combined freely according to the condition of customers workshop space and requirement of biscuit technolgy. These all can reach the ideal purpose. The line use imported electric components and its speeds are changed by frequency conversion. They save energy and are dependable, May be controlled single or combined.

Technical parameter of the whole line:

Model: DLS225 Total power: 30kw Total volume: 7m3 Total weight: 1.5t Capacity: 50-80kg/h **Equipments list:** 1. Flour mixer:

Name	machine function	Technical parameters	Picture
Mixer	Function:Kneading flour machine is stirring machine which crumples up folur powder and water into dough or other materials and is independently used with other machines Stainless steel material Weight:400kg	Power: 0.75kw Dimension: 1280*1280*620mm	
	Function: After putting stirring flour powder into the machine, they are one time shaped into unripe biscuit, all kinds of middle and high grade biscuit and thin biscuit through three stages roller and roll cutting molds. Stainless steel material Weight: 1500kg	Dimension: 3*0.48*0.9m Power: 1.5kw Capacity:50—80kg/h	
10m Tunnel oven	Function: Unripebiscuit is processed with long time baking system under lower temperature after it enters into infrared ray baking fumace transmitted by belt in order to make biscuit ripe. Stainless steel material Weight: 1300kg	(For one) Power: 1.5kw Capacity:50-80kg/h	

济南德伦机械设备有限公司 eLon Jinan Delon Machinery&Equipment Co.LTD M.B:+86-15254187803 TEL:+86-531-88887795 FAX:+86-531-88816598

Skype: bestsales-jack

URL:www.cndelon.com

4. Oil spray Function: Undry biscuit out of baking Technical parameter: machine out of baking furnace immediately Dimension: 1*0.7*0.9m

> enters into oil-spraying Power: 3kw

machine, which is necessary for Capacity:50-80kg/h

production of high-grade biscuit, to

better improve grades and

colors of biscuit.

Stainless steel material

Weight :200kg



Netbelt **cooling** Function: Oil-spraying finished biscuits **Technical parameter:**

comveyor are cooled through transmission

> Stainless steel material Weight:160kg

Dimension:2*0.3*0.5m

Capacity: 50 - 80 kg/h



Packing machine 1)Power:3.4KW /220V,

50/60Hz,

2)Size:3770 x 640 x 156mm

3)Weight:500kg

4)Packaging speed:40-230bag/min

weight:300kg



Control cabinet



Control the whole production line Weight:200kg



14800, 00USD FOB price

() REMARK

This price includes accessories in the accessories list. A 20-foot container is required for the whole line

Skype: bestsales-jack

URL:www.cndelon.com

Quotation List

Machines	Quantity(Set)					
Flour mixer	1					
Roll cut biscuit form machine	1					
10m Tunnel oven	1					
Oil and chocolate spray machine	1 1 1					
Netbelt cooling comveyor	10° _{ss} die					
Packing machine	A 871 W					
Control cabinet	TV OFF 1 ME					
Electrical control system	1 Set					
Machinery Total Price	FOB 14800.00 USD (3 phases, 380V/50Hz)					
If changed to other Voltage	7%	Il be added				
Installation&Training	80USD/day/person	7 days	1 persons	560 USD		
Accident & health insurance			1 persons			
Room and board	O THE STATE		1 persons			
Round-trip tickets	1863 - 244fe.		1 persons			
Shipment: By 1 x 20 FT Containe	Shipping port: Qingdao Port,					
Insurance: To be effected by the buy	China.	China.				
3						

Remarks:

1. Quality: According to the production standard made by the Seller.

The parts which connect with food directly are stainless steel, except for the knives and food-class rubber parts.

All The Electronic Components, Motors, inverters Adopt Chinese(TAIWAN) Top Brand.

- 2. Production period: Within 25 working days after the receipt of advance payment.
- 3. Delivery: Within 30 working days after receipt of advance payment.
- 4. Payment: 30% of contract value should be paid by T/T to the Seller's account as advance payment to start the production, the rest 70% must be paid by T/T before shipment.
- 5. Guaranty time for one year
- 6. Installation: We'll send 1 technician to the buyer's factory for installation and training. All expenses including visa, round trip tickets, daily accommodation will be on the buyer's account.

Thank you for your interest in our production line. It is my pleasure to provide quotation

URL:www.cndelon.com

as follow. If you have any questions, please don't hesitate to contact me.

TECHNICAL PARAMETERS & RELEVANT SERVICES

1. Output: 50-80Kg/hr

2. Square for work shop: 110 m²

3. Installed Capacity: 30kw

4. Voltage / Frequency: 380V / 50Hz

5. Dimension: $17m \times 0.65m \times 1.50$ m

6. Workers Required: 1-2 Workers

- 7. Warranty: At least 1 year from the date of completion of the commissioning.
- 8. Installation/Operation/ Service/ Maintenance Manual: Provided In English

PRE-SHIPMENT INSPECTION INCLUDES

- a). Supplier should trial run whole line at supplier's factory before shipment;
- b). Supplier has to run the machine at least 1hour for each product;
- c). All raw materials for that trial run to be arranged by supplier at their cost.

EACH CLIENT CAN ENJOY THE FOLLOWING 7

SERVICES

- a). Free consultation service before, during, and after sales;
 - b). Free project planning and design services;
- c). Free debugging of equipment until everything is functional;
- d). Free management of equipments' long distance shipping;
- e). Free training of equipment maintenance and operating personally;
 - f). Free new production techniques and formulas;
- g). Provide 1 year complete warrantee and life-time maintance service:

INSTALLATION SUPERVISION AND COMMISSIONING

Including salaries based on 40 hours per week as well as accident-and health insurance for :

- 1 Chief Installation Engineer for the duration of 4 days in total.
 - 1 Process Engineer for the duration of 2 days in total,
- 1 Electrical commissioning-Engineer for the duration of 1 days in total

Skype: bestsales-jack

URL:www.cndelon.com

The customer will be asked to provide room, board, round-trip

transportation, and a nominal USD50 daily subsidy per person. Period of installation:

The total length of the installation time depends on number and qualification of the available local stuff.

A possible delay of the installation period will be additionally invoiced.

Remark: We will provide on-site service after 1 year. The customer will be room, board, round-trip transportation, and a asked to provide nominal USD80 daily subsidy per person.

附件一:

No.	Accessory Name	Mode	Qty	Set	No.	Accessory Name	Model	Qt y	Set
1	帆 布 Canvas	225 型	60	米 m	12	内六角扳手 Hex wrench	225 型	1	套 set
2	电热管 Heating ring	225 型	5	支 set	13	+字螺丝刀 Cruciate mouth screwdriver	225 型	1	个
3	钢丝网带 Mesh belt	225 型	5	米 m	14	- 字螺丝刀 Even mouth screwdriver	225 型	1	个 set
4	调速表 Speed meter	225 型	1	个 set	15	锤子 Hammer	225 型	1	把 set
5	电热偶 thermocouple	225 型	1	个 set	16	变频器说明书 Inverter manual	225 型	1	本 set
6	接触器 Contactor	225 型	1	个 set	17	模具 mould	225 型	4	套 set
7	模具刮板 Die scraper	225 型	6	把 set	18	41#活扳手 41 adjustable wrench	225 型	1	把 set
8	温控表 Temperature control instruments	225 型	1	个	19	传感器 sensor	225 型	6	个 set
9	旋转开关 Rotary switch	225 型	1	个 set	20	电机皮带 Motor belt	225 型	3	个
10	链 条 Chain	225 型	1	付 set	21	拌粉机拌料齿 Mixer shaft	225 型	1	套 set
11	电胶带 Electric tape	225 型	1	个 set					