



Product Service

Attestation of Conformity

No. N8A 15 06 91130 002

Holder of Certificate: ShenYang Bluelight Automatic Technology Co., Ltd.No. 37 Shiji Road, Hunnan New District
110179 Shenyang, Liaoning
PEOPLE'S REPUBLIC OF CHINA**Product: Electronic frequency converter
BL6-U Series elevator integrated controller**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. See also notes overleaf.

Test report no.: 884001412901



Date, 2015-06-29

(Feipeng Liu) 

CE After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. That declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.

Page 1 of 2



Attestation of Conformity
No. N8A 15 06 91130 002

Model(s): **UO4005, UO4007, UO4011, UO4015**
UO4018, UO4022, UO4030

Parameters:

| | |
|------------------------------|--|
| Rated input voltage: | 3~ + PE, 380/400VAC |
| Rated input frequency: | 50/60Hz |
| Rated input current: | 17A (UO4005), 22A (UO4007) 32A (UO4011), 41A (UO4015) 49A (UO4018), 58A (UO4022) 78A (UO4030) |
| Rated input power: | 11kVA (UO4005), 14kVA (UO4007) 21kVA (UO4011), 27kVA (UO4015) 32kVA (UO4018), 38kVA (UO4022) 51kVA (UO4030) |
| Rated output voltage: | 3~, 0-380VAC (3~ + PE, 380VAC input voltage) 3~, 0-400VAC (3~ + PE, 400VAC input voltage) |
| Rated output frequency: | 0-60Hz |
| Rated output current: | 14A (UO4005), 18A (UO4007) 27A (UO4011), 34A (UO4015) 41A (UO4018), 48A (UO4022) 65A (UO4030) |
| Rated output power: | 9kVA (UO4005), 12kVA (UO4007) 18kVA (UO4011), 22kVA (UO4015) 27kVA (UO4018), 32kVA (UO4022) 43kVA (UO4030) |
| Protection degree: | IP20 |
| Electrical protection class: | I |

Tested according to: EN 61800-5-1:2007