





Index 目录



3"HOUSING — 01/03

3"TRIM — 03/05

4"LOW VOLTAGE HOUSING — 06/08

4"LOW VOLTAGE TRIM — 09/14

4"LINE VOLTAGE HOUSING — 14/20

4"LINE VOLTAGE TRIM — 21/25

5"HOUSING — 26/28

5"TRIM — 29/31

6"HOUSING — 32/33

6"LINE VOLTAGE TRIM — 34/36

6"LOW VOLTAGE TRIM — 37

4"RESIDENTIAL COMPACT FLUORESCENT HOUSING — 38/39

4"RESIDENTIAL COMPACT FLUORESCENT TRIM — 40

5"RESIDENTIAL COMPACT FLUORESCENT HOUSING — 41/42

5"RESIDENTIAL COMPACT FLUORESCENT TRIM — 43/44

6"RESIDENTIAL COMPACT FLUORESCENT HOUSING — 45/46

6"COMMERCIAL HORIZONTAL FLUORESCENT HOUSING — 47

4"METAL HALIDE HOUSING — 48

4"METAL HALIDE TRIM — 48

5"METAL HALIDE HOUSING — 49

5"METAL HALIDE TRIM — 49

6"METAL HALIDE HOUSING — 50/51

6"METAL HALIDE TRIM — 52/54

LED TRIM 55-56

TRIM & HOUSING


4" LOW VOLTAGE TRIM

LDHR-405

LDHR-405-AT(Airtight)



4"Remodel NON-IC Housing
Magnetic transformer
Input:120V 50/60HZ
Output:12V 50W
Dia:4-1/8"(104mm)
Depth:5-1/2"(140mm)
Lamp:MR16 12V 50W




LDHR-407

LDHR-407-AT(Airtight)



4"New Construction NON-IC Housing
Magnetic transformer
Input:120V 50/60HZ
Output:12V 50W
Dia:4-1/8"(104mm)
Depth:5-1/2"(140mm)
Lamp:MR16 12V 50W




LDHR-405A

LDHR-405A-AT(Airtight)



4"Remodel NON-IC Housing
Magnetic transformer
Input:120V 50/60HZ
Output:12V 50W
Dia:4-1/8"(104mm)
Depth:5-1/2"(140mm)
Lamp:MR16 12V 50W




LDHR-407A

LDHR-407A-AT(Airtight)



4"New Construction NON-IC Housing
Magnetic transformer
Input:120V 50/60HZ
Output:12V 50W
Dia:4-1/8"(104mm)
Depth:5-1/2"(140mm)
Lamp:MR16 12V 50W




LDHR-406-IC

LDHR-406-ICAT(Airtight)




4"New Construction IC Housing
Magnetic transformer
Input:120V 50/60HZ
Output:12V 50W
12-1/4"LX7-7/8"WX7-7/8"H
Dia:4-1/8"(104mm)
Depth:5-1/2"(140mm)
Lamp:MR16 12V 50W



LDHR-409

4" Remodel NON-IC Housing:
Magnetic transformer
Input: 120V 50/60HZ
Output: 12V 50W
Dia:4- 1/8" (104mm)
Depth:4- 1/2(113mm)
Lamp: MR16 12V 50W MAX




TRIM & HOUSING

4" LOW VOLTAGE TRIM

LDTH-4001




Metal Ring w/Metal Baffle
Baffle:WH BK
Ring:WH SH PB CH
Lamp Holder Ring:WH BK
Lamp:MR16 12V 50W MAX



LDTH-4002CG


Convex Lens w/Aluminum Reflector
Reflector:SV
Ring:WH SH PB CH
Lamp:MR16 12V
35W MAX



LDTH-4003S




Slot Aperture w/Metal Baffle
Baffle:WH BK
Ring:WH SH PB CH
Lamp Holder Ring:WH BK
Lamp:MR16 12V 50W MAX



LDTH-4002DG


Drop Opal Glass w/Aluminum Reflector
Reflector:SV
Ring:WH SH PB CH
Lamp:MR16 12V
35W MAX



LDTH-4002




Metal Ring w/Aluminum Reflector
Reflector:SV GL
Ring:WH SH PB CH
Lamp Holder Ring:WH BK
Lamp:MR16 12V 50W MAX



LDTH-4002RG


Flood Lens w/Aluminum Reflector
Reflector:SV
Ring:WH SH PB CH
Lamp:MR16 12V
35W MAX



LDTH-4002AG




Fresnel Lens w/Aluminum Reflector
Reflector:SV
Ring:WH SH PB CH
Lamp:MR16 12V 35W MAX



LDTH-4002SG

Frosted Lens w/Aluminum Reflector
Reflector:SV
Ring:WH SH PB CH
Lamp:MR16 12V
35W MAX



TRIM & HOUSING

4" LOW VOLTAGE TRIM


TRIM & HOUSING

4" LINE VOLTAGE HOUSING




LDTH-4002TG

Frosted Panel Glass Clear in Center Shower Trim
Reflector:SV
Ring:WH SH PB CH
Lamp:MR16 12V 35W MAX




LDTH-4013

Frosted Glass Shower Trim
Reflector:SV
Ring:WH SH PB CH
Lamp:MR16 12V 35W MAX



LDTH-4001P

Metal Ring w/Metal Baffle
Baffle:WH BK
Ring:WH SH PB CH
Lamp Holder Ring:WH BK
Lamp:MR16 12V 50W MAX




LTH-4018T

Gimbal Ring
Ring:WH BK SH CH PB
Lamp:MR16 12V 50W MAX




LDTH-4005

Wall Washer w/Metal Baffle
Baffle:WH BK
Ring:WH SH PB CH
Lamp Holder Ring:WH BK
Lamp:MR16 12V 50W MAX




LDTH-4223

Slot Aperture w/Die-Casting Ring
Ring:WH SH PB CH
Lamp Holder Ring:WH BK
Lamp:MR16 12V 50W MAX




LDTH-4008

Gimbal Ring
Ring:WH SH PB CH
Lamp:MR16 12V 50W MAX




LDTH-4024B

Gimbal Ring
Ring:WH BK
Lamp:MR16 12V 50W MAX




LDTH-4009B

Retractable Gimbal Ring
Ring:WH SH PB CH
Lamp:MR16 12V 50W MAX



LDTH-4203

Slot Aperture w/Die-Casting Ring
Ring:WH SH PB CH
Lamp Holder Ring:WH BK
Lamp:MR16 12V 50W MAX




TRIM & HOUSING

4" LINE VOLTAGE HOUSING




LDTH-4209

Retractable Die-Casting Gimbal
Ring:WH SH PB CH
Lamp Holder Ring:WH BK
Lamp:MR16 12V 50W MAX




LDTH-4

Gimbal Ring
Ring:WH BK SH CH PB
Lamp:MR16 12V 50W MAX




LDTH-4211A

Retractable Die-Casting Ring
Ring:WH SH PB CH
Lamp:MR16 12V 50W MAX




LDTH-4231A

Retractable Die-Casting Ring
Ring:WH SH PB CH
Lamp:MR16 12V 50W MAX



LDTH-4231B

Retractable Die-Casting Ring
Ring:WH SH PB CH
Lamp:MR16 12V 50W MAX




TRIM & HOUSING

4" LINE VOLTAGE HOUSING


LDTH-4232

Retractable Die-Casting Ring
Ring:WH SH PB CH
Lamp:MR16 12V 50W MAX



4"Remodel Housing

Available in
120V PAR16/PAR20/R20 50W MAX
Screw Base Adapter
(Choice of different 4"line voltage trim)



4"Remodel Housing

Available in
120V PAR16/PAR20/R20 50W MAX
with the adjustable bracket
Screw Base Adapter
Attaches to Housing Socket
with the adjustable bracket
Screw Base Adapter
(Choice of different 4"line voltage trim)



4"New Construction Housing

Available in
120V PAR16/PAR20/R20 50W MAX
Screw Base Adapter
(Choice of different 4"line voltage trim)



TRIM & HOUSING

4" LINE VOLTAGE HOUSING




4"New Construction Housing

Available in
120V PAR16/PAR20/R20 50W MAX
with the adjustable bracket
Screw Base Adapter
Attaches to Housing Socket
with the adjustable bracket
Screw Base Adapter
(Choice of different 4"line voltage trim)

LDWL-401B

LDWL-401B-AT(Airtight)

4"New Construction NON-IC Housing
Dia:4-1/8"(104mm)
Depth:5-1/2"(140mm)
Lamp: PAR16/PAR20/R20
120V 50W MAX




4"New Construction Housing

With is box,Available in
120V PAR16/PAR20/R20 50W MAX
Screw Base Adapter
(Choice of different 4"line voltage trim)

LDWL-401-ICAT(Airtight)

4"New Construction NON-IC Housing
7-1/2" LX 5-1/8" X 6-1/8" H
Dia:4-1/8"(104mm)
Depth:5-1/2"(140mm)
Lamp: PAR16/PAR20/R20
120V 50W MAX



4"New Construction Housing

with ic box,Available in
120V PAR16/PAR20/R20 50W MAX
with the adjustable bracket
Screw Base Adapter
Attaches to Housing Socket
with the adjustable bracket
Screw Base Adapter
(Choice of different 4"line voltage trim)

LDWL-402

LDWL-402-AT(Airtight)


4"Remodel NON-IC Housing
Dia:4-1/8" (104mm)
Depth:5-1/2" (140mm)
Lamp:PAR16/PAR20/R20
120V 50W MAX



LDWL-401

LDWL-401-AT(Airtight)

4"New Construction NON-IC Housing
Dia:4-1/8" (104mm)
Depth:5-1/2" (140mm)
Lamp:PAR16/PAR20/R20
120V 50W MAX



LDWL-402A

LDWL-402A-AT(Airtight)


4"Remodel NON-IC Housing
Dia:4-1/8" (104mm)
Depth:5-1/2" (140mm)
Lamp:PAR16/PAR20/R20
120V 50W MAX




TRIM & HOUSING

4" LINE VOLTAGE TRIM

LDWL-405
LDWL-405-AT(Airtight)




4"Remodel NON-IC Housing
Dia:4-1/8"(104mm)
Depth:5-1/2" (140mm)
Lamp:PAR16/PAR20/R20
120V 50W MAX




LDWL-405A
LDWL-405A-AT (Airtight)



4"New Construction NON-IC Housing
7-1/2"L X5-1/8"WX6-1/8"H
Dia:4-1/8" (104mm)
Depth:5-1/2" (140mm)
Lamp:PAR16/PAR20/R20
120V 50W MAX




4"Remodel NON-IC Housing
Dia:4-1/8" (104mm)
Depth:5-1/2"(140mm)
Lamp:PAR16/PAR20/R20
120V 50W MAX




LDWL-407
LDWL-407-AT(Airtight)



4" New Construction NON-IC Housing
7-1/2" LX 5-1/8" WX 6-1/8" H
Dia: 4-1/8" (104mm)
Depth: 5-1/2" (140mm)
Lamp: PAR16 / PAR20
120V 50W MAX



4"New Construction NON-IC
Housing
Dia:4-1/8"(104mm)
Depth:5-1/2" (140mm)
Lamp:PAR16/PAR20/R20
120V 50W MAX



TRIM & HOUSING


4" LINE VOLTAGE TRIM

LDWL-407B

LDWL-407B-AT(Airtight)





4" New Construction NON-IC Housing
Dia: 4-1/8" (104mm)
Depth: 5-1/2" (140mm)
Lamp: PAR16/ PAR20/ R20
120V 50W MAX





LDWL-410-ICAT

4" New Construction IC Housing:
Dia: 4-1/8" (104mm)
Depth: 4-3/4" (145mm)
Lamp: PAR20 R20
120V 50W MAX



LDWL-408

4" New Construction NON-IC Housing:
Dia: 4-1/8" (104mm)
Depth: 4-3/4" (145mm)
Lamp: PAR20 R20
120V 50W MAX




LDWL-411

4" Remodel NON-IC Housing:
Dia: 4-1/8" (104mm)
Depth: 4-1/2" (113mm)
Lamp: PAR20 R20 50W MAX




LDWL-409

4" Remodel NON-IC Housing:
Dia: 4-1/8" (104mm)
Depth: 4-1/2" (113mm)
Lamp: PAR20 R20 50W MAX



LDWL-412

4" Remodel NON-IC Housing:
Dia: 4-1/8" (104mm)
Depth: 4-1/2" (113mm)
Lamp: PAR20 R20 50W MAX




TRIM & HOUSING

4" LINE VOLTAGE TRIM

LDTM-4001




Metal Baffle w/Metal Ring
Baffle:WH BK
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 50W MAX



LDTM-4002AG




Aluminum Reflector w/Fresnel Lens
Reflector:SV
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 35W MAX



LDTM-4201P




Phenolic Baffle w/Die-Casting Ring
Baffle:WH BK
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 50W MAX



LDTM-4002CG




Aluminum Reflector w/Convex Lens
Reflector:SV
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 35W MAX



LDTM-4002




Aluminum Reflector
Reflector:SV GL
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 50W MAX



LDTM-4002DG




Aluminum Reflector w/Drop Opal Glass
Reflector:SV
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 35W MAX



LDTM-4002H




Aluminum High Reflector
Reflector:SV GL
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 50W MAX



LDTM-4002RG



Flood Lens w/Aluminum Reflector
Reflector:SV
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 35W MAX




TRIM & HOUSING

4" LINE VOLTAGE TRIM

LDTM-4002SG




Aluminum Reflector w/Frosted Lens
Reflector:SV
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 35W MAX



LDTM-4002TG




Frosted Panel Glass Clear In
Center Shower Trim
Reflector:SV
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 35W MAX



LDTM-4003S




Slot Aperture w/Metal Baffle
Baffle:WH BK
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 50W MAX



LDTM-4004



Metal Ring w/Eyeball
Eyeball:WH BK
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 50W MAX




TRIM & HOUSING

4" LINE VOLTAGE TRIM

LDTM-4005

Wall Washer w/Metal Baffle
Baffle:WH BK
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 50W MAX




LDTM-4009

Gimbal Ring
Ring:WH SH PB CH
Lamp:PAR20 50W MAX




LDTM-4016

Step Glass
Glass:WH
Ring:WH SH PB CH
Lamp:PAR16/PAR20/
R20 50W MAX




LDTM-4018A

Gimbal Ring
Ring:WH SH PB CH
Lamp:PAR20 50W MAX



LDTM-4018F

Gimbal Ring
Ring:WH BK SH CH PB
Lamp:PAR20 120V 50W MAX




TRIM & HOUSING

4"RESIDENTIAL COMPACT FLUORESCENT HOUSING

LDPLVA-402-AT(Airtight)




4"Remodel NON-IC Housing
Dia:4-1/8"(104mm)
Depth:5-1/2"(140mm)
Lamp:18W*1 MAX
Compact Fluorescent lamps



LDPLVA-405-AT(Airtight)




4"New Construction
NON-IC Housing
Dia:4-1/8" (104mm)
Depth:5-1/2" (140mm)
Lamp:18W*1 MAX



LDPLVA-407-AT(Airtight)



4"Remodel NON-IC Housing
Dia:4-1/8" (104mm)
Depth:5-1/2" (140mm)
Lamp:18W*1 MAX
Compact Fluorescent lamps



TRIM & HOUSING

4"RESIDENTIAL COMPACT FLUORESCENT TRIM

LDTM-4001



Metal Baffle w/Metal Ring
Baffle:WH BK
Ring:WH SH PB CH
Compact Fluorescent Lamps

LDTM-4001H



Metal Ring w/High Baffle
Baffle:WH BK
Ring:WH SH PB CH
Compact Fluorescent Lamps

LDTM-4002



Aluminum Reflector
Reflector:SV GL
Ring:WH SH PB CH
Compact Fluorescent Lamps

LDTM-4002H



Aluminum High Reflector
Reflector:SV GL
Ring:WH SH PB CH
Compact Fluorescent Lamps

LDTM-4201A



Aluminum Reflector w/Die-Casting
Ring
Reflector:SV GL
Ring:WH SH PB CH
Compact Fluorescent Lamps

LDTM-4201P



Phenolic Baffle w/Die-Casting Ring
Baffle:WH BK
Ring:WH SH PB CH
Compact Fluorescent Lamps


TRIM & HOUSING

4" LINE VOLTAGE TRIM

LDTM-4



Gimbal Ring
Ring: WH BK SH CH PB
Lamp: PAR20 120V 50W MAX



5"Remodel Housing


Available in
PAR16/PAR20/R20 120V 50W MAX
(Such as LDWL-506-IC)
Screw Base Adapter
Attaches to Housing Socket
(Choice of different 5" trim)



LDTM-4025




Gimbal Ring
Ring: WH BK SH CH PB
Lamp: PAR20 120V 50W MAX



LDWL-506


5"Remodel NON-IC Housing
Dia: 5-1/2" (140mm)
Depth: 7-1/4" (184mm)
Lamp: PAR20/R20 75W
MAX PAR30 50W MAX



LDTM-4024A




Gimbal Ring
Ring: WH BK SH CH PB
Lamp: PAR20 120V 50W MAX



LDWL-506-IC LDWL-506-ICAT(Airtight)

5"Remodel IC Housing
Dia: 5-1/2" (140mm)
Depth: 7-1/4" (184mm)
Lamp: PAR20/R20 75W
MAX PAR30 50W MAX



5"Remodel Housing

Available in
PAR16/PAR20/R20 120V 50W MAX
with the adjustable bracket
(Such as LDWL-506A-IC)
Screw Base Adapter
Attaches to Housing Socket
with the adjustable bracket
(Choice of different 5" trim)



HANGER



Hanger A



Hanger D




Hanger H




Hanger G



Hanger T



About TRIM & HOUSING



- 1 Housing
- 2 Screw Base Adapter Attaches to Housing Socket
- 3 Hanger Bar
- 4 Conduit
- 5 UL Label
- 6 Adjustable Bracket
- 7 Trim
- 8 LAMO AVAILABLE IN:MR16 GU10 PAR16 PAR20 PAR38.....
- 9 Trim available in:Baffle,Reflector,Eyeball or spot.





佛山市南海区雷恩光电科技有限公司

电话: (086) 0757-85436101 85418082

传真: (086) 0757-85418081

网址: www.land-lighting.com

邮箱: land5@land-lighting.com

地址: 广东佛山市南海区丹灶镇荷村镇南工业区

TEL: (086) 0757-85436101 85418082

FAX: (086) 0757-85418081

[Http://www.land-lighting.com](http://www.land-lighting.com)

Email: land5@land-lighting.com

Add: Deveoping zone in the west of he cun xin cun road
in dan zao town nanhai distrct foshan city guangdong,
china



2013—2014
RECESSED LIGHTING