

Hunan Kontak Technology Co.,LTD

Room 2402, Skyer City, No 59 Furong Middle Road Second Section, Changsha City, Hunan Province, China

Tel: +86-731-85860892 Email: kontak@kontak-cn.com, Website: www.kontakledlight.com



Solar street light 20W		Model: KTSL8030-20	
Main Lamps material	Aluminium Alloy		
Solar panel	Max Power	18V23W	
Battery	li-ion battery	130WH	
LED	Led chip brand	Bridgelux 3030	30pcs*1
	Lumen(LM)	2000 LM	
	CCT (k)	6000-7000k	
	Life Time	50000 hours	
Lighting Viewing Angle	140°×70°		
Working TEMP(°C)	-20°~+60°		
Working Mode	1. Time Control Mode , 2.Sensoring Mode		
Charge time(by sun):	8-10hours (with enough strong shine)		
Discharge time	10-12 hours per night 5-7rainy days		
Certificate	CE/ROHS/IP65		
Packing	Product size	526*297*54 mm	
	Packing size	580*350*105 mm	
	Net weight	5.5	
	Gross weight	6.4	
	Packing way	1sets/carton	
Installation height	5-6meters	Suggestion distance	20-25meters

Hunan Kontak Technology Co.,LTD

Room 2402, Skyer City, No 59 Furong Middle Road Second Section, Changsha City, Hunan Province, China

Tel: +86-731-85860892 Email: kontak@kontak-cn.com, Website: www.kontakledlight.com



Solar street light 40W		Model: KTSL8030-40	
Main Lamps material	Aluminium Alloy		
Solar panel	Max Power	18V38W	
Battery	li-ion battery	190WH	
LED	Led chip brand	Bridgelux 3030	30pcs*2
	Lumen(LM)	3000 LM	
	CCT (k)	6000-7000k	
	Life Time	50000 hours	
Lighting Viewing Angle	140°×70°		
Working TEMP(°C)	-20°~+60°		
Working Mode	1. Time Control Mode , 2.Sensoring Mode		
Charge time(by sun):	8-10hours (with enough strong shine)		
Discharge time	10-12 hours per night 5-7rainy days		
Certificate	CE/ROHS/IP65		
Packing	Product size	813*300*54mm	
	Packing size	870*350*105 mm	
	Net weight	7.2kg	
	Gross weight	8.2kg	
	Packing way	1sets/carton	
Installation height	6-7meters	Suggestion distance	20-25meters

Hunan Kontak Technology Co.,LTD

Room 2402,Skyer City,No 59 Furong Middle Road Second Section,Changsha City,Hunan Province.China

Tel:+86-731-85860892 Email: kontak@kontak-cn.com, Website: www.kontakledlight.com



Solar street light 60W		Model: KTSL8030-60	
Main Lamps material	Aluminium Alloy		
Solar panel	Max Power	18V48W	
Battery	li-ion battery	230WH	
LED	Led chip brand	Bridgelux 3030	30pcs*3
	Lumen(LM)	4000 LM	
	CCT (k)	6000-7000k	
	Life Time	50000 hours	
Lighting Viewing Angle	140°×70°		
Working TEMP(°C)	-20°~+60°		
Working Mode	1. Time Control Mode , 2.Sensing Mode		
Charge time(by sun):	8-10hours (with enough strong shine)		
Discharge time	10-12 hours per night 5-7rainy days		
Certificate	CE/ROHS/IP65		
Packing	Product size	915*297*54 mm	
	Packing size	970*350*105 mm	
	Net weight		
	Gross weight		
	Packing way	1sets/carton	
Packs Containers	20ft container		
	40gp container		
Installation height	7-8meters	Suggestion distance	25-30meters