

Integrated solar street light



Model:KK780

Solar module:18V55W(High efficiency import solar panel)

Battery type:High efficiency lithium battery

Light source:Philips

Color temperature:6000-7000K

Lumen (LM) :8000-8800LM

Working hours:10-12hours,5-7rainy days

Working temperature:-20°C~60°C

Protection level:TUV IP65

Product size:1050*355*156mm

Package size:1120*430*240mm

Net weight:13kg

Gross Weight:14.5kg

Integrated solar street light



Model:KK770

Solar module:18V55W(High efficiency import solar panel)

Battery type:High efficiency lithium battery

Light source:Philips

Color temperature:6000-7000

Lumen (LM) :7000-7700LM

Working hours:10-12hours,5-7rainy days

Working temperature:-20°C~60°C


Protection level:TUV IP65

Product size:1050*355*156mm

Package size:1120*430*240mm

Net weight:12.5kg

Gross Weight:14 kg



Integrated solar street light

Model:KK760

Solar module:18V45W(High efficiency import solar panel)

Battery type:High efficiency lithium battery

Light source:Philips

Color temperature:6000-7000K

Lumen (LM) :6000-6600LM

Working hours:10-12hours,5-7rainy days

Working temperature:-20°C~60°C




Protection level:TUV IP65

Product size:834*355*156mm

Package size:910*430*240mm

Net weight:11.5kg

Gross Weight:12kg



Integrated solar street light

Model:KK750

Solar module:18V40W(High efficiency import solar panel)

Battery type:High efficiency lithium battery

Light source:Philips

Color temperature:6000-7000K

Lumen (LM) :5000-5500LM

Working hours:10-12hours,5-7rainy days

Working temperature:-20°C~60°C

Protection level:TUV IP65

Product size:834*355*156mm

Package size:910*430*240mm

Net weight:11kg

Gross Weight:12kg



T: Time control mode

I: Induction mode / PIR sensing mode

TI: Time control mode + Induction mode



Integrated solar street light



Model:KK740

Solar module:18V36W(High efficiency import solar panel)

Battery type:High efficiency lithium battery

Light source:Philips

Color temperature:6000-7000K

Lumen (LM) :4000-4400LM

Working hours:10-12hours,5-7rainy days

Working temperature:-20°C~60°C


Protection level:TUV IP65

Product size:700*355*144mm

Package size:770*430*240mm

Net weight:9.8kg

Gross Weight:10.5kg



09

Integrated solar street light

Model:KK730

Solar module:18V30W(High efficiency import solar panel)

Battery type:High efficiency lithium battery

Light source:Philips

Color temperature:6000-7000K

Lumen (LM) :3000-3300LM

Working hours:10-12hours,5-7rainy days

Working temperature:-20°C~60°C


Protection level:TUV IP65

Product size:605*355*70mm

Package size:680*430*150mm

Net weight:6kg

Gross Weight:8kg



10



Integrated solar street light



Model:KK720

Solar module:18V25W(High efficiency import solar panel)

Battery type:High efficiency lithium battery

Light source:USA Bridgelux

Color temperature:6000-7000K

Lumen (LM) :2000-2200LM

Working hours:10-12hours,5-7rainy days

Working temperature:-20°C~60°C


Protection level:TUV IP65

Product size:536*355*70mm


Package size: 630*430*150mm

Net weight:5.5kg

Gross Weight:7kg



Integrated solar garden light



Model:NC505

Solar module:High efficiency import solar panel

Battery type:High efficiency lithium battery

Light source:Everlight

Color temperature:6000-7000K

Lumen (LM) :500-600LM

Working hours:10-12hours,3-5rainy days

Working temperature:-20°C~60°C

Protection level:TUV IP66

Product size:346*182*49mm

Package size: 410*250*130mm

Net weight:1.8kg

Gross Weight:2.5kg