

Add: 10-2-101 Fenghexinyuan Nankai District Tianjin China
Tel:+86 22 87348386 Web:www.newroc-phe.com E-mail:info@newroc-phe.com

High Pressure Titanium Heat Exchanger In Machinery

Titanium heat exchangers are used for applications that require a high resistance to corrosion. **The use of titanium plate heat exchangers is widespread for Offshore and Coastal installations where seawater cooling is required.**

Many industrial sites such as oil and gas production facilities are located on the sea shore and offshore. These facilities use seawater as a cooling medium because of its immediate availability. Direct seawater cooling is normally used to limit cost and save space and weight. **Titanium alloys are usually the preferred choice for seawater cooled heat exchangers** because of their outstanding corrosion resistance even in hot aerated seawater and their good strength and low density.

NewRoc focuses on R&D, manufacturing, counseling and service for Plate Heat Exchangers. NewRoc Plate Heat Exchangers, which could be used in HVAC, power plant, petrochemical, food & pharmaceutical, marine, steel & metal, mechanism etc.

Our products (plate heat exchangers, gaskets and plates) can be the perfect alternative to Alfa Laval, APV, GEA, Tranter, Swep, API, Funke, Thermowave, Vicarb. We focus on exporting various brands of plate heat exchangers, also we could help you with the maintenance, provide the solution of other technical problems.


Professional plate heat exchanger manufacturer We can not only provide you with PHE, but also we can design the appropriate plan for heating exchange according to your need. **We have 15- year experience of designing in this field and solve various problems for you.** We have a wealth of HVAC, refrigeration, metal steel, marine engineering, paper, power, chemical, marine engineering, food and beverage experience.

Our Advantages:

1. Manufacturer and Distributer, we can supply different brands and series plate and gasket, such as Alfa-Laval, APV, GEA, Tranter, SONDEX etc.
2. As manufacturer, we can supply the best quality replace parts for above brands to help you save more cost.
3. Over 15 years' experience in the energy field, we also can provided technical service such as technical consultation, equipment upgrade, capacity expansion scheme, maintenance and cleaning of the equipment.
4. High quality with competitive price, global fast delivery.
5. Our products are superior quality and environment friendly.
6. Prompt response to inquiries and orders.
7. Inventory for standard products.


Working principles

Heat exchanger is an equipment which reduces the temperature of a medium by transferring temperature



of that medium to another, when both the mediums are separated by a solid membrane or wall like structure.

For efficient operation, the surface area of the wall which separates the two mediums is maximized, simultaneously minimizing the flow resistance of the fluid. Channels are formed between the plates and corner ports are arranged so that the two media flow through alternate channels. The heat is transferred through the thin plate between the channels, and complete counter current flow is created for highest possible efficiency. No intermixing of the media or leakage to the surroundings will take place as gaskets around the edges of the plates seal the unit. The



The corrugation of the plates provides a suitable passage between the plates, support of each plate against the adjacent one and a strong turbulence resulting in maximum heat transfer efficiency.

Standard Materials

For Frame: Carbon steel, stainless steel,

For Plate: Stainless steel, titanium Plates Stainless steel alloy 304, Stainless steel alloy 316 Stainless steel alloy C276 or Titanium or SMO

For Gaskets: NBR, EPDM, Viton A, Viton G CR

Why choose Gasketed Plate Heat Exchanger?

- * High heat transfer efficiency
- * Low pressure loss
- * Compact structure
- * Easy assembly & disassembly
- * Sensitive temperature control
- * High operating flexibility
- * Long life-time

Application

Food industry: Milk pasteurization Milk and beverage pasteurization, Wine tempering, Bottled water treatment, CIP (Cleaning-in-Place) heating, Reverse osmosis water.

Marine application: Central cooling of the main or auxiliary engines or turbines, Lubrication oil cooling, Recooling of circulated water for cooling cylinders, pistons, injection nozzles, Cooling of Baoder oil, compressor oil and other lubricants, Preheating of lubrication oil and heavy fuel oil, Preheating of seawater for fresh water production, Heat recovery, Heat exchange to air-condition the passengers' cabins and freight spaces

Others: Turbine oil cooler, Chemical industry, district heating, district cooling, swimming pool heating, solar heating.



