



# Your trustworthy dredger supplier

## Cutter Suction Dredger Catalog

Bella Wang

Global Sales & Management Director

Mobile / WhatsApp: +86 15253620799

hid@hiddredger.com ; globalsales@hiddredger.com

LinkedIn: <https://www.linkedin.com/in/bella-wang-b37a8b132/>

## Copyright Notice

This case belongs to Shandong Haohai dredging equipment Co., Ltd. HID. Shandong Haohai dredging equipment Co., Ltd reserves all the protected intellectual property rights and all other powers of this proposal. Without the authorization, the protected content of this proposal shall not be unauthorized use, also shall not be forwarded to others.

With principle of good faith, friendship and trust, this case involves some or all of the third party resources cooperation content, this may bring reputation loss to our company or the third party because of the misunderstanding can be caused, so please keep confidential with content of the case strictly after previewing the case.

# Catalogue

Part 1. Company Introduction

Part 2. HID Cutter Suction Dredger Models

Part 3. Dredgers Project Case Show



**Shandong Haohai dredging equipment Co., Ltd.** is located in Qingzhou City, Shandong Province Development Zone. The company is a professional dredger producer and manufacturer. HID cooperates with Jiangsu Ship Design Institute, National Institute of Agricultural Sciences, Nanjing Hydraulic Research Institute, PowerChina, China Railway Group to supply and improve our products: Cutter Suction Dredger, Amphibious Dredger, Environmental Protection Dredger, Sand Dredger, Salt Mining Dredger and others, The backbone product is Cutter Suction Dredger which we have been producing for more than 30 years and passed CE, BV, CCS, ABC certificate, and we have obtained 36 patents. HID dredging company covers an area of nearly 50,000 square meters, fixed assets more than 6000 million yuan, and we have 50 R & D staff. Our products has been exported to more than 37 countries such as Bangladesh, Russia, Poland, Malaysia, Maldives, Philippines, India, Indonesia, Nigeria - won many customer's high praise and appreciation.

## Mr. Yong sheng, Wang



- Founder and Chairman of HID & Yongsheng Dredger
- Pioneer in China's Dredging Industry
- President of Qingzhou Dredging Association
- Top 10 Charismatic Leaders in the Industry
- 33 Year's experience in Dredger Manufacture and Application Field since 1987.
- Leading Company Products Exportation to more than 40 countries

### **Ms. Bella Wang**



- Global Director of Sales and Management
- Master in International Business and Dredging Mechanical Engineering (U.S.A)
- 8 year's practical experiences in Global Dredging Markets
- Served more than 20 Countries Dredging Work
- Member of Qingzhou's New Generation Entrepreneurs Chamber of Commerce
- Strive to your Trustworthy Dredging Partner



## 企业信用等级证书

Enterprise credit rating certificate

证书编号：ZGX-1880181310

**山东浩海疏浚装备有限公司**

针对该企业的信用记录、经营状况、债务风险、发展前景、结合社会口碑、公众认可度，经审核评估，确定该企业信用等级为：

# AAA

颁发日期：2019年11月28日  
Date of issue

有效期至：2022年11月27日  
Date of expiry

公示查询：[www.xy315gov.com](http://www.xy315gov.com)  
[www.cebicid.org.cn](http://www.cebicid.org.cn)

公示平台 招标信用

复审记录：  
Re-examination records:

证书说明：  
Notes

- 1.企业信用等级自评定之日起有效期为三年。  
The enterprise credit rating shall be valid for three years from the date of evaluation.
- 2.企业信用等级自实行复审制度，有效期内，每年复审一次。经复审合格的，加盖复审章后可继续使用；信用评级发生变化的，需要重新评定信用等级并更换证书。  
The enterprise credit grade shall be subject to review once a year within the validity period. If the applicant is qualified through the re-examination, the re-examination seal shall be affixed. May continue to use. If the credit status changes, the credit rating shall be re-evaluated and the certificate shall be replaced.
- 3.有效期内企业变更名称的，必须经发证单位办理变更手续。  
If an enterprise changes its name in effect, it must obtain a certificate and go through the formalities of change at the issuing unit.
- 4.本证书只证明企业有效期内信用评级情况，不作他用。  
This certificate only proves the credit status within the valid period of the enterprise, and will not be used for other purposes.
- 5.本证书不得涂改、转借。  
This certificate shall not be altered or lent.

中国信用公共服务中心  
China's Credit Public Service Center

中城（北京）国际信用评级有限公司  
zhongcheng (Beijing) international credit appraisal co. LTD

Enterprise Credit Rating Certificate



## 诚信经营示范单位

Demonstration Unit of Integrity Management

证书编号：ZGX-1880181314

**山东浩海疏浚装备有限公司**

针对该企业的信用记录、经营状况、债务风险、发展前景、结合社会口碑、公众认可度，经审核评估，确定该企业诚信经营等级为：

# AAA

颁发日期：2019年11月28日  
Date of issue

有效期至：2022年11月27日  
Date of expiry

公示查询：[www.xy315gov.com](http://www.xy315gov.com)  
Enquiring website

公示平台 招标信用

复审记录：  
Re-examination records:

证书说明：  
Notes

- 1.企业信用等级自评定之日起有效期为三年。  
The enterprise credit rating shall be valid for three years from the date of evaluation.
- 2.企业信用等级自实行复审制度，有效期内，每年复审一次。经复审合格的，加盖复审章后可继续使用；信用评级发生变化的，需要重新评定信用等级并更换证书。  
The enterprise credit grade shall be subject to review once a year within the validity period. If the applicant is qualified through the re-examination, the re-examination seal shall be affixed. May continue to use. If the credit status changes, the credit rating shall be re-evaluated and the certificate shall be replaced.
- 3.有效期内企业变更名称的，必须经发证单位办理变更手续。  
If an enterprise changes its name in effect, it must obtain a certificate and go through the formalities of change at the issuing unit.
- 4.本证书只证明企业有效期内信用评级情况，不作他用。  
This certificate only proves the credit status within the valid period of the enterprise, and will not be used for other purposes.
- 5.本证书不得涂改、转借。  
This certificate shall not be altered or lent.

中国信用公共服务中心  
China's Credit Public Service Center

中城（北京）国际信用评级有限公司  
zhongcheng (Beijing) international credit appraisal co. LTD

Demonstration Unit Of Integrity Management



OHSAS 18001:2007

ISO 9001:2015

ISO 14001:2015





{ 36 Patents }



### Cutter Suction Dredger Types:

1. Fully hydraulic dredger, sand dredger
2. Environmental electric dredger, sand dredger

### Characteristics about performance:

1. a wide range of use applications;
2. high efficiency, large output, far pump distance;
3. full hydraulic control, easily operation with convenience;
4. Control the working process of dredging and pumping, delivering dredged materials. lower cost;
5. a wide range of use: salt, tin ore, gold and so on;
6. Guided by Dutch dredging consultant;
7. 30 years manufacture workmanship, reliable detail construction, strong manufacture materials.



**Working area:** River, Coastal, Reservoir, and Lake  
**Function and use:** Desilting, Broaden river for ship navigation, land reclamation, scours, blows fills project. Suitable for dredging river clay, mud, and coastal deposits.

→ **Dredging depth: 1.0m – 30.0m (underwater)**

→ **Output: 500 m<sup>3</sup>/h – 8000m<sup>3</sup>/h**

→ **Discharge Distance: 100m--4000m**

## HID-7525 Cutter Suction Dredger Model

→ Total length	49.5m
→ Pontoon length	41m
→ Breadth	11.4m
→ Depth	3m
→ Total installation power	4330kw
→ Dredge pump	600WN
→ Water flow capacity	8000 m <sup>3</sup>
→ Discharge distance	4000m
→ Dredging depth	25m
→ Working weight	820T
→ Mean Draft	1.9m
→ Operating system	PLC
→ Building time	5-6months
→ Shipping	Bulk Carrier Transportation



- Can choose different engine power, brand, hydraulic parts brand/quality.
- Note: Technical Parameters can customize based on client's actual working situation.

## HID-6024 Cutter Suction Dredger Model

→ Total length	38.95m
→ Pontoon length	29m
→ Breadth	9.2m
→ Depth	2.4m
→ Total installation power	1795kw
→ Dredge pump	500WN
→ Water flow capacity	5000-5500 m <sup>3</sup>
→ Discharge distance	1500-4000m
→ Dredging depth	15m
→ Working weight	465T
→ Mean Draft	1.5m
→ Operating system	PLC
→ Building time	150 days
→ Shipping	Bulk Carrier Transportation



- 4 type of configurations to choose with different engine power, brand, pump, hydraulic parts brand/quality.
- Note: Technical Parameters can customize based on client's actual working situation.

## HID-5522 Cutter Suction Dredger Model

→ Total length	38.95m
→ Pontoon length	29m
→ Breadth	8.8m
→ Depth	2.2m
→ Total installation power	1262kw
→ Dredge pump	450WN
→ Water flow capacity	3500-4000 m <sup>3</sup>
→ Discharge distance	1500-4000m
→ Dredging depth	15m
→ Working weight	385T
→ Mean Draft	1.5m
→ Operating system	PLC
→ Building time	80 days
→ Shipping	Bulk Carrier Transportation



- 6 type of configurations with with different engine power, brand, pump, hydraulic parts brand/quality.
- Note: Technical Parameters can customize based on client's actual working situation.

## HID-4518 Cutter Suction Dredger Model

→ Total length	36m
→ Pontoon length	25m
→ Breadth	7.6m
→ Depth	2m
→ Total installation power	1070kw
→ Dredge pump	350WN
→ Water flow capacity	2400-3000 m3
→ Discharge distance	1500-2000m
→ Dredging depth	14m
→ Working weight	197T
→ Mean Draft	1.3m
→ Operating system	PLC
→ Building time	80 days
→ Shipping	Bulk Carrier Transportation



- 2 types configurations with different engine power, brand, hydraulic parts brand/quality.
- Note: Technical Parameters can customize based on client's actual working situation.

## HID-4016 Cutter Suction Dredger Model

→ Total length	36m
→ Pontoon length	25m
→ Breadth	7m
→ Depth	2m
→ Total installation power	852kw
→ Dredge pump	300WN
→ Water flow capacity	2000-2600 m <sup>3</sup>
→ Discharge distance	1500-2000m
→ Dredging depth	14m
→ Working weight	183T
→ Mean Draft	1.2m
→ Operating system	PLC
→ Building time	80 days
→ Shipping	Bulk Carrier Transportation



- 4 types of configurations with with different engine power, brand, hydraulic parts brand/quality.
- Note: Technical Parameters can customize based on client's actual working situation.

## HID-3012 Cutter Suction Dredger Model

→ Total length	26m
→ Pontoon length	17m
→ Breadth	5.2m
→ Depth	1.6m
→ Total installation power	471kw
→ Dredge pump	250WN
→ Water flow capacity	1000-1400 m <sup>3</sup>
→ Discharge distance	1200-1500m
→ Max Dredging depth	10m
→ Working weight	78T
→ Mean Draft	1.0m
→ Operating system	PLC
→ Building time	60 days
→ Transport :	40' Containers



- 3 types of configurations with different engine power, brand, hydraulic parts brand/quality.
- Note: Technical Parameters can customize based on client's actual working situation.



## HID-2510 Cutter Suction Dredger Model

→ Total length	22m
→ Pontoon length	14m
→ Breadth	5.2m
→ Depth	1.6m
→ Total installation power	298kw
→ Dredge pump	200WN
→ Water flow capacity	800-950 m <sup>3</sup>
→ Discharge distance	1000-1500m
→ Dredging depth	8m
→ Working weight	78T
→ Mean Draft	1.0m
→ Operating system	PLC
→ Building time	60 days
→ Transport :	40' Containers



- 2 type of configurations with different engine power, brand, hydraulic parts brand/quality.
- Note: Technical Parameters can customize based on client's actual working situation.


## HID-2508 Cutter Suction Dredger Model

→ Total length	13.5m
→ Pontoon length	10.6m
→ Breadth	5.0m
→ Depth	1.6m
→ Total installation power	200kw
→ Water flow capacity	500-600 m <sup>3</sup>
→ Discharge distance	600-1000m
→ Dredging depth	6m
→ Working weight	48T
→ Mean Draft	1.0m
→ Operating system	PLC
→ Building time	40 days
→ Transport :	40' Containers



- 2 type of configurations with different engine power, brand, hydraulic parts brand/quality.
- Note: Technical Parameters can customize based on client's actual working situation.

# Reliable Manufacture






[Globalsales@hiddredger.com](mailto:Globalsales@hiddredger.com)



















Model: HID-CSD2510P

Model: HID-CSD3012P





# HID High Quality HDPE Discharge Pipelines



**Discharge Pipeline**



**Discharge Mud**



**Discharge Pipeline**




**Discharge Sand**













HID DREDGING EQUIPMENT



HAOHAI INNOVATION DREDGER





# Win-Win-Win Cooperation

## Welcome to visit HID

**HID - Shandong Haohai Dredging Equipment Co., Ltd**

**HeadQuarter: Qingzhou City, Shandong Province, China**

LinkedIn: <https://www.linkedin.com/in/bella-wang-b37a8b132/>