



JIANGNAN ANCHOR CHAIN CO.,LTD

Wuhan, China

www.anchorchainjn.com

About JNAC



Started from 2008, Wuhan Jiangnan Anchor Chain co., LTD, is a privately owned company. It used to be a State-owned enterprise named 'Wuhan Jiangnan Anchor Chain Factory' from 1987.



The company assets USD 70 million and covers an area of 36,000 square meters. It is the only professional anchor chain producing company based in central and southern of China.



The company specializes in producing anchor, anchor chain, and shipping mooring products, which are all approved by authorized classification societies, including CCS, KR, LR, BV, RS, RINA, and DNVGL. At the same time, it is also approved by the Certification of Weapons and Equipment of PLA Navy. Jiangnan Anchor Chain supports Navy ship 167 (HMS Wuhan) and Haixun 00001.



The company has 11 branches and offices in the domestic and overseas in charge of sales, after-sales service. Our staff is always available to support all of our customers.



JNAC Event

Established in 1987

We were a State-owned enterprise and registered trademark "Xichang"



Reformation in 2008

We changed into a private enterprise, named Wuhan Jiangnan Anchor Chain co., LTD



New Factory in 2014

We moved to the Core Industrial park of Daqiao New Area in Wuhan



Our Reputation in 2019

We obtained 3A "Certificate of Enterprise Credit Grade"




Certification in 2016

We got approval by the Certification of Weapons and Equipment of PLA Navy.



Company Location

- Jiangnan Anchor Chain locates in [Hejiahu Village, Daqiao New Area, Jiangxia, Wuhan, China.](#)
- Welcome to visit us.



Wuhan Jiangnan Anchor Chain CO.,LTD

Company View



Wuhan Jiangnan Anchor Chain CO., LTD

Factory View

- Jiangnan Anchor Chain covers an area of 36,000 square meters.

a. Anchor chain shop

We have six sets of semi-automatic and a set of full-automatic machine for producing anchor chains dia 16mm to 68mm.



Factory View



b. Outfitting shop

We specialize in producing outfittings such as

- Chain Stopper,
- Quick Released Unit,
- Towing Hook,
- Fairleads,
- Mooring Bollards,
- Guide Roller,
- Anchor Chain Pipe,
- Cable Jack,

and so on.



Wuhan Jiangnan Anchor Chain CO., LTD

Factory View



c. Material Warehouse



d. Polishing shop



Wuhan Jiangnan Anchor Chain CO., LTD

Factory View



e. Workshop of Painting
and Delivery



Wuhan Jiangnan Anchor Chain CO., LTD

Products Catalog

**Anchor
Chain**

Accessories

Anchor



Outfitting



Wuhan Jiangnan Anchor Chain CO., LTD

Anchor Chain

a. Stud link/ Studless link anchor chain

b. Material

Grade II/ Grade III steel (CM490/CM690)

c. Size

16mm to 68mm

d. Surface dealing

Black painting/ Hot dip gavanized/No painting

e. Length per shot

27.5m or 25m (or customized to your requirements.)


f. Certificates

CCS/KR/BV/DNVGL/ZC



Anchor Chain

I. Stud link anchor chain



Anchor Chain

II. Studless link anchor chain



Wuhan Jiangnan Anchor Chain CO., LTD

Anchor Chain

III. Buoy chain



Anchor Chain

IV. Galvanized anchor chain



Wuhan Jiangnan Anchor Chain CO., LTD

Anchor Chain- How we work



CUTTING



HEATING



BENDING



FLASH BUTT WELDING



TRIMMING



STUD SETTING



POLISHING



HEATING TREATMENT (G3)



LOADING TEST




MARKING



PAINTING



Anchor Chain- Size



$l \approx 6d$, $p \approx 1d$, $w \approx 3.6d$.

size(d)	l	p	w	(mm)	size(d)	l	p	w	(mm)
16	96	64	58		44	264	176	158	
17.5	105	70	63		46	276	184	166	
19	114	76	68		48	288	192	173	
20.5	123	82	74		50	300	200	180	
22	132	88	79		52	312	208	180	
24	144	96	86		54	324	208	187	
26	156	104	94		56	336	224	202	
28	168	112	101		58	348	232	209	
30	180	120	108		60	360	240	216	
32	192	128	115		62	372	248	223	
34	204	136	122		64	384	256	230	
36	216	144	130		66	396	264	238	
38	228	152	137		68	408	272	245	
40	240	160	144		70	420	280	252	
42	252	168	151		73	438	292	263	



Anchor Chain- Load

Chain diameter (mm)	Proof Load(kN) Break Load(kN)				Weight of length 27.5m (kg)
	Grade II	Grade III	Grade II	Grade III	
16	107	150	150	216	160
17.5	127	179	179	256	190
19	150	211	211	301	230
20.5	175	244	244	349	265
22	200	280	280	401	300
24	237	332	332	476	365
26	278	389	389	556	420
28	321	449	449	642	490
30	368	514	514	735	565
32	417	583	583	833	635
34	468	655	655	937	720
36	523	732	732	1050	800
38	581	812	812	1160	879
40	640	895	895	1280	980
42	703	981	981	1400	1082


Chain diameter (mm)	Proof Load(kN) Break Load(kN)				Weight of length 27.5m (kg)
	Grade II	Grade III	Grade II	Grade III	
44	769	1080	1080	1540	1188
46	837	1170	1170	1680	1298
48	908	1270	1270	1810	1413
50	981	1370	1370	1960	1526
52	1060	1480	1480	2110	1645
54	1140	1590	1590	2270	1774
56	1220	1710	1710	2430	1906
58	1290	1810	1810	2600	2051
60	1380	1940	1940	2770	2194
62	1470	2060	2060	2940	2338
64	1560	2190	2190	3130	2492
66	1660	2310	2310	3300	2650
68	1750	2450	2450	3500	2836
70	1840	2580	2580	3690	2982
73	1990	2790	2790	3990	3274




Accessories




Anchor shackle




Joining shackle




Kenter shackle




Swivel



Type A swivel shackle



Type B swivel shackle



Anchor

a. Type

Ordinary anchors:

Spek anchor/ Hall anchor/JIS stockless anchor...

High holding power anchors:

Pool anchor/ AC-14 anchor

Mooring anchors:

Danforth anchor/ Delta anchor

b. Material:

Carbon Steel

c. Size:

50kg to 10000kg

d. Surface dealing:

Black painting/ Hot dip gavanized

e. Certificates:

CCS/KR/BV/DNVGL/ZC



Outfitting

- Anchoring Equipment

- I. Srew type Chain Stopper
- II. Cast steel bar type Chain Stopper
- III. Roller type Chain Stopper
- IV. Guide Roller
- V. Srew type Anchor Releaser
- VI. Mooring Chain Stopper
- VII. Hatch Eye-Ring of Anchor Chain (type A and B)

- Mooring Equipment

- I. Bollard
- II. Marine Roller
- III. Panama Chock
- IV. Mooring Fiber Wire Reel
- V. Fairlead


- Push and Towing Equipment

- I. Spring Towing Hook
- II. Spring-free Towing Hook
- III. Towing Eye Plate



Anchoring Equipment


I. Srew type Chain Stopper



Diameter of chain (mm)	22-26	28-32	34-38	40-44	46-50	52-58	60-66
L	500	550	600	670	770	970	1000
H	335	400	455	515	585	680	775
B	280	310	360	420	480	550	640
Weight (kg)	90	122	163	238	353	518	772

Anchoring Equipment

II. Cast steel bar Chain Stopper



Diameter of chain (mm)	B	H	H2	L	Weight (kg)	Diameter of chain (mm)	B	H	H2	L	Weight (kg)
12.5-14	142	162	77	235	20	42-44	366	412	142	590	108
16-17.5	170	190	80	270	25	46-48	397	450	155	640	139
19-20.5	193	216	84	310	30	50-52	428	491	170	695	173
22-24	219	241	92	345	37	54-56	457	528	182	745	210
26-28	241	270	92	385	46	58-60	488	564	195	795	255
30-32	274	305	104	435	56	62-64	517	600	208	850	305
34-36	304	342	118	490	69	66-68	547	635	220	900	363
38-40	336	378	130	540	85						



Anchoring Equipment


III. Roller type Chain Stopper



Wuhan Jiangnan Anchor Chain CO., LTD

Anchoring Equipment



III. Roller type Chain Stopper



Norminal diameter	Chain diameter	L	B	h1	h2	Weght (kg)
44	42-44	1000	380	392	281	297
48	46-48	1050	446	414	306	381
52	50-52	1100	510	440	338	488
56	54-56	1150	556	460	354	581
60	58-60	1200	610	490	378	705
64	62-64	1250	666	520	400	816
68	66-68	1300	732	540	420	1018
73	70-73	1350	800	580	460	1277
78	76-78	1400	865	630	490	1542
84	81-84	1460	940	670	530	1906
90	87-90	1540	1030	720	570	2353
95	92-95	1600	1080	760	610	2983
102	97-102	1680	1150	800	650	2987
107	105-107	1750	1210	860	690	3946
114	111-114	1820	1270	910	740	4663
122	117-122	1880	1340	980	790	5774
132	124-132	1960	1440	1060	860	6769

Anchoring Equipment

IV. Guide Roller




Size	Chain diameter	D	B	H	Wegiht (kg)	Size	Chain diameter	D	B	H	Wegiht (kg)
14	12.5-14	154	94	150	12.7	44	42-44	484	239	430	239.9
17.5	16-17.5	192	108	170	21.0	48	46-48	528	259	470	305.5
20.5	19-20.5	226	122	210	32.6	52	50-52	572	280	510	370.3
24	22-24	264	142	240	50.0	56	54-56	616	302	540	453.6
28	26-28	308	160	280	74.0	60	58-60	660	320	580	572.3
32	30-32	352	178	310	104.9	64	62-64	704	342	620	687.5
36	34-36	396	201	360	144.4	68	66-68	748	360	660	832.3
40	38-40	440	219	390	189.8						



Anchoring Equipment


V. Srew type Anchor Releaser



Chain diameter	B	D3	H	L	L2	Weight (kg)
25-34	120	124	260	228	150	20
37-43	140	140	300	243	150	36
46-53	180	166	380	327	200	78
57-67	220	180	480	390	200	104
72-82	235	195	510	425	200	149
87-102	250	195	560	457	200	183
107-122	270	195	630	485	230	

Anchoring Equipment

VI. Mooring Chain Stopper




Type	Chain diameter (mm)	L	Weight (kg)
22Z22Y	19-22	1000	31
28Z28Y	24-28	1218	59
34Z34Y	30-34	1436	98
40Z40Y	36-40	1650	160
46Z46Y	42-46	1915	231



Anchoring Equipment


VII. Hatch Eye-Ring Of Anchor Chain (type A)



Chain diameter (mm)	L	L1	B	Weight (kg)
13-15	200	120	65	3.00
17-19	240	145	70	5.85
22-25	330	200	90	11.60
28-31	410	250	100	20.20
34-37	500	305	130	31.50
40-43	600	355	150	59.00

Anchoring Equipment

VII. Hatch Eye-Ring Of Anchor Chain (type B)



Chain diameter (mm)	L	B	B1	b	I	Weight (kg)
46-49	550	700	320	230	470	135
53-57	560	800	380	240	500	188
62-67	660	950	450	280	560	334
72-77	790	1060	510	320	690	482
82-87	950	1240	580	370	850	749
92-100	1060	1420	660	420	960	1085

Mooring Equipment

I. Bollard



II. Marine Roller



Mooring Equipment

III. Panama Chock



IV. Mooring Fiber Wire Reel



Mooring Equipment

V. Mooring Fiber Wire Reel



Push and Towing Equipment

I. Spring Towing Hook



Push and Towing Equipment

II. Spring-free Towing Hook



IV. Towing Eye Plate




Our Staff



Certificates

We have approved by ISO9001, Military product quality system, Environmental management system, Occupational health&safety management system certification.



Wuhan Jiangnan Anchor Chain CO.,LTD

Certificates

We have approved by CCS, KR, BV, DNVGL, and ZY Certificates.



Wuhan Jiangnan Anchor Chain CO.,LTD

Contact us

Website: www.anchorchainjn.com

Location: [Hejiahu Village, Daqiao New Area, Jiangxia District, Wuhan, China](http://Hejiahu%20Village,%20Daqiao%20New%20Area,%20Jiangxia%20District,%20Wuhan,%20China)

Tel: +86-27-81813332

Email: jnml@jnml.cn demi@jnml.cn

Contact: Ms. Demi Xu

Mob:/Whatsapp/Skype/Wechat: +86 15871818202

Know more about us:
<https://youtu.be/ZGDLcTUFKg0>



Wuhan Jiangnan Anchor Chain CO., LTD