



天津博泰换热设备有限公司
Tianjin Botai Heat Exchange Equipment Co., Ltd



Botai 博泰

电话: 022-29277918 传真: 022-29277920 邮箱: tjbt@163.com
地址: 天津市宝坻区天宝工业园区宝富道 23 号 网址: www.jnfanmoju.cn





COMPANY PROFILE

企业简介



博泰换热设备有限公司是一家生产板式换热器的专业企业,工厂占地面积 25000 平方米,建筑面积 15000 平方米,拥有 40000T、15000T、10000T、6000T 等大型压机 10 台,大型冲剪设备 10 余台,数控切割、激光切割、激光焊接、数控加工中心等一批先进设备,依靠科技发展,不断为用户提供满意的新型产品,是我们始终不变的追求。在充分引进吸收国外先进技术的基础上,可为用户提供单板换热面积 0.03 m² -5 m² 的各种板型 400 余种,服务于 100 多个国家 400 多个用户,公司制造的板片和设备严格按照可追溯管理的要求进行管理,公司强大的制造能力和完善的质量控制体系为制造出一流的产品提供了保证。我们坚信,只要以市场为导向,以创新为动力,以质量求生存,以发展求壮大,我们就一定会赢得更好的明天。

BoTai Heat Exchange Equipment Co., Ltd. is a professional company to manufacture plate heat exchanger. The factory covers an area of 25,000 m² with a floor space of 15,000 m². There are 10 set press machines in workshop, such as 40000T、15000T、10000T、6000T and so on. Besides, we own more than 10 sets punching and shearing equipment, CNC utting, laser cutting and some other advanced equipment. It is our constant pursuit to continue to provide new products to customers with the science and technology development. In the full introduction on the basis of absorbing foreign advanced technology, We can supply more than 400 plate models that single plate heat transfer area is from 0.03 m² -5 m². Our company is according to tractability management to control the production of plate and equipment. The company's strong manufacturing ability and perfect quality control system provide guarantee for manufacturing first-class product.

诚信
INTegrity

协作
COOPERATION

拼搏
STRUGGLE

创新
INNOVATION

我们的经营理念是：

Our operation principle is :

以机制稳定人
Mechanism stabilizes people


以爱心团结人
Love unites people

以创新吸引人
Innovation attracts people

以事业凝聚人
Enterprise gathers people

公司努力营造良好的工作和生活氛围，激励每一位员工在实现自我价值的愉快奋斗中。同时，公司还展开各种丰富多彩的体育健身和文化娱乐活动，让员工工作更有健康和朝气蓬勃的精神面貌，树立良好的企业整体形象。

Our company strives to create the good work and living environment to stimulate every employee to realize their self-worth enjoyably. Meanwhile, our company organizes colorful sports and entertainment activities to let every employee enjoy the healthy and vibrant mental attitude in order to establish good enterprise image.



大口径跟宽流道

百余种版型供不同领域使用，可供客户大范围选择，特别介绍宽流道版型。宽流道版型也称为“自由流”，流道最大间距为常规板式换热器的 2-5 倍，可达 12、18、22mm 等，且板片之间无接触点或接触点很少，宽流道板片专为可能堵塞传统板式换热器的含纤维或其他含颗粒的液体而设计，有高通流和高传热系数的特点，操作周期或清洗的间隔时间更长，而且清洗更容易。广泛应用造纸、纤维素和食品行业。另外我家大口径版型也可供客户选择，浅波纹有 350，深波纹有 450 等口径，选择范围广，一次通过流量大，大大地替换了现在工况中流量大多台并联的情况。

Hundreds kinds of models are used in different areas and can supply the customer wide range choice, especially the wide gap. It is also called free flow, flow channel gap is can be up to 12 to 22 mm, the maximum flow gap 2 to 5 times of normal plate heat exchanger. And there is little contact point or no contact point between plates. Wide gap plate is designed for fiber or other liquid which may jam the traditional plate heat exchanger, a high turbulence and the characteristics of high heat transfer, the operating cycle or cleaning interval time is longer, and cleaning easier. Widely used in the paper making and food industry. In addition, our large port plate for customers to choose, 350mm for shallow corrugation, 450mm for the depth corrugation, deep ripple range is wide, the large flow for one time greatly replace the current multiple flow units for the big flow conditions.