

## Material Safety Data Sheet

CMIT/MIT-1.5 F

### 1. Identification of the substance/mixture and of the company/undertaking

Product Name: CMIT/MIT-1.5 F  
Application: Industrial Microbicide  
Uses advised against: No further relevant information available.  
Supplier details:  
Company name: SINOTRUST CHEMICAL CO. LTD  
Add: NO.813 SELF TRADE BUILDING F.T.Z. DALIAN CHINA  
TEL: 0086-139 9868 3145 Email: sales@sinotrustedchemical.com  
Emergencies phone: 0086-139 9868 3145

### 2. Hazards Identification:

Classification of the substance or mixture

Classified as hazardous according to regulatory criteria.

Acute toxicity - Category 5 - Oral

Skin corrosion - Category 1B

Serious eye damage - Category 1

Skin sensitisation - Category 1

Acute aquatic toxicity - Category 1

Chronic aquatic toxicity - Category 1

Label elements

Hazard pictograms



Signal word

Danger

Hazard-determining components of labelling

5-Chloro-2-methyl-4-isothiazolin-3-one/2-methyl-4-isothiazolin-3-one 1.5%

Hazard statements

H303: May be harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

Wash skin thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment.



# SINOTRUST CHEMICAL CO. LTD.

NO.813 SELF TRADE BUILDING F.T.Z. DALIAN CHINA

Wear protective gloves/ protective clothing/ eye protection/ face protection.

## Response

IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or doctor/ physician.

Specific treatment (see supplemental first aid instructions on this label).

If skin irritation or rash occurs: Get medical advice/ attention.

Wash contaminated clothing before reuse.

Collect spillage.

Storage Store locked up.

Disposal Dispose of contents/ container to an approved waste disposal plant.

Other hazards No data available.

## 3. Composition/information on ingredients

Chemical characterization: Mixtures

Description: 5-Chloro-2-methyl-4-isothiazolin-3-one and  
2-methyl-4-isothiazolin-3-one

Component:

CAS #	Component	Amount
26172-55-4	5-Chloro-2-methyl-4-isothiazolin-3-one	1.0-1.6%
2682-20-4	2-Methyl-4-isothiazolin-3-one	0.3-0.5%
50-00-0	Formaldehyde	1.0-4.0%
7732-18-5	Water	Balance

\* All concentrations are percent by weight.

## 4. First-aid measures

Description of first aid measures

Inhalation Move subject to fresh air.

Eye Contact Immediately flush eyes with a large amount of water for at least 15minutes.  
Get prompt medical attention.

Skin Contact Wash affected skin areas thoroughly with soap and water immediately after exposure.  
Remove and wash contaminated clothing thoroughly. Do not take clothing home to be laundered. Discard contaminated shoes, belts and other articles made of leather.  
Get prompt medical attention.

Ingestion If swallowed, give 2 glasses of water to drink. Immediately see a physician.  
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

Note to Physician Material is corrosive. It may not be advisable to induce vomiting. Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock and convulsions maybe necessary.

## 5. Fire-fighting measures

---

Extinguishing media	
Suitable extinguishing agents	Water spray jet, extinguishing powder, CO <sub>2</sub> , foam.
Fire / Explosion Hazards	During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.
Special hazards arising from the substance or mixture	Nitrogen oxides (NO <sub>x</sub> ), Sulphur oxides, Hydrogen chloride
Advice for firefighters	Wear self-contained breathing apparatus and protective suit.
Further information	Cool containers / tanks with water spray. Minimize exposure. Do not breathe fumes.

## 6. Accidental release measures

---

Personal precautions, protective equipment and emergency procedures	Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. Protective clothing, including chemical splash goggles, nitrile or butyl rubber full length gloves, rubber apron, or clothing made of nitrile or butyl rubber, and rubber overshoes must be worn during spill clean-ups and deactivation of this material. If material comes in contact with the skin during clean-up operations, immediately remove all contaminated clothing and wash exposed skin areas with soap and water.
Environmental precautions	Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods and material for containment and cleaning up	Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

See section 13 for further information.

## 7. Handling and storage

---

Precautions for safe handling	Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Normal measures for preventive fire protection.
Conditions for safe storage, including any incompatibilities	The maximum recommended storage temperature for this material is 55°C/131F. The minimum recommended storage temperature for this material is 1°C/32F. Store in a well ventilated area. Do not store this material in containers made of the following: steel.
Incompatible Materials for Storage:	Reducing agents, oxidizers, amines, mercaptans.

## 8. Exposure controls/personal/protection

---

Control parameters	Components with workplace control parameters
Engineering Controls	Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Use local exhaust ventilation with a

minimum capture velocity of 150 ft/min. (0.75 m/sec.) at the point of dust or mist evolution. Refer to the current edition of Industrial Ventilation: A Manual of Recommended Practice published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

**Personal protective equipment**

**Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The gloves listed below provide protection against permeation :

Nitrile /Butyl rubber.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

**Other protective equipment**

Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

**9. Physical and chemical properties**

Information on basic physical and chemical properties

- |  |   |   |
|--|---|---|
| a) Appearance:<br>Form: Liquid<br>Color: Light blue to light green | b) Odor: Mild, inoffensive odor<br>d) pH-value: 2.0-5.0         | c) Odour threshold: No data available<br>e) Melting point: -3°C(26.6°F) |
| f) Boiling point/Boiling range:<br>100 °C (212 °F) Water           | g) Flash point: >100 °C   | h) Evaporation rate:<br><1.0 (n-Butyl acetate=1)                        |
| i) Flammability (solid, liquid):<br>Not applicable                 | j) Upper/lower flammability or explosive limits: Not applicable |   |
| k) Vapor pressure: No data   | l) Vapour density: 0.6 (Air=1)                                  | m) Relative density: 1.10 -1.22 g/mL                                    |
| n) Water solubility: soluble                                       | o) Partition coefficient ( $K_{ow}$ ):<br>Not Determined        | p) Autoignition temperature:<br>Not applicable                          |
| q) Decomposition temperature:<br>Not Determined                    | r) Viscosity:<br>3.0mPa.s at 25 °C (77°F)                       | s) Explosive properties:<br>No an explosion hazard                      |
| t) Percent volatility: 95-96%                                      |   |   |

Other information: No further relevant information available.



SINO TRUST

## SINOTRUST CHEMICAL CO. LTD.

NO.813 SELF TRADE BUILDING F.T.Z. DALIAN CHINA

---

**10. Stability and reactivity**

---

Reactivity	No data available
Instability	This material is considered stable under specified conditions of storage, shipment and/or use. See section 7, Handling and storage, for specified conditions.
Possibility of hazardous reactions	No dangerous reactions known.
Thermal decomposition / Conditions to be avoided	Stable under recommended storage conditions. Product will not undergo polymerization.
Incompatibility	Avoid contact with the following: oxidizing agents, reducing agents, amines, mercaptans.
Hazardous decomposition products:	Nitrogen oxides (NO <sub>x</sub> ), sulphur oxides, hydrogen chloride.

---

**11. Toxicological information**

---

Product animal toxicity	
Acute oral toxicity	LD50, rat, > 2,500mg/kg
Acute dermal toxicity	LD50, rat, No data available
Eye irritation	Rabbit , Corrosive (product)
Developmental Toxicity:	

---

**12. Ecological information**

---

Biodegradability	No data.
Ecotoxicity effects	
Toxicity to fish	LC50 Bluegill sunfish 96 h 0.54 mg/L

---

**13. Disposal considerations**

---

Methods of disposal	When a decision is made to discard this material as supplied, it is classified as a RCRA hazardous waste with the characteristic of corrosive. Incinerate liquid and contaminated solids in accordance with local, state, and federal regulations (See 40 CFR 268). Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.
Contaminated packaging	Dispose of as unused product.

---

**14. Transport information**

---

DOT	
Proper shipping name	Toxic liquid, corrosive, organic, n.o.s. (5-Chloro-2-methyl-4-isothiazolin-3-one)
UN-Number	UN 2927
Class	8(6.1)
Packing group	II

IMO/IMDG



SINO TRUST

# SINO TRUST CHEMICAL CO. LTD.

NO.813 SELF TRADE BUILDING F.T.Z. DALIAN CHINA

Proper shipping name	Toxic liquid, corrosive, organic, n.o.s. (5-Chloro-2-methyl-4-isothiazolin-3-one)
UN-Number	UN 2927
Class	8(6.1)
Packing group	II
Marine pollutant	5-Chloro-2-methyl-4-isothiazolin-3-one

### ATA-DGR

Proper shipping name	Toxic liquid, corrosive, organic, n.o.s. (5-Chloro-2-methyl-4-isothiazolin-3-one)
UN-Number	UN 2927
Class	8(6.1)
Packing group	II

Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations

## 15. Regulatory information

### TOXIC SUBSTANCES CONTROL ACT (TSCA INVENTORY) STATUS:

Not found on the U.S. EPA TSCA inventory. For use only in products that are not regulated under TSCA (such as EPA FIFRA registered and FDA regulated products), or to be used in research and development (R&D) only by technically qualified individuals.

CERCLA (Comprehensive Environmental Response, Compensation and Liability Act of 1980) requires notification of the National Response Center (Telephone 800-424-8802) in the event of a release of quantities of the following hazardous materials Contained in this product, if the release is equal to or greater than the Reportable Quantities (RQs) listed in 40 CFR 302.4:

Typical Maximum

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Concentration</u>
Not known		

SARA Title III, Sections 302/304 (Superfund Amendments and Reauthorization act of 1986) - This act requires emergency planning, including agency notification, for possible release of the following components of this material, based upon the Threshold Planning Quantities (TPQs) and release Reportable Quantities (RQs) listed for the Components in 40 CFR 355:

<u>Chemical Name</u>	<u>CAS Number</u>	<u>Concentration</u>
Not known		

SARA Title III Sections 311/312 - This act requires reporting under the Community Right-to-Know provisions due to the inclusion of the following components of this material in one or more of the five hazard categories listed in 40 CFR 370

CALIFORNIA PROPOSITION 65 - Components present in this material which the State of California has found to cause cancer, birth defects or other reproductive harm are as follows :

<u>Chemical Name</u>	Typical Maximum	
	<u>CAS Number</u>	<u>Concentration</u>
Not known		

## 16. Other information

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality



SINOTRUST

# SINOTRUST CHEMICAL CO. LTD.

NO.813 SELF TRADE BUILDING F.T.Z. DALIAN CHINA

---

specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## Abbreviations and acronyms

CAS: Chemical Abstracts Service (Registry Number)

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety and Health Administration

LC50: LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals

LD50: LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

\*Data compared to the previous version altered.