

新景装饰

Sunking Decoration

Sunshine Management System

智能阳光管理新饰界





目录

Content



公司简介

About SunKing

P1-2



企业荣誉

Enterprise Credit

P7-8



生产设备

Equipments

P9-11



飘蓬百叶系统

Awing System

P9-11



翼帘百叶系统

Aeroscreen System

P12-24



机翼百叶系统

Aerofoils System

P39-42



防雨百叶遮阳架系统

Pergola System

P43-44



条形百叶系统

Linear System

P45-46



单翼百叶系统

Singel Aerobrise System

P47-50




门窗百叶系统

Shutter System

P51



Development History



Challenge Myself Never Speak Frustrate



佛山市新景装饰材料制造有限公司 办公大楼及产品展示厅

地址：佛山市南海区小塘五星工业区



Brief Introduction

Foshan XinJing Industrial Co., Ltd. was found in 1988. Our production workshop XinJing ceiling decoration materials factory occupies an area of 20000 M2, we are the ceiling manufacture trailblazer in China and the professional factory with 32 years' experience in manufacture material ceiling, aluminium curtain wall, and the ability of manufacture is more than millions of square meter product per year.

Foshan XinJing Industrial Co., Ltd. is an international tectonic material manufactory. Our product distribute to all over the world specially in Asia market, our products almost cover all metal ceiling, metal exterior spray-paint and the correlative tectonic material, such as metal ceiling suspension, metal groove shape product, aluminum panel for outside wall and all kinds of high performance metal surface spray-paint production. You can see our products inside lots of Hotel, office, museum and shopping mall in big city of China.

Foshan XinJing Ceiling Decoration Materials Factory is a production base of "XinJing" brand ceiling as Foshan XinJing Industrial Co., Ltd., we have a plentiful experience design team which for provide many kinds of ceiling suspension series moulding and craft structure design. It can become the true to make all kinds of design for metal ceiling and break through the limit from material and craft by our perfect product line and high quality techniques.

Foshan XinJing Ceiling Decoration Materials Factory has perfect and high precision production line and equipment. We have been awarded ISO9002 International Quality Certification for "XinJing" and "Sun King" brand. It famed "China exquisite national industrial products" by our high quality product and perfect craft work. Many clients designate our products from international and local market. XinJing products are well sold to forty countries and regions.

董事长 何显光
THE CHAIRMAN OF THE BOARD



企业荣誉

Enterprise Credit



连续九年守合同重信用证书
Seriate 9 years Certificate of Credit
By Administration For Industry & Commerce



国家高新技术产品认证证书
New High-tech Product Certificate



中国中轻产品质量保障中心质量及合格证书
CQC Quality Certificate



高新技术企业
New High-tech Enterprise



中国消费者公认名牌证书
Well-Known Brand Certificate



德国TUV ISO9002品质认证证书
Germany TUV ISO9002 Quality Certificate



EAQA国际质量认证ISO9001证书
Certificate of Registration ISO9001:2000



NQA国际质量认证ISO9001证书
Certificate of Registration ISO9001:2000



佛山企业与企业产品质量网入网证书
Foshan Quality Net Certificate



CTA 品质验证证书
CTA Certificate of Quality Inspection



白金星奖证书
Platinum Star Certificate



生产设备 Production Equipment



数控折弯机
CNC Folding Machine



数控铝板切割机
CNC Cutting Machine



300米大型全自动喷涂生产线
300 METER AUTOMATICALLY SPRAY COATING PRODUCTION LINE.



全自动数控冲床
Digital Control Punch Machine



自动数控雕刻机
Automatic CNC Engraving Machine



自动喷粉房
Automatic Electrostatic Powder Coating Line



大型木纹石纹热移印机
Heat Transport Printing Machine



机加工6米折弯机
6 METERS FOLDING MACHINE



自动方板生产线
Automatic Ceiling Production Line



实力雄厚原材料储备仓库
RAW MATERIALS WAREHOUSE



飘蓬百叶系统

Awing Louver System

产品简介

[遮阳产品系列]

Product Introduction



华南理工大学工程实例
Awing Louver System for School

Characteristic

- Acid-resistant,
- Fire-proof,
- Shock-proof,
- Weather fastness,
- PVDF Coating,
- Durableness.



XJ-BY01

Advantage

Awing louver can reduce the strong sunlight, reduce indoor temperature and avoid bright sunlight dazzle. Save 30% air conditioner energy cost. At the same time, Awing louver structure makes the building magnificent appearance.



Awing Louver System for Building



Awing Louver System for villa



Awing Louver System for Street Shop





翼帘百叶系统

Aluminum Aeroscreen System

[遮阳产品系列]


产品简介

Product Introduction



SunKing Combined Louver Size List		
Model No. XZ-6965		1.Size: 65x69mm 2.Thickness of material: 2.5mm 3.Material: Aluminum alloy 6063 T5 4.Max safe length: Suit span under 4m 5.Function: Main Frame
Model No. XZ-143		1.Size: 148mm 2.Thickness of material: 6mm 3.Material: Aluminum alloy 6063 T5 4.Max safe length 5.Function: Support the blade
Model No. XZ-198		1.Size: 198mm 2.Thickness of material: 6mm 3.Material: Aluminum alloy 6063 T5 4.Max safe length 5.Function: Support the blade
Model No. XZ-248		1.Size: 248mm 2.Thickness of material: 6mm 3.Material: Aluminum alloy 6063 T5 4.Max safe length 5.Function: Support the blade
Model No. XZ-299		1.Size: 299mm 2.Thickness of material: 6mm 3.Material: Aluminum alloy 6063 T5 4.Max safe length 5.Function: Support the blade

Width 300 Combined Louver		Equal width combination 148x148
Width 400 Combined Louver		Equal width combination 198x198
Width 500 Combined Louver		Equal width combination 248x248
Width 600 Combined Louver		Equal width combination 299x299
Width 450 Combined Louver		Non Equal width combination 299x148
Louver can be varied combinations, there is always one to meet your needs, louver blade can choose plane or punching surface, punching transmittance can be customized. Louver can be matched with fixed mounting base or movable spindle assembly.		
Install component		Fixed mounting base
		Movable spindle assembly
		base support
		Axial supported profile




Close

Half Open

Wide Open



平面转轴式百叶




弧形转轴式百叶



XJ-BY04

The width of Louver is 250mm、300mm、350mm、400mm、450mm, Max to 800mm



Installation Drawing



Louver system for Sports Hall XJ-BY04





机翼百叶系统




Aluminum Aerofoils System




Aerofoils System for School

Louver Blade Size:
100mm/120mm/150mm
180mm/200mm/300mm
or customized.

XJ-BY09



Electromotion Louver



all close



half open

Manual Control Aerofoils System



back view



front view

[遮阳产品系列]

产品简介

Product Introduction

SunKing Aluminum Aerofoils Louver Blade Size List	
The Aerofoils louvers can be installed by vertically or horizontally, the surface color can be customized, outdoor polyester powder or fluorocarbon coating, fixed installation or adjustable (manual or electric).	
Model No. AF15033	<p>1.Size: 150x33mm</p> <p>2.Thickness of material: 1.0mm</p> <p>3.Material: Aluminum alloy 6063 T5</p> <p>4.Installation: Fix or Adjustable</p> <p>5.Note:</p>
Model No. AF20034	<p>1.Size: 200x34mm</p> <p>2.Thickness of material: 1.5mm</p> <p>3.Material: Aluminum alloy 6063 T5</p> <p>4.Installation: Fix or Adjustable</p> <p>5.Note:</p>
Model No. AF25055	<p>1.Size: 250x55mm</p> <p>2.Thickness of material: 1.8mm</p> <p>3.Material: Aluminum alloy 6063 T5</p> <p>4.Installation: Fix or Adjustable</p> <p>5.Note:</p>
Model No. AF30055	<p>1.Size: 300x55mm</p> <p>2.Thickness of material: 2.5mm</p> <p>3.Material: Aluminum alloy 6063 T5</p> <p>4.Installation: Fix or Adjustable</p> <p>5.Note:</p>
Model No. AF40075	<p>1.Size: 400x75mm</p> <p>2.Thickness of material: 1.5mm</p> <p>3.Material: Aluminum alloy 6063 T5</p> <p>4.Installation: Fix or Adjustable</p> <p>5.Note: Combined Aerofoil</p>

Model No. AF45060		<p>1.Size: 450x60mm</p> <p>2.Thickness of material: 3.0mm</p> <p>3.Material: Aluminum alloy 6063 T5</p> <p>4.Installation: Fix or Adjustable</p> <p>5.Note:</p>
Model No. AF45075		<p>1.Size: 450x75mm</p> <p>2.Thickness of material: 1.5mm</p> <p>3.Material: Aluminum alloy 6063 T5</p> <p>4.Installation: Fix or Adjustable</p> <p>5.Note: Combined Aerofoil</p>
Model No. AF50075		<p>1.Size: 500x75mm</p> <p>2.Thickness of material: 1.8mm</p> <p>3.Material: Aluminum alloy 6063 T5</p> <p>4.Installation: Fix or Adjustable</p> <p>5.Note: Combined Aerofoil</p>
Fix Type and Accessory		
adjustable Type and Accessory		



BY-15 Fixed Aerofoils and Accessory




Fixed Aerofoils System for Building Wall




机翼百叶系统

Aluminum Aerofoils System



BY-18 Rhombus Aerofoils



BY-18 Rhombus Aerofoils with Accessory Size: 230x40



For Automobile 4S Shop



Customized Size Aerofoils Louver for Office Building Wall



Dimensions and surface punching can be customized

BY-16


600x100mm

King Size Aerofoils Louver


[遮阳产品系列]

产品简介


Product Introduction



XJ-BY06 200x30mm



XJ-BY06 200x50mm




XJ-BY08 200x50mm



Perforated Louver
XJ-BY06

Aluminum Double Aerobrise Louver, size and shape can be customized, Sound absorbent cotton can be added to the louver body.



XJ-BY05

规格: 300x75mm, 400x75mm.






智能防雨百叶遮阳架

Aluminum Rainproof Pergola



**Easily Assembled,
Eco Friendly,
Renewable
Sources, Rodent
Proof, Rot Proof,
Waterproof**



[遮阳产品系列]

产品简介

Product Introduction



Rich extension function, flexible installation method





智能防雨百叶遮阳架

Aluminum Rainproof Pergola

[遮阳产品系列]

产品简介

Product Introduction

SunKing Waterproof Louver Blade Size List

Model No. 20030		1.Size: 200x30mm 2.Thickness of material: 1.8mm 3.Material: Aluminum alloy 6063 T5 4.Max safe lenght 4 meter 5.Function: Waterproof, Sunshade
Model No. 22055		1.Size: 220x55mm 2.Thickness of material: 1.8mm 3.Material: Aluminum alloy 6063 T5 4.Max safe lenght 6 meter 5.Function: Waterproof, Sunshade
Model No. 26555		1.Size: 265x55mm 2.Thickness of material: 2mm 3.Material: Aluminum alloy 6063 T5 4.Max safe lenght 6 meter 5.Function: Waterproof, Sunshade
Model No. J15050		1.Size: 150x50mm 2.Thickness of material: 1.5mm 3.Material: Aluminum alloy 6063 T5 4.Max safe lenght 6 meter 5.Function: Waterproof, Sunshade
Model No. J22050		1.Size: 220x50mm 2.Thickness of material: 1.8mm 3.Material: Aluminum alloy 6063 T5 4.Max safe lenght 6 meter 5.Function: Waterproof, Sunshade
Model No. J26550		1.Size: 265x50mm 2.Thickness of material: 2.0mm 3.Material: Aluminum alloy 6063 T5 4.Max safe lenght 6 meter 5.Function: Waterproof, Sunshade

SunKing Louver Pergola Details

Open and Close Open for Ventilation and shade Close for Waterproof and keep UV out	Main Structure Baldes and Frames Material is Aluminum alloy 6063 T5	Surface Finish 1. Powder coated 2. PVDF coated (guarantee 10+ years)
Power and Control System Motors were customed made wide voltage, meet different power requirements (110v-230v).		Accessories All accessories material is Aluminum alloy 6063 T5 or 304# Stainless steel
Special Design Blades Waterproof design. Some size blade max 6 meter long.	Additional Options Rain Wind Sensor Electric Heating System Nebulizer, LED Strip Light,etc.	Installation Guide Detail Installation instructions Provided






条形百叶系统

Aluminum Linear Louver System

产品简介

[遮阳产品系列]

Product Introduction



弧形遮阳百叶片

BY12 Arc Linear Louver



BY13D





BY13E
Linear louver for machine room



BY13C



XJ-BY13B Size: 100x80mm 80x60mm Blade space from 100 to 150mm




XJ-BY13C
Louver Blade
Size: 140x100mm




XJ-BY13A-10045



Size: 100x45mm



XJ-BY14



C85 Linear louver
Size: 85mm



单翼子弹头百叶系统

Aluminum Signle AeroBrise System

产品简介


[遮阳产品系列]

Product Introduction


HORIZONTAL & VERTICAL SUN LOUVRES



Signle AeroBrise louver system for Building Wall



Signle AeroBrise louver system for Windows




XJ-BY10



Folding Single AeroBrise Louver, size, perforated and thickness customizable



Section Single AeroBrise Louver



XJ-BY11



Section Single AeroBrise Louver

Size: 170x60mm, 100x40mm

120x50mm



Section Single AeroBrise Louver, Strong structural force, more stable



门窗百叶系统

Aluminum Shutter System

产品简介

[遮阳产品系列]

Product Introduction



5010, 10022

Louver Decoration Wall and Gate



50x30



45x5



BY-17 Louver frame for window



Motor Drive or Manual



BY-17

Louver frame with Aluminum Panel, Size: 100x8mm, 125x8mm, 125x12mm, 165x20mm



Open



Close

XINJING PRODUCTS ARE WELL SOLD TO MORE THAN SIXTY COUNTRIES AND REGIONS



XINJING products have been widely exported to Europe, American, Middle East, Africa and South-East Asia, etc. XINJING brand metal decoration product quality promise: Perfect technics and top surface coating, the qualified proportion of colour can reach 99.9%, and the colour of ceiling guarantee for 10 years for indoor use.

We always carry out the principle that one decoration would serve for an eternal fineness, and social demands for perfection will be our forever orientation of efforts.