

HW-3008B

Hydraulic Operating Table



FEATURES

- This manual operation table is used for head, neck, thoracic and abdominal cavity, perineum and limbs surgery, gynecology and obstetrics, ophthalmology, otolaryngology, orthopedics and other operations.
- The oil pump is used for lifting, and the body position adjustment required during operation is controlled at the head of the table.
- Table and shield materials can be high-quality cold-rolled carbon steel plastic sprayed or high-grade stainless steel according to user needs.
- This table is single layer tabletop and separated leg board (Which is disassemble, down and outreach, it can be used for urology operation).

Technical Parameter

Item No.:	HW-3008B
Table Length / Width:	2200/500mm (± 100 mm)
Tabletop Min height:	800mm (± 100 mm)
Elevation:	250mm
Back section:	Up 80° / Down 10° ($\pm 5^\circ$)
Trendelenburg / Reverse Trendelenburg::	50° / 30° ($\pm 5^\circ$)
Lateral tilt:	20° / 20 ($\pm 5^\circ$)
Kidney bridge:	120mm

Standard Configuration

Accessory Name	Quantity
Table	1 Set
Mattress	1 Set
Arm Support	1 Pair
Body Support	1 Pair
Shoulder Support	1 Pair
Leg Support	1 Pair
Anesthesia Screen	1 Piece
Fixing Clamp	9 Pieces

Actual Picture



