

Web: www.hrbhengwei.com Mail: <u>daphne@hrbhengwei.com</u> What's APP: +86-18345168420

HW-507-B

Operating Table





Web: www.hrbhengwei.com Mail: <u>daphne@hrbhengwei.com</u> What's APP: +86-18345168420

FEATURES

- This operating table adopts electric hydraulic control, which is convenient, flexible, and stable to operate.
- Suitable for performing surgeries and examinations in thoracic, abdominal, neurosurgery, ophthalmology, otolaryngology, obstetrics and gynecology, urology, spine, etc., it is a comprehensive surgical equipment.
- Designed for ophthalmic and neurosurgical surgeries with ultra-low positions, doctors can perform seated surgeries.
- The countertop is divided into five sections: head board, back board, hip board, leg board, and foot board. The head and leg sections can be interchanged to fully meet the needs of various surgical positions.
- The countertop is equipped with a back panel and hip panel composite bending button, providing convenience for surgeries such as gallbladder and kidney.
- The operating table is equipped with casters for easy dragging and retraction.
- Two independent hydraulic drive systems ensure that in the event of a malfunction in one system, the operating table can activate the other backup system.
- The surgical bed can be powered directly by a power source or by a rechargeable battery (charging for 6-8 hours can meet the needs of 80-100 surgeries).
- The edge rails, base, and pillars of the operating table are made of high-quality stainless steel, which is corrosion-resistant, easy to clean, and durable.
- The T-shaped base design provides the operating table with high stability and good mobility, and provides doctors with greater foot space, reducing fatigue caused by long-term surgery.

Technical Parameter

Item No.:	HW-507-B
Table Length / Width:	2040/520mm (±50mm)
Tabletop height:	680-970mm
Elevation:	300mm
Back section:	Up 85 $^{\circ}$ / Down 30 $^{\circ}$ ($\pm 5^{\circ}$)
Kidney bridge:	120mm



Web: www.hrbhengwei.com Mail: <u>daphne@hrbhengwei.com</u> What's APP: +86-18345168420

Sliding movement:	300mm
Lateral tilt:	25° /25° (±5°)
Trendelenburg / Anti-trendelenburg:	35° /35° (±5°)
Head plate adjustment:	35° /90°
Leg plate adjustment:	Up 5 $^{\circ}$ / Down 90 $^{\circ}$ / Outreach 180 ($\pm 5^{\circ}$)

Standard Configuration

Accessory Name	Quantity
Table	1 Set
Mattress	1 Set
Shoulder Support	1 Pair
Arm Support	1 Pair
Body Support	1 Pair
Leg Support	1 Pair
Anesthesia Screen	1 Piece
Fixing Clamp	9 Pieces



