



FOSHAN WHEELCHAIR

FOSHAN DONGFANG MEDICAL EQUIPMENT MANUFACTORY(LTD.)

ADD: NO. 5 XINGFU RD, ZONE A, SHISHAN INDUSTRIAL PARK, NANHAI DISTRICT, FOSHAN CITY, GUANGDONG, P.R. CHINA.
 PC: 528225 TEL: +86-757-81202180 81202183 FAX: +86-757-81202189
 E-mail: fsdongfang@fsdfmed.com Http://www.fsdfmed.com



FOSHAN WHEELCHAIR

FOSHAN WHEELCHAIR



SINCE 1990 2019-2020



FOSHAN WHEELCHAIR



Introduction

ESTABLISHED IN 1990, FOSHAN DONGFANG MEDICAL EQUIPMENT MANUFACTURING LTD IS AN ISO9001-2015 AND ISO13485:2012 CERTIFIED FACTORY WHO MANUFACTURES VARIOUS KINDS OF REHABILITATION EQUIPMENTS, INCLUDING WHEELCHAIRS, WALKING AIDS AND HOSPITAL BEDS, ETC.

COVERING AN AREA OF 30,000 SQUARE METERS, THE FACTORY HAS OVER 700 EMPLOYEES, PRODUCES OVER 500,000 WHEELCHAIRS, 2,000,000 WALKERS, AND 18,000 HOSPITAL BEDS PER YEAR; AND IS EXPORTING TO OVER 80 COUNTRIES WORLDWIDE.

THE FACTORY CONCENTRATES ITSELF ON THE PRODUCT QUALITY AND INNOVATION. IN 1999, IT WAS THE FIRST DOMESTIC WHEELCHAIR FACTORY THAT OBTAINED THE CE QUALITY APPROVAL. IN 2003, IT GOT THE 510K REGISTRATION FROM USA FDA. IN 2007, IT PASSED "SG" QUALITY APPROVAL FROM CPSA (CONSUMER PRODUCTS SAFETY ASSOCIATION OF JAPAN).

AFTER 27 YEARS OF HARD WORKING, FOSHAN DONGFANG MEDICAL HAS EARNED A HIGH REPUTATION FOR ITS EXCELLENT QUALITY AND SERVICE IN GLOBAL MARKET, AND IT ALWAYS ENDEAVORS TO FURTHER IMPROVE PRODUCT QUALITY IN ORDER TO BETTER USERS' LIFE STANDARDS.

01-20
Aluminum
Wheelchair
Series

21-24
Reclining
Wheelchair
Series

25-34
Power
Wheelchair
Series

35-42
Leisure & Sports
Wheelchair
Series

43-52
Steel
Wheelchair
Series

53-56
AUFU
Series

57-70
Commode
Series

71-76
Bath Bench
Series

77-96
Walking Aids
Series

97-110
Hospital Bed
Series

111-118
Rehabilitation
Aid Series

Contents

Certificates



授予 佛山东方医疗设备有限公司
FOSHAN DONGFANG MEDICAL EQUIPMENT MANUFACTURING CO., LTD.
**中国轮椅
生产/出口基地**
China Wheelchair
Manufacture & Export Base
中国国际贸易促进会
2012-2014

Function Code

FS253LCHQ-46

(46): SEAT WIDTH 46cm(18")
Q: QUICK RELEASE AXLE
K: DRUM BRAKE
C: ELEVATING LEGREST
L: ALUMINUM
MODEL NO.



A: DROP BACK HANDLE B: MAG WHEEL C: ELEVATING LEGREST Y: HARD CUSHION SEAT



E: DETACHABLE PUSH BAR G: RECLINING HIGH BACK H: DRUM BRAKE J: UNITED BRAKE L: ALUMINUM



P: PU TYRE Q: QUICK RELEASE AXLE S: STAINLESS STEEL U: U-SHAPE COMMODE SEAT X: INCLINED ARMREST

FS3220WMF2

F2: DETACHABLE GUARDRAILS
M: WOODEN HEAD AND FOOT BED-BOARD
W: PEDAL LOCKING CASTORS
MODEL NO.



M: WOODEN HEAD AND FOOT BED-BOARD W: PEDAL LOCKING CASTORS Z: CENTRAL LOCKING CASTORS G: FLAT METAL BED BOARD B: PLASTIC BED BOARD



F1: DETACHABLE LONG GUARDRAILS F2: DETACHABLE GUARDRAILS F3: FOLDABLE LONG GUARDRAILS F4: SECTIONAL TYPE ELEVATING GUARDRAILS

▶ Aluminum Wheelchair (Series)



▶ FS205LHQ

- Aluminum chair frame
- Detachable footrest
- Solid castor
- Locking drum brake
- Quick release pneumatic rear wheel
- Anti-tippers
- Angle-adjustable footplate
- Flip-up and height-adjustable inclined armrest

▼ MAIN PARAMETERS(cm)

🛒	90	🛒	90
🛒	68	🛒	38
🛒	46	🛒	100
🛒	62	🛒	77X33X92
🛒	15	🛒	N.W.16.8kg G.W.19.3kg
🛒	50		



▶ FS903LAJPF9

- Aluminum chair frame
- Drop-back handle
- Flip-up armrest
- Detachable footrest
- Solid castor
- Quick release pneumatic rear wheel
- With carrying wheel
- With digitized brake

▼ MAIN PARAMETERS(cm)

🛒	104	🛒	92
🛒	67	🛒	44
🛒	46	🛒	100
🛒	56	🛒	80X36X73
🛒	15	🛒	N.W.14.7kg G.W.16.7kg
🛒	47		



▶ FS251LHPQ

- Aluminum chair frame
- Detachable footrest
- PU castor
- Quick release PU rear wheel
- Locking drum brake
- Anti-tippers
- Angle-adjustable footplate
- Flip-up and height-adjustable inclined armrest

▼ MAIN PARAMETERS(cm)

🛒	100	🛒	90
🛒	68	🛒	39
🛒	46	🛒	100
🛒	62	🛒	78X33X92
🛒	15	🛒	N.W.17.5kg G.W.20.4kg
🛒	49		



▶ FS957LQ

- Aluminum chair frame
- Detachable footrest
- Solid castor
- Flip-up and height-adjustable inclined armrest
- Quick release pneumatic rear wheel
- Carrying wheel and anti-tippers
- Angle-adjustable footplate

▼ MAIN PARAMETERS(cm)

🛒	105	🛒	89
🛒	63	🛒	38
🛒	46	🛒	100
🛒	61	🛒	83X28X91
🛒	15	🛒	N.W.17.4kg G.W.19.4kg
🛒	51		

▶ Aluminum Wheelchair (Series)



▶ FS950LBPQ

- Aluminum chair frame
- Solid castor
- Quick release PU Mag rear wheel
- Anti-tippers
- Detachable footrest
- Angle-adjustable footplate
- Flip-up and height-adjustable Armrest

▼ MAIN PARAMETERS(cm)

🛒	100	🛒	91
🛒	66	🛒	38
🛒	46	🛒	100
🛒	61	📏	80X34X93
🛒	15	📏	N.W.16.3kg G.W.19.4kg
🛒	51		



▶ FS955L

- Aluminum chair frame
- Solid castor
- Flip-up inclined armrest
- Pneumatic rear wheel
- Detachable footrest
- Angle-adjustable footplate

▼ MAIN PARAMETERS(cm)

🛒	100	🛒	89
🛒	63	🛒	38
🛒	46	🛒	100
🛒	62	📏	83X28X91
🛒	15	📏	N.W.15.8kg G.W.18.5kg
🛒	51		



▶ FS959LQ

- Aluminum chair frame
- Quick release pneumatic rear wheel
- Dechable footrest
- Angle-adjustable footplate
- Pu castor
- Flip-up and height-adjustable inclined armrest
- Anti-tippers

▼ MAIN PARAMETERS(cm)

🛒	105	🛒	89
🛒	64	🛒	38
🛒	46	🛒	100
🛒	62	📏	83X29X90
🛒	15	📏	N.W.16.1kg G.W.18.3kg
🛒	50		



▶ FS903LQ

- Aluminum chair frame
- Solid castor
- Flip-up desk armrest
- Quick release pneumatic rear wheel
- Detachable footrest
- Angle-adjustable footplate

▼ MAIN PARAMETERS(cm)

🛒	100	🛒	90
🛒	66	🛒	38
🛒	46	🛒	100
🛒	62	📏	80X28X91
🛒	15	📏	N.W.14kg G.W.15.8kg
🛒	52		

▶ Aluminum Wheelchair (Series)



▶ FS908LQF19

- Aluminum chair frame
- Solid castor
- Quick release pneumatic rear wheel
- Angle-adjustable footplate
- Right hand controlled rear wheel
- Detachable footrest
- Flip-up and height-adjustable inclined armrest

▼ MAIN PARAMETERS(cm)

🛠️	96	🛠️	91
🛠️	69	🛠️	37
🛠️	46	🛠️	100
🛠️	62	🛠️	80X34X93
🛠️	15	🛠️	N.W.17.1kg G.W.19.6kg
🛠️	52		



▶ FS218LQ

- Aluminum chair frame
- PU Castor
- Angle-adjustable footplate
- With carrying strap
- Quick release pneumatic rear wheel
- Detachable footrest
- Flip-up and height-adjustable inclined armrest

▼ MAIN PARAMETERS(cm)

🛠️	101	🛠️	91
🛠️	64	🛠️	37
🛠️	46	🛠️	100
🛠️	62	🛠️	87X33X94
🛠️	17.5	🛠️	N.W.15.5kg G.W.18kg
🛠️	51		



▶ FS908LAJPF21

- Aluminum chair frame
- Detachable footrest
- Drop back handle
- PU rear wheel
- Flip-up armrest
- With united brake

▼ MAIN PARAMETERS(cm)

🛠️	103	🛠️	89
🛠️	63	🛠️	39
🛠️	46	🛠️	100
🛠️	60	🛠️	76X29X71
🛠️	15	🛠️	N.W.13.1kg G.W.15.1kg
🛠️	45		



▶ FS952LCQ

- Aluminum frame
- Elevating footrest
- Flip-up and height adjustable armrest
- Solid castor
- Quick release pneumatic rear wheel
- Anti-tippers

▼ MAIN PARAMETERS(cm)

🛠️	109	🛠️	91
🛠️	66	🛠️	40
🛠️	46	🛠️	100
🛠️	61	🛠️	80X34X93
🛠️	15	🛠️	N.W.17.7kg G.W.20.5kg
🛠️	51		

▶ Aluminum Wheelchair Series



◦ FS250LCPQ

Aluminum Chair Frame, Flip-up And Height-adjustable Inclined Armrest, Detachable Elevating Footrest, Pu Castors, Quick Release Pu Rear Wheel, Anti-tippers.



◦ FS253LACHQ

Aluminum Frame, Drop Back Handle, Locking Drum Brake, Flip-up And Height-adjustable Inclined Armrest, Detachable Elevating Footrest, Pu Castor, Quick Release Pneumatic Rear Wheel, Anti-tippers, Angle-adjustable Footplate.



◦ FS863LAJPF8

Aluminum Chair Frame, Fixed Armrest, Flip-up Footrest Drop Back Handle, Locking United Brake, Solid Castor, Pu Rear Wheel.



◦ FS863LABJPF9

Aluminum Chair Frame, Fixed Armrest, Flip-up Footrest, Drop Back Handle, United Brake, Pu Mag Rear Wheel, Solid Castors.

MODEL NO.												
FS250LCPQ	109	67	46	60	17.5	51	90	38	100	83X31X91	17	19.2
FS253LACHQ	109	64	46	61	15	50	95	42	100	85X35X78	19.1	20.7
FS863LAJPF8	96	64	46	51	15	49	91	41	100	80X30X74	11.7	13.9
FS863LABJPF9	93	61	46	30	15	49	91	41	100	76X28X74	10.6	12.8

MAIN PARAMETERS (cm)



◦ FS872LAJ

Aluminum Light Weight Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle, Locking United Brake.



◦ FS868L

Aluminum Light Weight Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel.



◦ FS208LABP

Aluminum Chair Frame, Flip-up Armrest, Detachable Footrest, Drop Back Handle, Pu Mag Rear Wheel.



◦ FS878LAJ

Aluminum light weight chair frame, fixed armrest, flip up footrest, Solid castor, pneumatic rear wheel, drop back handle, locking united brake.

MODEL NO.												
FS872LAJ	91	61	46	51	15	49	92	44	100	82X28X76	11.7	14
FS868L	95	61	46	58	15	45	87	39	100	94X28X90	10.7	20.7
FS208LABP	103	69	46	56	15	52	91	39	100	80X28X78	13.8	16
FS878LAJ	98	69	46	58	15	51	87	35	100	82X30X76	10.7	20.5

MAIN PARAMETERS (cm)

▶ Aluminum Wheelchair Series



◦ **FS983L**
Aluminum chair Frame, Flip-Up Desk Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel.



◦ **FS971LP**
Aluminum Chair Frame, Fixed Armrest, Detachable Footrest, Solid Castor, Pu Rear Wheel.



◦ **FS863LAJPF7**
Aluminum Light Weight Chair Frame, Drop Back Handle, Flip-Up Armrest, Flip-Up Footrest, Solid Castor, Pu Rear Wheel, With United Brake.



◦ **FS869LABJX**
Aluminum Chair Frame, Fixed Inclined Armrest, Fixed Footrest, Solid Castor, Pu Mag Wheel, With United Brake, Drop Back Handle.

MODEL NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
-----------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----

MAIN PARAMETERS (cm)	FS983L	FS971LP	FS863LAJPF7	FS869LABJX
102	101	96	103	
63	67	64	65	
46	46	46	46	
58	61	51	60	
15	20	15	20	
49	49	49	51	
87	88	91	88	
39	40	41	37	
100	100	100	100	
94X28X91	84X28X91	80X30X74	102X25X89	
13.1	14	12.3	12.5	
15.7	16	14.5	14.9	



◦ **FS874LJPF10**
Aluminum Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Pu Rear Wheel, With United Brake.



◦ **FS869LJX**
Aluminum Light Weight Chair Frame, Fixed Inclined Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, With United Brake.



◦ **FS976LAB**
Aluminum Chair Frame, Fixed Armrest, Detachable Footrest, Solid Castor, Solid Mag Rear Wheel, Drop Back Handle.



◦ **FS864L**
Aluminum Light Weight Chair Frame, fixed Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel.

MODEL NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
-----------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----

MAIN PARAMETERS (cm)	FS874LJPF10	FS869LJX	FS976LAB	FS864L
105	103	96	104	
69	65	60	67	
46	46	46	46	
60	62	20	62	
17.5	20	20	20	
45	51	52	48	
90	87	101	89	
41	37	40	40	
100	100	100	100	
87X28X90	103X25X90	74X26X78	94X28X92	
12.4	12.1	10.6	12.4	
14	14.5	12	15	

▶ Aluminum Wheelchair Series



◦ FS207LABP

Aluminum Chair Frame, Flip-up inclined Armrest, Detachable Footrest, Solid Castor, Pu Mag Rear Wheel, drop Back Handle.



◦ FS873LABJP

Aluminum Light Weight Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Pu Mag Rear Wheel, Drop Back Handle, With United Brake.



◦ FS870LAJ

Aluminum Light Weight Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, drop Back Handle, With United Brake.



◦ FS805LABJ

Aluminum Light Weight Chair Frame, Fixed Armrest, Flip-Up Footrest, Solid Castor, Pneumatic Mag Rear Wheel, Drop Back Handle, With United Brake.

MODEL NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
-----------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----

MAIN PARAMETERS (cm)	FS207LABP	FS873LABJP	FS870LAJ	FS805LABJ
1	101	86	98	91
2	62	58	66	59
3	46	46	46	46
4	38	30	40	31
5	15	15	20	15
6	50	48	48	48
7	89	94	90	90
8	39	41	41	39
9	100	100	100	100
10	78X28X76	74X28X75	80X28X76	71X25X76
11	12.9	10.6	11.5	8.9
12	14.9	13.3	14.5	11.22



◦ FS879LAJ

Aluminum Light Weight Chair Frame, Fixed Armrest, Flip-Up Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle, With United Brake.



◦ FS953LB

Aluminum Chair Frame, Flip-up And Height-adjustable Desk Armrest, Detachable Footrest, Angle-adjustable Footplate, Solid Castor, Pneumatic Mag Rear Wheel, Anti-tippers.



◦ FS871LBJ

Aluminum Light Weight Chair Frame, Fixed Armrest & Footrest, Solid Castor, Pneumatic Mag Rear Wheel With United Brake.



◦ FS976LABJPF2-43

Aluminum Light Weight Chair Frame, Fixed Armrest, Detachable Footrest, Pneumatic Mag Rear Wheel, Solid Castor, Drop Back Handle, With United Brake.

MODEL NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
-----------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----

MAIN PARAMETERS (cm)	FS879LAJ	FS953LB	FS871LBJ	FS976LABJPF2-43
1	97	106	91	96
2	65	62	54	55
3	46	46	46	43
4	31	40	40	30
5	15	15	15	20
6	49	50	49	49
7	87	92	89	93
8	36	39	43	39
9	100	100	100	100
10	72X30X74	78X33X93	80X28X90	74X25X78
11	10.3	14.4	11	12.3
12	12.3	16.4	13.2	13.8

▶ Aluminum Wheelchair Series



◦ **FS807LABP**
Transit Wheelchair, Aluminum Light Weight Chair Frame, 6" PU Mag Rear Wheel, 5" Solid Castor, Flip-up Armrest, Flip-up Footrest, with Drop Back Handle And Seat Belt.



◦ **FS804LABJP**
Transit Wheelchair, Aluminum Light Weight Chair Frame, 8" PU Mag Rear Wheel, 5" Solid Castor, Flip-up Armrest And Footrest, Drop Back Handle, With United Brake And Seat Belt.



◦ **FS800LBJ**
Transit Wheelchair, Aluminum Light Weight Chair Frame, 6" Solid Mag Rear Wheel, 5" Solid Castor, Flip-up Armrest, With United Brake And Seat Belt.



◦ **FS803LB**
Transit Wheelchair, Aluminum Light Weight Chair Frame, 5" Solid Mag Rear Wheel, 4" Solid Castor, Flip-up Armrest, With Seat Belt.

MODEL NO.														
FS807LABP	77	37	32	15	12.5	45	87	40	100	53X24X62	7	8.1		
FS804LABJP	84	45	37	20	12.5	45	88	38	100	75X25X66	7.2	9.4		
FS800LBJ	68	51	38	15	12.5	45	88	33	100	48X34X66	6.9	9.1		
FS803LB	66	38	32	15	10	45	84	39	100	39X29X70	6	7.5		



◦ **FS863LAJPF1-30**
Pediatric Wheelchair, Aluminum Chair Frame, Drop Back Handle, Fixed Armrest, Fixed Footrest, Solid Castor, PU Mag Rear Wheel, With United Brake And Seat Belt.



◦ **FS874LAJ-30**
Pediatric Wheelchair, Aluminum Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle, With United Brake.



◦ **FS980LA-35**
Pediatric Wheelchair, Aluminum Chair Frame, Flip-up Armrest, Fixed Footrest, Solid Castor, Pneumatic Rear Wheel, Drop Back Handle.



◦ **AU974LA-35**
Pediatric Wheelchair, Aluminum Chair Frame, Fixed Armrest, Detachable Footrest, Drop-back Handle, Pneumatic Rear Wheel, Solid Castor, Anti-tippers.

MODEL NO.														
FS863LAJPF1-30	85	50	30	51	15	48	86	40	75	80X30X66	11.2	12.6		
FS874LAJ-30	85	51	30	53	15	44	86	40	75	78X28X68	11.4	14.4		
FS980LA-35	94	52	35	58	15	48	93	41	75	85X33X73	13	15.5		
AU974LA-35	93	55	35	53	10	42	87	37	100	69X33X66	13.8	16		

▶ Aluminum Wheelchair (Series)



▶ FS908LJ

- Aluminum chair frame
- Solid castor
- Flip-up deck armrest
- Pneumatic rear wheel
- Detachable footrest
- With united brake

▼ MAIN PARAMETERS(cm)

🛒	100	🛒	89
🛒	64	🛒	38
🛒	46	🛒	100
🛒	58	🛒	80X28X91
🛒	20	🛒	N.W.13.2kg G.W.16.3kg
🛒	51		



▶ FS874LJF5

- Aluminum light weight Chair frame
- Solid castor
- Fixed armrest
- Pneumatic rear wheel
- Fixed footrest
- With united brake

▼ MAIN PARAMETERS(cm)

🛒	102	🛒	87
🛒	64	🛒	36
🛒	46	🛒	100
🛒	62	🛒	92X28X89
🛒	17.5	🛒	N.W.12.5kg G.W.14.5kg
🛒	49		



▶ FS863LAJPF4

- Aluminum chair frame
- Solid castor
- Drop back handle
- Pu rear wheel
- Fixed armrest
- With united brake
- Flip up footrest

▼ MAIN PARAMETERS(cm)

🛒	96	🛒	91
🛒	64	🛒	41
🛒	46	🛒	100
🛒	51	🛒	80X30X72
🛒	15	🛒	N.W.12kg G.W.14.2kg
🛒	49		



▶ FS980LA-46

- Aluminum chair frame
- Solid castor
- Flip-up armrest
- Pneumatic rear wheel
- Fixed footrest
- Drop back handle

▼ MAIN PARAMETERS(cm)

🛒	103	🛒	94
🛒	64	🛒	40
🛒	46	🛒	100
🛒	61	🛒	94X33X75
🛒	15	🛒	N.W.14.6kg G.W.17.6kg
🛒	51		

▶ Aluminum Wheelchair (Series)



▶ FS874LJPF7

- Aluminum chair frame
- Fixed armrest
- Fixed footrest
- Solid castor
- Pu rear wheel
- United brake

▼ MAIN PARAMETERS(cm)

🛒	94	🛒	88
🛒	61	🛒	37
🛒	46	🛒	100
🛒	54	🛒	90X27X91
🛒	17.5	🛒	N.W.11.8kg G.W.14.1kg
🛒	49		



▶ FS870LABJPF5

- Aluminum chair frame
- Fixed armrest
- Fixed footrest
- Pu mag rear wheel
- Solid castor
- Drop back handle
- United brake

▼ MAIN PARAMETERS(cm)

🛒	97	🛒	88
🛒	61	🛒	38
🛒	46	🛒	100
🛒	38	🛒	81X29X76
🛒	17.5	🛒	N.W.11kg G.W.14.5kg
🛒	47		



▶ FS907LABH

- Aluminum chair frame
- Flip-up desk armrest
- Detachable footrest
- Solid castor
- Pneumatic mag rear wheel
- Drop back handle
- With drum brake

▼ MAIN PARAMETERS(cm)

🛒	94	🛒	92
🛒	62	🛒	41
🛒	46	🛒	100
🛒	40	🛒	78X28X78
🛒	15	🛒	N.W.13.1kg G.W.15.5kg
🛒	51		



▶ FS863LABJPF3

- Aluminum light weight chair frame
- Fixed pu armrest
- Flip up footrest
- Solid castor
- Pu mag rear wheel
- United brake

▼ MAIN PARAMETERS(cm)

🛒	93	🛒	91
🛒	61	🛒	41
🛒	46	🛒	100
🛒	30	🛒	70X28X72
🛒	15	🛒	N.W.10.6kg G.W.12.4kg
🛒	49		

▶ Aluminum Wheelchair (Series)



▶ FS958LBPYF8

- Aluminum pediatric wheelchair
- Adjustable seat size and seat height
- Height adjustable footrest and adjustable headrest
- Movable armrest
- Optional accessories: food table
- Tilttable seat
- Reclining back
- Pu wheels
- Push handle

▼ MAIN PARAMETERS(cm)

Seat width	75	Seat depth	98-120
Seat height	52	Back height	32
Seat length	25-32	Seat height	35
Seat depth	30	Wheel size	86X53X45
Seat height	15	Weight	N.W.24kg G.W.27kg
Seat length	38-66		



▶ FS980LQF8

- Aluminum pediatric wheelchair
- Fixed footrest, height adjustable Footplate
- Quick release pneumatic rear wheel
- Adjustable seat size
- Solid castor
- Flip-up armrest

▼ MAIN PARAMETERS(cm)

Seat width	74	Seat depth	87-92
Seat height	50-60	Back height	33
Seat length	25-35	Seat height	75
Seat depth	52	Wheel size	76X39X90
Seat height	10	Weight	N.W.14.4kg G.W.17.4kg
Seat length	50-55		



FS980LA-35

▶ FS980LA-30

- Aluminum pediatric wheelchair
- Flip-up armrest
- Fixed footrest
- Solid castor
- Pneumatic rear wheel
- Drop back handle

▼ MAIN PARAMETERS(cm)

Seat width	92	Seat depth	92
Seat height	45	Back height	41
Seat length	30	Seat height	75
Seat depth	53	Wheel size	83X33X73
Seat height	15	Weight	N.W.12.1kg G.W.15kg
Seat length	50		



▶ FS980LQF3-30

- Aluminum pediatric wheelchair
- Quick release pneumatic rear wheel
- Flip up, height adjustable armrest
- Detachable footrest
- Solid castor

▼ MAIN PARAMETERS(cm)

Seat width	85	Seat depth	88
Seat height	46	Back height	32
Seat length	30	Seat height	75
Seat depth	52	Wheel size	74X33X91
Seat height	15	Weight	N.W.12.5kg G.W.15.5kg
Seat length	52		



Reclining Wheelchair Series




FS985LAF1

Aluminum Chair Frame, Reclining High Back, Drop Back Handle, Adjustable And Detachable Headrest, Flip Up And Adjustable Armrest, Detachable Footrest, Tilting Seat, Solid Castor, Pneumatic Rear Wheel.



FS954LGCJF4

Aluminum Chair Frame, Reclining High Back, Adjustable And Detachable Headrest, Flip-up And Detachable Armrest, Elevating Footrest, Solid Castor, Pneumatic Rear Wheel, Plastic Hand Rim, With United Brake.



FS958LBCGPY

Aluminum Chair Frame, Reclining High Back, Adjustable Headrest, Detachable Armrest, Elevating Footrest, Solid Castor, PU Mag Rear Wheel, Tilting Seat, Safety Belt.



FS258LBGPY

Aluminum Chair Frame, Reclining High Back, Tilting Seat, Detachable Seat And Back, Solid Castor, PU Mag Rear Wheel, Safety Belt.



FS985LBGY

Aluminum Chair Frame, Adjustable Headrest, Detachable Armrest, Fixed Footrest, Solid Castor, Pneumatic Mag Rear Wheel, Tilting Seat, Safety Belt.
Optional Accessories: Food Table.

MAIN PARAMETERS (cm)	MODEL NO.												
	FS985LAF1	106	72	46	62	20	52	128	46	100	85X39X27	19.2	21.5
	FS954LGCJF4	126	66	46	58	15	48	123	43	100	96X35X85	19	22.7
	FS958LBCGPY	106	52	32-38	38	15	49	102-118	41	75	77X40X95	21	24.3
	FS258LBGPY	94	42	30	30	15	49	103	59	75	80X41X69	17.4	20.7
	FS985LBGY	99	52	32-38	40	15	50	97-116	41	75	84X40X95	17.8	21

► Reclining Wheelchair Series



◦ FS954LGC

Aluminum Chair Frame, Reclining High Back, Adjustable And Detachable Headrest, Detachable Armrest, Elevating Footrest, Solid Castor, Pneumatic Rear Wheel, Plastic Hand Rim.



◦ FS203BJ

Powder Coating Steel Frame, Reclining High Back, Adjustable And Detachable Headrest, Tilting Seat, Height Adjustable Armrest, Elevating Footrest, TPR Castor, Pneumatic Mag Rear Wheel, United Brake. Optional Accessories: Neck Cushion.



◦ FS204BJ

Powder Coating Steel Frame, Reclining High Back, Adjustable And Detachable Headrest, Tilting Seat, Height Adjustable Armrest, Elevating Footrest, TPR Castor, United Brake Pneumatic Mag Rear Wheel. Optional Accessories: Neck Cushion.



◦ FS212BCEG

Chromed Steel Frame, Reclining High Back, Flip-up Desk Armrest, Elevating Footrest, Solid Castor, Pneumatic Mag Rear Wheel, Detachable Push Bar.



◦ FS954LGCF8

Aluminum Chair Frame, reclining High Back, Detachable Headrest, Height Adjustable Armrest, Detachable Elevating Footrest, Solid Castor, Pneumatic Rear Wheel.



◦ FS203LBPY

Aluminum Chair Frame, Detachable Armrest, Elevating Footrest, Adjustable And Detachable Headrest, Reclining Back, Tilting Seat, PU Castor, PU Mag Rear Wheel, Ergonomic Seat Cushion.



◦ FS954GC-46

Powder Coating Steel Frame, Reclining High Back, Detachable Armrest, Elevating Footrest, Solid Castor, Solid Rear Wheel. Optional Accessories: Neck Cushion



◦ FS902GC-46

Powder Coating Steel Frame, Reclining High Back, Flip Up Armrest, Elevating Footrest, Solid Castor, Solid Rear Wheel. Optional Accessories: Neck Cushion

MODEL NO.

MODEL NO.												
FS954LGC	124	68	46	62	20	51	128	44	100	98X35X89	18.3	21
FS203BJ	114	61	46	38	20	58	118	54	150	88X62X84	38	41.5
FS204BJ	122	68	46	61	20	58	121-133	54	150	88X64X84	36.7	42.5
FS212BCEG	106	55	41	40	15	49	107	58	100	83X33X109	18.7	21.4



MODEL NO.

MODEL NO.												
FS954LGCF8	123	68	46	62	20	51	123	44	100	98X39X87	20.5	23
FS203LBPY	118	63	45	30/61	20	54	110-140	45	100	91X64X101	27.4	31
FS954GC-46	123	65	46	58	20	51	119	45	100	98X35X89	27.7	27.7
FS902GC-46	123	65	46	58	20	50	119	45	100	95X34X92	23.5	26.5

▶ Power Wheelchair (Series)



▶ FS139

- Power stand-up wheelchair • Strong rubber foam drive wheel
- Powder coating steel frame • Special design with comfortable safety legrest belt
- Flip-up armrest with single controller for both driving & seat lifting

▼ MAIN PARAMETERS(cm)

139	102	4
59	53	12°
46	20	75
32	1-7	97X60X68
20	28AH	N.W.68kg G.W.85kg
52	200Wx2	



▶ FS102LAEF2

- Aluminum frame • PU castor and pneumatic rear wheel
- Drop back handle • Lithium battery
- Flip up armrest • Brushless motor
- Flip up footrest • Foldable push bar

▼ MAIN PARAMETERS(cm)

88	96	4
69	42	12°
46	20	100
31	1-6	86X43X83
20	17.4	N.W.19kg G.W.25kg
52	180Wx2	



▶ FS110LABEPF2

- Aluminum chair frame • Drop back handle
- Flip-up armrest • Detachable footrest
- Rubber foam castor and rear wheel • With additional cushion
- Lithium battery on both armrest board • Foldable push bar

▼ MAIN PARAMETERS(cm)

106	94.5	4
62	43	12°
46	20	100
32	1-7	79X34X76
20	23AH	N.W.36.6kg G.W.42kg
50	200Wx2	



▶ FS123

- Powder coating steel frame • Angle-adjustable backrest
- Adjustable armrest pad • Rubber foam castor and drive rear wheel
- Detachable sideboard • With safety lamps
- Detachable strong footrest

▼ MAIN PARAMETERS(cm)

107	97	4
64	47	12°
46	20	100
32	1-7	78X68X69
20	28AH	N.W.63kg G.W.70.8kg
55	200Wx2	

► Power Wheelchair (Series)



► FS123F1

- Powder coating steel frame
- Adjustable armrest pad
- Detachable sideboard
- Detachable footrest
- Angle-adjustable backrest
- PU rear wheel
- PU castor
- With safety lamps

▼ MAIN PARAMETERS(cm)

112	95	5
67	47	12°
43	25	125
35	1-8	78X68X69
23	40AH	N.W.77.3kg G.W.84kg
53	200Wx2	



► FS123GC

- Powder coating steel frame
- Adjustable armrest pad
- Detachable sideboard
- Elevating footrest
- Pneumatic castor
- Pneumatic drive rear wheel
- Angle-adjustable backrest
- With safety lamps
- Adjustable headrest

▼ MAIN PARAMETERS(cm)

123	93-126	5
67	47	12°
43	25	125
35	1-8	78X68X69
23	40AH	N.W.81kg G.W.88kg
58	200Wx2	



► FS101LAEPF1

- Aluminium foldable frame
- Drop back handle
- Flip-up armrest
- Detachable footrest
- PU castor
- PU rear wheel with hand rim
- With additional cushion
- Lithium battery on side board
- Foldable push bar

▼ MAIN PARAMETERS(cm)

111	96	4
68	44	12°
46	20	100
60	1-6	93X42X73
20	23AH	N.W.33.4kg G.W.39kg
53	150Wx2	



► FS101A

- Powder coating steel frame
- Detachable armrest
- Detachable footrest
- Rubber foam castor
- Rubber foam rear wheel
- Drop back handle
- Foldable frame
- Anti-tippers

▼ MAIN PARAMETERS(cm)

106	97	4
70	47	8°
46	20	100
53	1-7	86X46X78
20	28AH	N.W.66kg G.W.67.8kg
53	200Wx2	

Power Wheelchair Series



FS131GC

Steel Chair Frame, Adjustable And Detachable Armrest, Reclining High Back, Detachable And Elevating Footrest, Rubber Foam Castor And Drive Rear Wheel, Electrical Lifting Seat, Tilting Seat.



FS121LF1

Power Electric Wheelchair, Aluminum Chair Frame, Adjustable PU Armrest, Adjustable Seat Width, Reclining High Back, Lithium Battery, Rubber Foam Drive Wheel.



FS129

Power Stand Up Wheelchair, Powder Coating Steel Frame, Flip-up Armrest With Single Controller For Both Driving & Seat Lifting, Rubber Foam Castor, Strong Rubber Foam Drive Wheel, Special Design With Comfortable Safety Legrest Belt.



FS124

Power Coating Steel Frame, Adjustable And Detachable Armrest Pad, Detachable Sideboard, Rubber Foam Castor And Drive Rear Wheel. Powered Lifting Seat, Detachable Footrest.

MODEL NO.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	Icon 13	Icon 14	Icon 15	Icon 16	Icon 17	Icon 18	Icon 19	Icon 20	
FS131GC	108	64	46	32	20	59	106	37	25	1-7	40AH	200Wx2	4	12"	91.7	85X65X75	91.7	98.5			
FS121LF1	95	50	38	32	20	52	96	40	20	1-7	23AH	200Wx2	4	12"	75	80X58X75	40	48.9			
FS129	107	64	46	32	20	58	107	48	25	1-7	40AH	200Wx2	4	12"	100	110X64X75	82	98.2			
FS124	104	62	46	32	20	52	92	39	25	1-7	40AH	200Wx2	4	12"	100	76X64X83	82.8	91			



FS110LF1

Aluminum Frame, Fixed Armrest, Detachable Footrest, Rubber Foam Castor And Rear Wheel, With Additional Cushion, Lithium Battery On Both Armrest Board.



FS102LEF1

Aluminum Frame, Drop Back Handle, Flip Up Armrest, Flip-up Footrest, PU Castor And Rear Wheel, Lithium Battery, Foldable Push Bar.



FS108LAEP

Aluminum Chair Frame, Flip-up Inclined Armrest, Detachable Footrest, PU Castor, PU Rear Wheel, Lithium Battery, Foldable Push Bar.



FS102LAEP

Aluminum Frame, Drop Back Handle, Flip Up Armrest, Flip-up Footrest, PU Castor And Rear Wheel, Lithium Battery, Foldable Push Bar.

MODEL NO.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	Icon 13	Icon 14	Icon 15	Icon 16	Icon 17	Icon 18	Icon 19	Icon 20	
FS110LF1	105	62	46	32	20	49	94	43	20	1-7	23AH	200Wx2	4	12"	100	81X40X92	38	45.5			
FS102LEF1	88	59	46	38	20	48	91	42	20	1-7	23AH	150Wx2	4	12"	75	77X34X75	29.5	35.5			
FS108LAEP	107	68	46	60	20	49	94	41	20	1-7	23AH	150Wx2	4	8"	75	86X41X73	32.5	36			
FS102LAEP	88	63	46	38	18	52	92	42	20	1-6	22AH	150Wx2	3	12"	100	79X34X77	25	31			

Power Wheelchair Series



FS107LAEP

Powder Coating Aluminum Frame, Flip-up Armrest, PU Castor, PU Drive Wheel, Lithium Battery, Foldable Chair Frame, Drop Back Handle, Foldable Push Bar.



FS106LAE

Powder Coating Aluminum Frame, Detachable Armrest, PU Castor, Pneumatic Drive Wheel, Lithium Battery, Foldable Chair Frame.



FS111APF2

Powder Coating Steel Frame, Drop Back Handle, Flip-up Armrest, Detachable Footrest, PU Rear Wheel, Foldable Chair Frame With Lead Acid Battery On Both Sides.



FS110LF4

Aluminum Chair Frame, Fixed Armrest, Foldable Footrest, PU Rear Wheel, Solid Castors, With Lithium Battery.

MODEL NO.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	Icon 13	Icon 14	Icon 15	Icon 16	Icon 17	Icon 18	Icon 19	Icon 20
FS107LAEP	107	68	46	60	20	49	94	41	20	1-7	23AH	150Wx2	4	8"	75	80X41X73	33	39.1		
FS106LAE	110	65	41	62	17	52	84	41	20	1-7	23AH	150Wx2	4	8"	100	110X41X73	29.4	35.4		
FS111APF2	108	65	46	54	20	51	94	43	20	1-6	21AH	150Wx2	4	8"	100	86X48X78	50	54		
FS110LF4	93	52	44	38	17.5	49	85	34	20	1-6	23AH	150Wx2	4	8"	75	72X53X88	25.5	30		

MAIN PARAMETERS (cm)



FS111AF1

Powder Coating Steel Frame, Drop Back Handle, Flip-up PU Armrest, Detachable Footrest, Pneumatic Castor And Rear Wheel, Foldable Chair With Lead Acid Battery On Both Side.



FS110AB

Powder Coating Steel Frame, Drop Back Handle, Flip-up PU Armrest, Detachable Footrest, Rubber Foam Castor And Drive Rear Wheel, Foldable Chair Frame.



FS110AF2

Powder Coating Steel Frame, Drop Back Handle, Flip-up PU Armrest, Detachable Footrest, Rubber Foam Castor And Drive Rear Wheel, Foldable Chair Frame.



FS112AF1

Powder Coating Steel Frame, Flip Up Armrest, Detachable Footrest, Rubber Mag Rear Wheel, Solid Castor.

MODEL NO.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	Icon 13	Icon 14	Icon 15	Icon 16	Icon 17	Icon 18	Icon 19	Icon 20
FS111AF1	108	62	46	40	20	51	94	43	20	1-6	21AH	150Wx2	4	12"	100	86X48X78	51.1	58		
FS110AB	104	64	46	32	20	51	92	43	20	1-7	28AH	200Wx2	4	12"	100	80X40X76	57.3	66.2		
FS110AF2	105	62	46	32	20	50	93	44	20	1-7	28AH	200Wx2	4	12"	100	86X40X76	60	65		
FS112AF1	105	63	32	31	20	50	93	42	20	1-7	28AH	200Wx2	4	12"	100	80X40X76	54	63.7		

MAIN PARAMETERS (cm)

Power Wheelchair Series



FS127

Resin-coating Steel Frame, Adjustable Armrest Pad, Detachable Sideboard, Detachable Footrest, Detachable Backrest, Rubber Foam Castor And Drive Rear Wheel.



FS110LABF3

Aluminum Frame, Drop Back Handle, Flip-up Armrest, Detachable Footrest, Rubber Foam Castor And Rear Wheel, With Additional Cushion, Lithium Battery On Both Armrest Board.



FS130LGC

Aluminum Chair Frame, Comfortable Vehicle Seat, Reclining High Back, Elevating Footrest, Detachable Armrest, Rubber Foam Castor And Drive Rear Wheel.



FS122LGC

Aluminum Chair Frame, Comfortable Vehicle Seat, Reclining High Back, Adjustable Pu Armrest, Elevating Footrest, Rubber Foam Drive Rear Wheel.

MODEL NO.

MAIN PARAMETERS (cm)

FS127	100	65	46	32	20	54	94	41	20	1-6	28AH	200Wx2	4	12"	100	75X65X53	61	66
FS110LABF3	104	63	46	32	20	52	97.5	45	20	1-6	23AH	150Wx2	4	12"	100	77X38X78	33	38.3
FS130LGC	112	61	46	32	20	56	92	55	20	1-6	28AH	200Wx2	4	12"	100	77X61X83	69.8	75
FS122LGC	112	68	46	32	20	53	115-125	55	20	1-6	28AH	200Wx2	4	12"	125	82X68X77	66.2	74.2



FS128

Indoor Power Wheelchair, Height Adjustable Footrest, Rubber Foam Castor, Rubber Foam Rear Wheel, Vehicle Seat, Adjustable Backrest, Flip-up Armrest.



FS140

Comfortable Vehicle Seat, Adjustable Backrest And Seat Height, Flip-up Armrest, Rubber Foam Wheel, With Driving Lamp.



FS141

Comfortable And Rotatable Seat, Flip-up Armrest, Driving Lamp, Rubber Foam Castor And Foam Rear Wheel.



FS123GF3

Powder Coating Steel Frame, Adjustable And Detachable Pu Armrest, Detachable Footrest, Angle-adjustable Footplate, Pneumatic Castor And Rear Wheel, Adjustable Seat Angle, With Safety Lamps, Adjustable Headrest, Joystick Can Move To Back Handle, Second Seat For Caretaker.

MODEL NO.

MAIN PARAMETERS (cm)

FS128	90	60	46	32	20	55	123	55	20	1-6	28AH	200Wx2	4	12"	100	77X66X73	65	73.3
FS140	138	63	46	26	26	64-70	135	50	30	1-10	40AH	500W	8	8"	125	140X71X79	105.2	131.6
FS141	123	58	48	26	22	58	129-139	56	30-40	1-10	33AH	400W	5	12"	100	124X59X80	78	90.5
FS123GF3	170	67	43	35	23	58	93-126	47	30-40	1-6	40AH	200Wx2	5	12"	125	169X68X69	84.5	90



Leisure & Sports
Wheelchair Series



◦ AU736LQ-36



◦ FS727LQF1-36



◦ FS734LQ-36



◦ FS731LQ-36



◦ FS730LQ-36

MODEL NO.	DIM										WT		
	W	D	H	W	H	W	H	W	H	W	H	kg	lb
AU736LQ-36	85	52	36	60	10	52	82	32	100	80X38X67	13.4	15	
FS727LQF1-36	81	55	36	60	10	49	84	31	100	83X34X84	10.3	13	
FS734LQ-36	90	59	36	60	10	51	78	32	100	79X60X59	12.6	15.9	
FS731LQ-36	86	65	36	60	10	52	86	34	100	76X62X63	10.2	12	
FS730LQ-36	85	67	36	60	10	48	78	33	100	76X62X50	9.5	11.8	

Leisure & Sports Wheelchair Series



FS732LQ-36



FS727LQ-36



FS723LQ-36



FS721LQ-36



FS720LQ-36



FS737LQ-36



FS722LQ-36



FS723LQF14-38

MODEL NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫
FS732LQ-36	89	58	36	60	10	50	76	33	100	76X62X50	9.3	12
FS727LQ-36	83	52	36	60	10	48	76	30	100	87X36X80	10.6	13.6
FS720LQ-36	83	59	36	60	10	48	72	29	100	87X36X73	11.3	13
FS737LQ-36	86	64	36	60	10	47	79	35	100	84X61X70	10.5	14



FS723LQ-36



FS721LQ-36



FS722LQ-36



FS723LQF14-38

MODEL NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	⑪	⑫	⑬
FS723LQ-36	83	56	36	60	10	48	76	32	100	87X36X79	8	11	
FS721LQ-36	83	58	36	60	10	48	72	29	100	87X36X73	11.6	13.6	
FS722LQ-36	84	57	36	60	10	48	72	28	100	89X36X76	11.6	13.6	
FS723LQF14-38	85	53	38	60	10	50	80	28	100	85X30X83	12.5	14.5	

Leisure & Sports Wheelchair Series



• F5710L-30
Speed king



• F5770LQ-32
Rugby Offensive



• F5779LQ-36
Basketball Guard



• F5723LQF1-36



• F5771LQ-32
Rugby Defensive



• F5777LQ-36
Basketball Center



• F5778LQ-36
Basketball Forward

Leisure & Sports Wheelchair Series



FS786LQ-36
Bedminton



FS785LQ-36
Tennis



FS755LQ-36
Dancing



FS735LQ-36
Pool wheelchair



FS730LQF10-36



FS766LQ-36
Fencing



FS723LQF15



FS756LQ-36
Ping pong

▶ Steel Wheelchair Series



▶ FS863AJPF1

- Powder coating frame
- Fixed armrest
- Flip-up footrest
- Solid castor
- Pneumatic rear wheel
- Drop back handle
- Urethel brack

▶ MAIN PARAMETERS(cm)

📏	96	📏	91
📏	63	📏	41
📏	45	📏	100
📏	52	📏	86X31X76
📏	15	📏	N.W.14.4kg G.W.16.4kg
📏	48		



▶ FS908AQ

- Chromed steel frame
- Flip-up desk armrest
- Detachable footrest
- Quick release pneumatic rear wheel
- Drop back handle
- Solid castor

▶ MAIN PARAMETERS(cm)

📏	106	📏	91
📏	64	📏	42
📏	46	📏	100
📏	61.5	📏	80X28X78
📏	15	📏	N.W.15.8kg G.W.18.6kg
📏	51		



▶ FS909B

- Powder coating steel frame
- Flip-up armrest
- Detachable footrest
- Solid castor
- Solid rear wheel

▶ MAIN PARAMETERS(cm)

📏	107	📏	93
📏	62	📏	40
📏	46	📏	100
📏	62	📏	82X28X95
📏	20	📏	N.W.18.2kg G.W.20.5kg
📏	49		



▶ FS874F5

- Chromed steel frame
- Double cross bar
- Fixed armrest
- Fixed footrest
- Solid castor
- Solid rear wheel

▶ MAIN PARAMETERS(cm)

📏	103	📏	88
📏	64	📏	37
📏	46	📏	100
📏	58	📏	92X28X89
📏	17	📏	N.W.15.3kg G.W.17.8kg
📏	48		

► Steel Wheelchair Series



► FS951B-56

- Powder coating steel frame
- Detachable footrest
- 22" seat width
- Rubber footrest actor
- Flip-up armrest
- Pneumatic mag rear wheel

▼ MAIN PARAMETERS(cm)

📏	110	📏	93
📏	73	📏	41
📏	56	📏	125
📏	62	📏	83X33X93
📏	20	📏	N.W.21kg G.W.24.1kg
📏	54		



► FS209AE-61

- Powder coating steel frame
- Detachable push bar
- Detachable desk armrest
- Solid castor
- Detachable footrest
- Pneumatic rear wheel
- 24" seat width
- Drop back handle

▼ MAIN PARAMETERS(cm)

📏	111	📏	92
📏	81	📏	41
📏	61	📏	125
📏	62	📏	86X33X83
📏	20	📏	N.W.22kg G.W.24.5kg
📏	52		



► FS909

- Powder coating steel frame
- Solid castor
- Flip-up desk armrest
- Solid rear wheel
- Detachable footrest

▼ MAIN PARAMETERS(cm)

📏	105	📏	90
📏	62	📏	40
📏	46	📏	100
📏	58	📏	82X28X95
📏	20	📏	N.W.17kg G.W.19.4kg
📏	48		



► FS863ABJ

- Powder coating steel frame
- Pneumatic mag rear wheel
- Double cross bar
- Solid castor
- Drop back handle
- Fixed armrest
- United brake
- Flip-up footrest

▼ MAIN PARAMETERS(cm)

📏	96	📏	91
📏	63	📏	41
📏	46	📏	100
📏	30	📏	76X30X76
📏	15	📏	N.W.13.1kg G.W.14.4kg
📏	48		

► Steel Wheelchair Series

◦ FS902C

Chromed Steel Frame, Detachable Desk Armrest, Elevating Footrest, TPR Castor, Pneumatic Rear Wheel.



◦ FS975-51

Chromed Steel Frame, 20" Seat Width, Detachable Armrest, Detachable Footrest, Solid Castor, Pneumatic Rear Wheel.



◦ FS907BC

Chromed Steel Frame, Detachable Desk Armrest, Elevating Footrest, Solid Castor, Pneumatic Mag Rear Wheel.



◦ FS901B

Powder Coating Steel Frame, Detachable Armrest, Detachable Footrest, PU Castor, Pneumatic Mag Rear Wheel.



◦ FS901

Chromed Steel Frame, Detachable Armrest, Detachable Footrest, PU Castor, Pneumatic Rear Wheel.



◦ FS211BF1

Powder Coating Steel Frame, Detachable Armrest, Detachable & Length-adjustable Footrest, Solid Mag Rear Wheel, Solid Castor.



◦ FS903

Powder Coating Steel Frame, Detachable Armrest, Detachable Footrest, Solid Castor, Solid Rear Wheel.

MODEL NO.												
-----------	--	--	--	--	--	--	--	--	--	--	--	--

MAIN PARAMETERS (cm)	FS902C	110	65	46	62	20	51	88	40	100	80X28X89	19.3	22
	FS901B	107	64	46	61	20	50	88	40	100	80X28X89	18.5	21
	FS901	107	65	46	62	20	51	88	40	100	80X28X89	18.4	20.4

MODEL NO.												
-----------	--	--	--	--	--	--	--	--	--	--	--	--

MAIN PARAMETERS (cm)	FS975-51	105	73	51	62	20	50	91	40	125	80X28X93	18.7	21.3
	FS907BC	97	58	41	40	20 <td>50</td> <td>88</td> <td>40</td> <td>100 <th>73X28X89</th> <th>16.1</th> <th>18.3</th> </td>	50	88	40	100 <th>73X28X89</th> <th>16.1</th> <th>18.3</th>	73X28X89	16.1	18.3
	FS211BF1	107	67	46	62	20 <td>49</td> <td>91.5</td> <td>40</td> <td>100 <th>82X31X93</th> <th>19.4</th> <th>21.9</th> </td>	49	91.5	40	100 <th>82X31X93</th> <th>19.4</th> <th>21.9</th>	82X31X93	19.4	21.9
	FS903	107	65	46	58	20 <td>50</td> <td>86</td> <td>40</td> <td>100 <th>80X28X89</th> <th>17.9</th> <th>19.5</th> </td>	50	86	40	100 <th>80X28X89</th> <th>17.9</th> <th>19.5</th>	80X28X89	17.9	19.5

Steel Wheelchair Series



FS904B
Powder Coating Steel Frame, Detachable Desk Armrest, Detachable Footrest, Solid Castor, Pneumatic Mag Rear Wheel.



FS972
Chromed Steel Frame, Fixed Armrest, Detachable Footrest, Solid Castor, Solid Rear Wheel.



FS972B
Powder Coating Steel Frame, Fixed Armrest Detachable Footrest, Solid Castor, Solid Mag Rear Wheel.



FS976ABJ-43
Chromed Steel Frame, Fixed Armrest, Detachable Footrest, Drop Back Handle With United Brake, Solid Wheel.

MODEL NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
-----------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

MAIN PARAMETERS (cm)	FS904B	FS972	FS972B	FS976ABJ-43
94	107	107	97	
62	63	63	56	
46	46	46	43	
31	58	62	20	
20	49	49	20	
50	87	89	50	
88	40	40	96	
40	100	100	42	
100	75X25X89	80X23X89	100	
14.3	17	17.8	12.9	
16.4	19.2	20	15.1	



FS875
Powder Coating Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.



FS868
Powder Coating Steel Frame, Double Cross Bar, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.



FS210ABE-61
Powder Coating Steel Frame, Detachable Desk Armrest, Drop Back Handle, Detachable Footrest, 24" Seat Width, Detachable Push Bar, Solid Castor, Pneumatic Mag Rear Wheel.



FS909P-31
Powder Coating Steel Frame, Double Cross Bar, Flip-Up Armrest, Detachable Footrest, Solid Castor, PU Rear Wheel.

MODEL NO.	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100
-----------	---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	-----

MAIN PARAMETERS (cm)	FS875	FS868	FS210ABE-61	FS909P-31
105	97	103	80	
65	61	78	47	
46	46	61	31	
58	59	30	52	
20	20	20	15	
50	46	50	45	
86.5	87	92	88	
38	38	41	40	
100	100	125	75	
94X28X89	93X28X89	80X32X83	71X26X90	
15.9	12	18.5	13.5	
18.6	17	20.6	15.5	

Steel Wheelchair Series



FS802-35

Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.



FS810Y

Chromed Steel Frame, Double Cross Bar, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel, Hard Seat Cushion.



FS809

Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.



FS809B

Chromed Steel Frame, Fixed Armrest, Fixed Footrest, Solid Mag Rear Wheel.

MODEL NO.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	Icon 13	Icon 14	Icon 15	Icon 16	Icon 17	Icon 18	Icon 19	Icon 20	DIM	WT	WTW	
FS802-35	97	54	35	54	15	47	87	38	75	88X23X89	14.8	17												
FS810Y	105	66	46	58	20	50	89	38	100	94X31X94	19.7	22.2												
FS809	106	64	46	58	20	49	87	38	100	94X23X89	16.7	19												
FS809B	106	65	46	62	20	49	89	38	100	94X25X91	17.2	19.4												



FS809F7

Chromed Steel Frame, Fixed Armrest, Detachable Footrest, Detachable Backrest, Solid Castor, Solid Rear Wheel.



FS874

Chromed Steel Frame, Double Cross Bar, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.



FS873

Chromed Steel Frame, Powder Coating Cross Bar, Fixed Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.



FS869X

Powder Coating Steel Frame, Double Cross Bar, Fixed Inclined Armrest, Fixed Footrest, Solid Castor, Solid Rear Wheel.

MODEL NO.	Icon 1	Icon 2	Icon 3	Icon 4	Icon 5	Icon 6	Icon 7	Icon 8	Icon 9	Icon 10	Icon 11	Icon 12	Icon 13	Icon 14	Icon 15	Icon 16	Icon 17	Icon 18	Icon 19	Icon 20	DIM	WT	WTW	
FS809F7	106	64	46	58	20	49	87	40	100	79X22X79	16	17.5												
FS874	106	65	46	58	20	47	92	40	100	94X28X93	16.8	19.4												
FS873	106	62	46	58	20	50	86	38	100	94X23X89	16.2	18.2												
FS869X	100	62	46	58	20	51	87	40	100	103X25X89	15.7	19												

• AUFU Series

• AU778LQ-36



• AU736LQ

Aluminum Frame, Detachable Armrest, Fixed Footrest, Solid Castor, Quick Release Rear Wheel.



• AU255LPQ

Aluminum Chair Frame, Flip-up And Detachable Armrest, Height Adjustable Armrest Pad, Detachable Footrest, Adjustable Angle Footplate, Pu Castor, Quick Release Pu Rear Wheel, With Anti Tipper.

MODEL NO.	81	93	36	65	6	56	75	22	100	80X84X78	13.6	15
AU778LQ-36	81	93	36	65	6	56	75	22	100	80X84X78	13.6	15
AU736LQ	85	52	36	60	10	52	82	32	100	86X38X67	13.4	15
AU255LPQ	103	66	46	60	15	57	95	38	100	86X35X97	19.6	23



• AU004LBCGJP

Aluminum Chair Frame, Reclining High Back, Adjustable And Detachable Head Rest, Flip-up And Detachable Armrest, Height Adjustable Armrest Pad, Elevating Footrest, Solid Castor, Pu Mag Wheel.



• AU958LBCGPY-38

Aluminum Chair Frame, Reclining High Back, Adjustable Headrest, Detachable Armrest, Elevating Footrest, Solid Castor, Pu Mag Wheel, Tilting Seat, Safety Belt.



• AU974LAH-46

Aluminum Chair Frame, Fixed Armrest, Height Adjustable Armrest Pad, Detachable Footrest, Drop Back Handle, Solid Castor, Pneumatic Rear Wheel, With Drum Brake And Anti-tippers.



• AU204L

Aluminum Chair Frame, Comfortable Ergonomic Seat, Detachable And Height Adjustable Armrest, Detachable Elevating Footrest, Solid Castor, Pneumatic Rear Wheel.

MODEL NO.	117	67	47	61	20	52.5	129	45	100	90X36X98	22.3	24.3
AU004LBCGJP	117	67	47	61	20	52.5	129	45	100	90X36X98	22.3	24.3
AU958LBCGPY-38	110	51	38	38	15	47	96-114	42	100	77X40X95	20.8	23.8
AU974LAH-46	104	64	46	58	15	53	89	37	100	80X34X70	17.8	19.3
AU204L	116	66.5	41.5	62	20	58	109-125	48	100	90X60X107	24.8	28

MAIN PARAMETERS (CM)

• AUFU Series



• AU869LJP-43

Aluminum Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, PU Rear Wheel With United Brake.



• AU018LPO

Aluminum Chair Frame, Flip-up Detachable Armrest, Height Adjustable Armrest Pad, Detachable Footrest, PU Castor, Quick Release PU Rear Wheel, With Anti Tipper.



• AU874LAHP

Aluminum Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, PU Rear Wheel, Drop Back Handle With Drum Brake.



• AU870LAHP

Aluminum Chair Frame, Fixed Armrest, Fixed Footrest, Solid Castor, PU Rear Wheel, Drop Back Handle With Drum Brake.

MODEL NO	SEAT W	SEAT D	SEAT H	BACK W	BACK H	BACKREST H	ARMREST H	FOOTREST H	CASTOR DIA	REAR WHEEL DIA	MAXIMUM WEIGHT
----------	--------	--------	--------	--------	--------	------------	-----------	------------	------------	----------------	----------------

MAIN PARAMETERS (CM)	MODEL NO	SEAT W	SEAT D	SEAT H	BACK W	BACK H	BACKREST H	ARMREST H	FOOTREST H	CASTOR DIA	REAR WHEEL DIA	MAXIMUM WEIGHT	
	AU869LJP-43	96	58	46	56	15	46	95.5	42	100	96X33X90	11.8	13.8
	AU018LPO	107	65	46	60	20	51	90	42	100	83X32X91	16.7	19.1
	AU874LAHP	104	71	46	60	17	52	91.5	37	100	94X34X78	14.6	16
	AU870LAHP	102	69	46	38	17	53	91	37	100	88X34X76	13	15



• AU965L

Foldable Aluminum Rollator, With Hand Brake.



• AU965LF1

Foldable Aluminum Rollator With Hand Brake, And Footrest.



• AU976LA

Aluminum Chair Frame, Fixed Armrest, Detachable Footrest, Solid Castor, Solid Rear Wheel, Drop Back Handle.



• AU5777

Electric Patient Hoist, Powder Coating Steel Frame
Maximum Loading Capacity: 150kg
Maximum Height Of Lifting Stand: 112cm
Width Between Legs: From 61cm To 92 Cm

MODEL NO	SEAT W	SEAT D	SEAT H	BACK W	BACK H	BACKREST H	ARMREST H	FOOTREST H	CASTOR DIA	REAR WHEEL DIA	MAXIMUM WEIGHT
----------	--------	--------	--------	--------	--------	------------	-----------	------------	------------	----------------	----------------

MAIN PARAMETERS (CM)	MODEL NO	SEAT W	SEAT D	SEAT H	BACK W	BACK H	BACKREST H	ARMREST H	FOOTREST H	CASTOR DIA	REAR WHEEL DIA	MAXIMUM WEIGHT	
	AU965L	68	58	44	20	20	56	82-101	—	100	58X33X78	7.6	9.4
	AU965LF1	94	58	44	20	20	56	82-101	—	100	58X33X78	9.3	11.1
	AU976LA	102	58	43	20	15	43	88	39	100	96X33X90	12	13.5
	AU5777	100	55	—	7.5	7.5	—	121-207	—	150	125X57X38	36.7	47.8

▶ Commode Series



▶ FS609LUF4

- Aluminum chair frame
- Adjustable seat height
- Adjustable backrest height
- Flip-up armrest
- Detachable footrest
- Solid front castor with brake
- Solid rear wheel

▶ MAIN PARAMETERS(cm)

📏	93	📏	92
📏	59	📏	38
📏	42	📏	100
📏	17.5	📏	97X60X66
📏	10	📏	N.W.12.7kg G.W.14.8kg
📏	50		



▶ FS6952L

- Aluminum chair frame
- Adjustable headrest
- Flip-up armrest
- Detachable footrest
- Tilting seat
- Solid Castors With Brake

▶ MAIN PARAMETERS(cm)

📏	90	📏	105-132
📏	88	📏	45
📏	46	📏	100
📏	15	📏	86X31X76
📏	15	📏	N.W.14.4kg G.W.16.4kg
📏	50		



▶ FS698L-A

- ALUMINUM commode chair
- Detachable frame and footrest

▶ MAIN PARAMETERS(cm)

📏	92	📏	90
📏	60	📏	49
📏	49	📏	100
📏	20	📏	64X33X52
📏	15	📏	N.W.10.86kg G.W.13kg
📏	50		



▶ FS6971S

- Stainless steel frame
- Foldable chair frame
- Flip-up armrest
- Detachable footrest
- Solid caster with brake
- Solid mag rear wheel

▶ MAIN PARAMETERS(cm)

📏	104	📏	94
📏	63	📏	39
📏	41	📏	100
📏	60	📏	95X25X100
📏	12.5	📏	N.W.16.8kg G.W.19kg
📏	52		

Commode Series



FS698L
Aluminum Chair Frame, Flip Up Footrest, Lockable Castors.



FS7964L-W5
Aluminum Chair Frame, Flip-up Armrest, Flip Up Footrest, Solid Castor, Solid Rear Wheel With Brake.



FS609LBU-52
Aluminum Chair Frame, Fixed Footrest Fixed Armrest, 22" U Shape Commode Seat, Pneumatic Mag Rear Wheel, Pu Castor.



FS6951S
Stainless Steel Frame, Foldable Footrest, Lockable Castors, Flip-up Armrest.

MODEL NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	DIM	WT
FS698L	84	56	45	12.5	12.5	46	89	38	100	49X24X67	8.2	10
FS7964L-W5	69	57	48	12.5	12.5	53	85	35	100	107X32X57	7.1	8.6
FS609LBU-52	100	64	52	40	20	48	91	40	100	80X40X93	14	16
FS6951S	91	58	41	50	20	51	93	36	100	61X55X55	12.2	14



FS683L
Aluminum Chair Frame, PU commode seat, Flip-up Armrest, Detachable Footrest, Solid Castor, Pneumatic rear wheel.



FS619GC
Foldable Chromed Steel Frame, Plastic Commode Seat, Reclining High Back With Handle Under The Armrest, Fixed Armrest And Elevating Footrest, Solid Castor And Rear Wheel.



FS609GCU
Foldable Chromed Steel Frame, U Shape Commode Seat, Reclining High Back, detachable Armrest And Elevating Footrest, Solid Castor And Rear Wheel.



FS654LGCU
Aluminum Chair Frame, Detachable Armrest, Detachable Elevating Footrest, U Shape Commode Seat, Pneumatic Rear Wheel, Solid Castor.

MODEL NO.	①	②	③	④	⑤	⑥	⑦	⑧	⑨	⑩	DIM	WT
FS683L	106	61	46	58	15	48	93	40	100	80X35X71	15	17.4
FS619GC	115	64	44	58	20	55	129	79	100	107X33X78	25.2	28.7
FS609GCU	115	64	44	58	20	53	129	79	100	107X33X78	25.6	29.3
FS654LGCU	125	67	46	61	20	50	128	46	100	97X41X86	21.5	23.5

Commode Series



FS6091

Foldable Chromed Steel Frame, U Shape Commode Seat, Fixed Armrest, Detachable Footrest, Solid Castor And Rear Wheel, Detachable Handle.



FS681

Foldable Chromed Steel Frame, Plastic Commode Seat, Flip-up Armrest And Detachable Footrest, Solid Castor And Solid Rear Wheel.



FS609LU

Foldable Aluminum Chair Frame, U Shape Commode Seat, Fixed Armrest And Footrest, Solid Castor, Pneumatic Rear Wheel.



FS609BU

Foldable Powder Coating Steel Frame, U Shape Commode Seat, Fixed Armrest And Footrest, Solid Castor And Solid Mag Rear Wheel.

MODEL NO.											DIM	WT
-----------	--	--	--	--	--	--	--	--	--	--	-----	----

MAIN PARAMETERS (cm)

FS6091	110	68.5	46	58	15	51	90	35	100	70X29X78.5	19.2	21.2
FS681	102	60	45	58	15	53	90	37	100	75X28X91	19.6	21.4
FS609LU	102	68.5	46	58	15	51	90	39	100	94X29X92	15.2	18.9
FS609BU	107	64	44	50	20	51	90	35	100	92X29X89	19	21.3



FS609U

Foldable Chromed Steel Frame, U Shape Commode Seat, Fixed Armrest And Footrest, Solid Castor And Rear Wheel.



FS697S-1

Stainless Steel Frame, Flip Up Armrest, Pedal Locking Castors, Plastic Commode Seat.



FS697S

Stainless Steel Chair Frame, Pu Commode Seat, Flip Down Armrest, Detachable Footrest, Pedal Locking Castors.



FS695S

Stainless Steel Chair Frame, Flip Down Armrest, Pedal Locking Rear Castors, Pu Commode Seat With Cover.

MODEL NO.											DIM	WT
-----------	--	--	--	--	--	--	--	--	--	--	-----	----

MAIN PARAMETERS (cm)

FS609U	105	64	44	58	20	50	87	37	100	92X20X89	19	21.3
FS697S-1	86	55	46	12.5	12.5	54	96	38	100	56X56X58	11	12.5
FS697S	96	54	44	12.5	12.5	51	96.5	39	100	54X52.5X56	12.3	13.8
FS695S	79	54	44	12.5	12.5	50	97	40	100	61X55X55	12.2	14.4

Commode Series



◦ **FS699L**
Aluminum chair frame, fixed armrest, foldable footrest, Solid rear castor with lock, plastic commode seat.



◦ **FS6992L**
Aluminum chair frame, pu commode seat, pedal locking, Rear castors, fixed armrest, foldable footrest.



◦ **FS691S**
Stainless steel chair frame, detachable armrest and Footrest, rear wheel with lock, plastic commode seat.



◦ **FS694S**
Stainless steel frame, Pu armrest, solid castor, rear wheel With lock, plastic commode seat, length adjustable footrest.

MODEL NO.	67	55	45	7.5	7.5	49	92	43	100	56X56X72	8	9.6
FS699L	67	55	45	7.5	7.5	49	92	43	100	56X56X72	8	9.6
FS6992L	72	55	44	12.5	12.5	55	97	40	100	98X53X54	8.4	9.7
FS691S	96	55	44	12.5	12.5	51	88	27	100	54X53X56	10.5	12.7
FS694S	83	54	44	12.5	12.5	51	84	29	100	54X53X56	9.4	11.6



◦ **FS691**
Powder coating steel frame, detachable armrest and foot Rest, solid rear castor with lock, Plastic commode seat.



◦ **FS692**
Powder coating steel frame, flip down armrest, detachable Footrest, solid rear castor with lock, plastic commode seat.



◦ **FS692L**
Aluminum chair frame, Flip-up armrest, Detachable Footrest, Rear wheel with lock, PU Commode seat.



◦ **FS693**
Powder coating steel frame, fixed armrest, foldable footrest, Rear wheel with lock, plastic commode seat.

MODEL NO.	96	55	44	12.5	12.5	51	81	38	100	54X53X53	12	14
FS691	96	55	44	12.5	12.5	51	81	38	100	54X53X53	12	14
FS692	93	55	45	12.5	12.5	54	95	37	100	56X53X57	10.8	12.8
FS692L	92	55	45	12.5	12.5	54	92	41	100	56X53X57	9	10.9
FS693	92	54	44	12.5	12.5	47	82	38	100	50X26X66	10.5	11.7

Commode Series



FS893



FS8943



FS8964



FS8133



FS8997



FS893L



FS8962



FS899U

MODEL NO.	Wheel	Seat	Back	Arm	Foot	Height	Seat Depth (cm)	Weight (kg)	PCS/CN	G.W (kg)
FS893	56	44	47	94	43	38	50X19X75	7.2	1	8.5
FS8943	60	41	47	87	41	18	46X18X50	5.3	1	6.3
FS8997	47	46	43-53	81-91	43	42	60X52X93	15.6	2	17.4
FS893L	56	44	47	94	43	38	50X19X75	5.3	1	6.4



MODEL NO.	Wheel	Seat	Back	Arm	Foot	Height	Seat Depth (cm)	Weight (kg)	PCS/CN	G.W (kg)
FS8964	52	44	45-55	78-87	43	42	52X23X79	6.2	1	7.7
FS8931	56	44	47	85	43	38	50X19X75	7.2	1	8.5
FS8962	51	41	44-60	76-92	42	33	58X23X78.5	6.8	1	8
FS899U	48	43	44	78	40	35	79X43X55	4.3	4	18.8

Commode Series



FS8941



FS896



FS894



FS696L



FS897



FS897A



FS898

MODEL NO.	W	D	H	H	H	H	SEAT H (mm)	PCB CN	G.W. (kg)
FS8941	46	41	40-55	61-76	40	23	50X25.5X65	6.4	7.5
FS696	55	44	7.5	7.5	45-55	78-88	50X21X76	7	8.2
FS894	48	45	44-45	78-88	43	33	50X21X76	6	7
FS696L	55	45	45-55	78-88	39	33	51X22X92	5.2	6.5
FS897	41	38	45	40	—	—	62X30X42	9.2	10.3
FS897A	41	38	45	40	—	—	63X25X43	5.1	2
FS898	41	38	40	40	—	—	75X30X40	9.5	6

MAIN
PARAMETERS
(cm)



FS7992L



FS894L



FS813



FS813



FS8921



FS892

MODEL NO.	W	D	H	H	H	H	SEAT H (mm)	PCB CN	G.W. (kg)
FS7992L	51	44	46-56	86-96	47	35	62X52X88	10.1	2
FS894L	48	45	45-55	78-88	43	33	50X21X76	3.5	5
FS813(S)	42	35	29-36.5	51-58.5	37	23	46X38X30	4.9	5.6
FS813	48	48	37-47	70-80	44	33	56X40X36	6	7.5
FS8921	56	45	44	75	46	37	65X50X90	18.2	19.2
FS892	54	43	50	89	50	42	60X50X93	7	8

MAIN
PARAMETERS
(cm)

Commode Series



FS8951L



FS811



FS810



FS8945



FS895L



FS813L

MODEL NO.	W	D	H	H	H	H	H	H	H	PCE	G.W
	(cm)	(cm)	(cm)	(cm)	(cm)	(cm)	(cm)	(cm)	(cm)	(CN)	(kg)
FS8951L	43	40	40-50	62-72	41	—	45X18X63	2.6	1	3.6	
FS811	50	49	50-60	80-90	40	33	71X52X56	10	2	11.8	
FS8101	46	44	41-56	60-75	37	18	46X22X70	11.5	2	12.5	
FS8945	69	45.5	31-40.5	56-64.5	45	28	80X49X51	12.6	2	14.6	
FS895L	51	46	42-52	70-81	43	29	60X34X52	9.2	2	10.6	
FS813L	56	49	38-48	64-74	44	25	58X58X37	4.2	2	5.7	



FS8832U



FS8992L



FS899-A



FS8992



FS8995L



FS890

MODEL NO.	W	D	H	H	H	H	H	H	H	PCE	G.W
	(cm)	(cm)	(cm)	(cm)	(cm)	(cm)	(cm)	(cm)	(cm)	(CN)	(kg)
FS8832U	52	45	46	85	44	38	88X16X52	8.8	1	9.8	
FS8992L	60	48	45	82	41	40	88X30X60	7.6	2	8.9	
FS899-A	48	43	44	78	40	35	79X43X55	16.7	4	18.7	
FS8992	60	48	45	82	41	40	88X30X60	12.8	2	14.2	
FS8995L	59	49	46-51	85-90	44	40	102X30X62	9.8	2	11.5	
FS890	45	43	42	77	40	28	63X32X44	8	2	8.9	



Bath Bench

Series



◦ FS7964L-W3

Foldable Aluminum Frame, Plastic Seat, Lockable Wheels Castor.



◦ FS7962L

Foldable Aluminum Frame, Plastic Seat, Lockable Front Castor.



◦ FS7992LU



◦ FS7985LA



◦ FS7921L

MODEL NO.	W		D		H		L		W		P		G.W.	
	(cm)	(mm)	(cm)	(mm)	(cm)	(mm)	(cm)	(mm)	(cm)	(mm)	(kg)	(kg)	(kg)	(kg)
FS7964L-W3	63	48	51	85	38	36	104X24X52	4.7	1	5.9				
FS7962L	75	44	48	88	39	37	67X29X53	5.9	1	7				
FS7992LU	42	63	45-55	83-93	42	38	74X51X91.5	11	2	13.5				
FS7985LA	51	53	41-54	72-85	37-40	35	56X52X45	7.6	2	8.2				
FS7921L	38	48	51-63	69-81	32	—	55X41X78	5.4	2	7.3				

▶ Bath Bench Series



◦ FS7982L



◦ FS7991L



◦ FS7981L



◦ FS7986L



◦ FS798L



◦ FS796L



◦ FS7987L

MODEL NO.	背高	座高	座宽	座深	座厚	座底长	座底宽	座底厚	PCB (mm)	PCB (CN)	G.W. (kg)
-----------	----	----	----	----	----	-----	-----	-----	----------	----------	-----------

MAIN PARAMETERS (cm)	背高	座高	座宽	座深	座厚	座底长	座底宽	座底厚	PCB (mm)	PCB (CN)	G.W. (kg)
FS7982L	42	50	35-45	74-84	30	40	68X19X39	6	2	7	
FS7991L	51	64	46-56	84-94	42	38	70X45X42	13	2	15	
FS7981L	42	50	42-52	75-85	30	40	51X47X48	8	1	7	
FS7986L	37.5	38.7	30-40	60-70	27	31.2	53X53X40	4.5	2	5.6	
FS798L	42	50	35-45	78-84	30	40	68X19X39	5.9	2	7.1	
FS796L	51	41	34-44	73-83	37	41	53X50X25	6.6	2	7.6	
FS7987L	42	50	35-45	78-84	30	40	68X19X39	5.9	2	7.1	



◦ FS7971L



◦ FS7963L



◦ FS7972L



◦ FS7985L



◦ FS797L



◦ FS7973L



◦ FS790

MODEL NO.	背高	座高	座宽	座深	座厚	座底长	座底宽	座底厚	PCB (mm)	PCB (CN)	G.W. (kg)
-----------	----	----	----	----	----	-----	-----	-----	----------	----------	-----------

MAIN PARAMETERS (cm)	背高	座高	座宽	座深	座厚	座底长	座底宽	座底厚	PCB (mm)	PCB (CN)	G.W. (kg)
FS7971L	42	50	42-52	45-55	30	—	50X43X45	2.6	1	3.7	
FS7963L	43	50	44-47.5	47-50.5	30	—	50X19X39	2.4	1	2.7	
FS7972L	34	32.5	38-56	38-56	32.5	—	35X35X39	3.1	2	3.9	
FS7985L	51	53	41-54	72-85	37-40	35	50X52X45	7.6	2	8.2	
FS797L	42	50	35-45	39-49	30	—	60X17X36.5	3.6	2	4.4	
FS7973L	42	50	35-45	39-49	30	—	60X17X36.5	3.6	2	4.4	
FS790	39	51	47	52	30	—	74X19X52	6.4	2	7.2	

► Bath Bench Series



◦ FS7961L



◦ FS7984LA



◦ FS5695



◦ FS5685



◦ FS7931



◦ FS794L-1

MODEL NO.

MODEL NO.													
FS7961L	51	41	34-44	73-83	37	41	50X40X75	7.4	2	8.8			
FS7984LA	45	42	43-53	80-90	41	37	50X40X45	3.5	1	4.7			
FS5695	51	41	14-29	29	23	—	50X42X46	6.4	2	7.6			
FS5685	27	41	14	23	41	—	45X27X19	3.2	2	3.7			
FS7931	31	66	9.5	13.5	31	—	32X77X1.5	2.8	1	3.3			
FS794L-1	23	41-46	—	18	23	—	74X25X41	9	5	10.3			

MAIN PARAMETERS (cm)



◦ FS7935



◦ FS7915



◦ FS799L



◦ FS7954



◦ FS794L



◦ FS7933S

MODEL NO.

MODEL NO.													
FS7935	50	51	—	52	37	37	77X56X38.5	8.8	2	10.6			
FS7915	41	51	39-49	76-86	37	37	70X56X41.5	8.5	2	10.6			
FS799L	45	72	43-53	80-90	41	37	77X22X45	9.3	2	10.2			
FS7954	42	38	40-50	40-50	38	—	57.5X39X25	8.1	2	9			
FS794L	23	41	—	18	23	—	83X25X40	8.1	5	9.3			
FS7933S	36	84-130	—	41	28	33	74X42X27	7.2	2	7.6			

MAIN PARAMETERS (cm)

Walking Aids

Series



FS203

Length: 65cm Weight: 18kg Maxload: 120kg
Adjustable-grip Angle
Armrest width adjusted From 53cm-76cm
Armrest Height adjusted From 71cm-110cm
Leg Width Adjusted From 64cm-70cm
Strong Supported By Gas Spring
Rear Wheel With Brake
Optional accessories: Oxygen Holder, Basket, IV Pole.



FS201

Length: 77.5cm Weight: 20kg Max Load: 200kg
Adjustable-grip Angle
Armrest Width Adjusted From 53cm-76cm
Armrest Height adjusted From 88cm-131cm
Leg Width Adjusted From 70cm-85cm
Strong Supported By Gas Spring
Rear Wheel With Brake
Optional accessories: Oxygen Holder, Basket, IV Pole.



FS965LH-1



FS9865LH



FS965LH-A



FS9862LH

MODEL NO.	68	46	53	78-90	62X24X84	7.4	1	9
FS965LH-1	68	46	53	78-90	62X24X84	7.4	1	9
FS9865LH	63	39	43	86.5-96.5	51.5X33X79	6.17	1	8.1
FS965LH-A	68	46	53	78-90	61X23X85	7.5	1	9.1
FS9862LH	65	46	55	81-93	75.5X27X84	7	1	8.7

Walking Aids Series



◦ FS965LH



◦ FS965LH-B



◦ FS966LH



◦ FS914H-1



◦ FS966LH-B



◦ FS9650LH



◦ FS9622



◦ FS968L

MODEL NO.	椅	背	座	脚	座宽 (cm)	扶手高 (mm)	PCB CM	G.W. (kg)
-----------	---	---	---	---	---------	----------	--------	-----------

MAIN PARAMETERS (cm)	MODEL NO.	椅	背	座	脚	座宽 (cm)	扶手高 (mm)	PCB CM	G.W. (kg)
	FS965LH	68	46	53	78-90	62X24X84	7.4	1	9
	FS965LH-B	78	46	53	78-90	61X23X86	8.8	1	10.4
	FS966LH-B	68	46	53	78-90	61X23X86	6.6	1	8.2
	FS9650LH	78	46	53	78-90	61X23X86	8.8	1	10.4

MODEL NO.	椅	背	座	脚	座宽 (cm)	扶手高 (mm)	PCB CM	G.W. (kg)
-----------	---	---	---	---	---------	----------	--------	-----------

MAIN PARAMETERS (cm)	MODEL NO.	椅	背	座	脚	座宽 (cm)	扶手高 (mm)	PCB CM	G.W. (kg)
	FS966LH	61	46	55	80-92	62X24X84	7	1	8.5
	FS914H-1	70	43	62	78-90	60X25X72	10	1	10.9
	FS9622	60	47	47	76-86	70X20X75	10.3	1	12
	FS968L	59	46	53	78-90	61X19X81	7	1	8.4

Walking Aids Series



◦ FS9634L



◦ FS9635L



◦ FS9671L



◦ FS9636L

MODEL NO.	W	D	H	H	W (cm)	H (cm)	PCB (cm)	G.W. (kg)
FS9634L	48	44	—	82-100	57X19X86	5.1	2	6.4
FS9635L	48	44	—	82-100	57X19X86	5.1	2	6.4
FS9671L	48	44	—	79-96	57X18X82	5.2	2	6.5
FS9636L	48	44	—	82-100	57X19X96	5.1	2	6.4



◦ FS9503L



◦ FS9637L



◦ FS9151L



◦ FS9134L



◦ FS9152L



◦ FS9133L

MODEL NO.	W	D	H	H	W (cm)	H (cm)	PCB (cm)	G.W. (kg)
FS9503L	40	49	—	59-69	51X17X60	4.5	2	5.4
FS9637L	48	44	—	82-100	57X19X86	5.1	2	6.4
FS9151L	47	47	—	78-96	53X17X81	5.1	2	6.2
FS9134L	47	46	—	78-96	53X17X81	4.8	2	5.7
FS9152L	47	47	—	78-96	53X17X81	5.1	2	6.2
FS9133L	47	46	—	78-96	53X17X81	4.8	2	5.7

Walking Aids Series



FS9631L



FS9121L



FS9126L



FS9128L



FS915L



FS9125L

MODEL NO. PCB CM H.WT(KG) G.W.(KG)

MODEL NO.								PCB CM	H.WT(KG)	G.W.(KG)
FS9631L	52	64	—	73.5-92	57X27X76	2.3	4	9.2		
FS9121L	50	44	—	78-96	58X18X82	5.5	2	6.7		
FS9126L	51	44	—	80-96	59X18X70	5	2	6.1		
FS9128L	55	44	—	83-93	56X18X70	7	2	8.1		
FS915L	47	47	—	78-96	53X17X81	5.1	2	6.2		
FS9125L	51	44	—	79-97	62X18X84	6	2	6.9		



FS919L



FS967L



FS913L



FS963L



FS969H



FS9142L

MODEL NO. PCB CM H.WT(KG) G.W.(KG)

MODEL NO.								PCB CM	H.WT(KG)	G.W.(KG)
FS919L	47	46	—	78-96	53X17X81	4.8	2	5.8		
FS967L	48	44	—	79-96	57X18X82	5.2	2	6.5		
FS913L	47	46	—	78-96	53X17X81	4.8	2	5.7		
FS963L	47	46	—	77-95	58X18X81	5.2	2	7		
FS969H	59	38	—	82-97	63X25X70	7.7	1	9.2		
FS9142L	60	43.5	55	84	55X19.5X83	5.1	1	6.2		

Walking Aids Series



FS9121L-A



FS9122L



FS9121L(XS)



FS9124L



FS914L



FS9145L

MODEL NO.	W	D	H	U	SEAT (cm)	HEIGHT (cm)	PCS/CN	G.W. (kg)
FS9121L-A	55	35	—	41-51	59X30X32	5.2	2	6.2
FS9122L	52	59	—	45-55	66X18X65	6	2	6.9
FS9121L(XS)	42	55	—	48.5-58.5	53X18X32	3.6	2	4.6
FS9124L	35	34	—	75-82	43X14.5X76.5	3.2	2	4
FS914L	50	47	—	79-89	60X34X89.5	3.5	2	8.7
FS9145L	39	62	—	51-61	52.5X22X63	2.9	2	3.9

MAIN PARAMETERS (cm)



FS9122L-A



FS9123L(S/B)



FS9123L



FS961L



FS917L(S/M/L)



FS9171L

MODEL NO.	W	D	H	U	SEAT (cm)	HEIGHT (cm)	PCS/CN	G.W. (kg)
FS9122L-A	52	50	—	60-70	61X25X80	8.6	2	9.7
FS9123L(S/B)	71	—	—	54-64	68X29X59	6.6	2	7.9
FS9123L	85	72	—	80-100	76X19X96	9.4	2	11.2
FS961L	49	44	43-61	74-92	57X19X79	6.7	2	7.7
FS917L(S)	43	38	—	65-75	76X68X35	5.6	4	7.6
FS917L(M)	44	38	—	75-85	86X68X35	5.7	4	7.7
FS917L(L)	45	38	—	85-95	96X68X35	5.8	4	7.8
FS9171L	62	40	—	77-85	74X68X44	8.8	4	10.8

MAIN PARAMETERS (cm)

Walking Aids Series



FS9776



FS960



FS9600



FS9601



FS9610



FS9612



FS9611



FS9613

MODEL NO. PCB CM G.W. (kg)

MAIN PARAMETERS (cm)	MODEL NO.							PCB CM	G.W. (kg)
	FS9776	43	18	42-58	84-105	83X45X42	10.3	1	12.5
	FS960	58	45	—	31	51X41X34	2.7	2	5.4
	FS9610	74	45	55	110-155	74X15X85	11.9	1	13.6
	FS9612	71	44	52	109-135	77X27X97	9.4	1	11.8

MODEL NO. PCB CM G.W. (kg)

MAIN PARAMETERS (cm)	MODEL NO.							PCB CM	G.W. (kg)
	FS9600	57	43	—	34	58X48X28	2.1	2	4.2
	FS9601	42	39	—	30	39X28X16.5	2.1	1	2.5
	FS9611	78	70	—	61-93	82X17X63	12.9	1	14.4
	FS9613	68	51-63	—	98-118	82X17X63	12.9	1	14.4

Walking Aids Series



FS910L FS920L FS930L FS9301L FS929L FS939L FS9206L FS9306L(14) FS9306L FS948L FS949L FS9203L



FS9300L FS938L(12) FS928L FS9281L FS9280L FS936L FS9361L FS583 FS938L



FS9275L-1 FS927L FS925LC FS933LC FS9332L FS933L FS9272LW FS937L



FS923L FS925LA FS925LB

MODEL NO.	HEIGHT (cm)	SIZE (cm)	N.W. (kg)	G.W. (kg)	PCS CR
FS910L	71-94	94X15X28	0.35	7.9	20
FS920L	71-94	65X15X26	0.36	7.7	20
FS930L	71-94	65X15X27	0.35	7.6	20
FS9301L	71-94	65X15X27	0.35	7.6	20
FS929L	71-94	65X15X26	0.36	7.8	20
FS939L	67-90	63X15X28	0.34	7.3	20
FS9206L	71-94	65X15X26	0.33	7	20
FS9306L(14)	69-92	63X12X25	0.29	6.3	20
FS9306L	69-92	63X12X25	0.29	6.3	20
FS948L	76-86	61X16X26	0.37	8	20
FS949L	76-86	61X16X26	0.37	8	20
FS9203L	71-94	63X14X27	0.67	8	20
FS9300L	75-98	74X33X14	0.4	8.8	20
FS938L(12)	77-100	79X29X18	0.32	7.5	20
FS928L	77-100	79X29X18	0.35	7.9	20
FS9281L	75-98	68X35X18	0.33	7.5	20
FS9280L	75-98	68X35X18	0.33	7.4	20
FS936L	120	42X12X26	0.22	5	20
FS9361L	120	42X12X26	5	5.6	20
FS583	111	84X33X25	0.33	10.9	30
FS938L	77-100	79X29X18	0.32	7.5	20
FS9275L-1	83-93	72X16X26	0.37	8.3	20
FS927L	80-90	62X16X26	0.37	8.3	20
FS925LC	108-146	109X32X27	0.75	16.2	20
FS933LC	102-121	70X30X32	0.58	12.8	20
FS9332L	95-126	95X29X31	0.57	12.1	20
FS933L	95-126	95X29X31	0.57	12.1	20
FS9272LW	100-110	70X30X32	0.46	10.4	20
FS937L	96-119	100X30X30	0.53	11.3	20
FS923L	86-117	86X30X29	0.52	11.3	20
FS925LA	108-146	109X32X27	0.75	16.2	20
FS925LB	112-143	109X32X27	0.72	15.6	20

MAIN PARAMETERS (cm)

Walking Aids Series



FS9209L FS9391L FS9301L-1 FS9301L-2 FS9301L-3 FS9301L-4 FS9301L-5 FS9208L



FS9207LW-3 FS9207LW-2 FS9207LW-1 FS9304L FS9381L FS9382L



FS9411L FS9412L FS9413L FS9243 FS9414L FS9221L



FS9242L FS9415L

MODEL NO.	HIGHT (cm)	SIZE (mm)	N.W. (kg)	G.W. (kg)	PCS/CR
FS9209L	72-95	65X15X28	0.35	7.5	20
FS9391L	67-90	63X15X28	0.34	7.3	20
FS9301L-1	71-94	65X15X27	0.35	7.6	20
FS9301L-2	71-94	65X15X27	0.35	7.6	20
FS9301L-3	71-94	65X15X27	0.35	7.6	20
FS9301L-4	71-94	65X15X27	0.35	7.6	20
FS9301L-5	71-94	65X15X27	0.35	7.6	20
FS9208L	71-94	65X15X27	0.35	7.6	20
FS9207LW-3	71-94	65X15X26	0.36	7.7	20
FS9207LW-2	71-94	65X15X26	0.36	7.7	20
FS9207LW-1	71-94	65X15X26	0.36	7.7	20
FS9304L	94-117	27X18X102	7.2	8.5	6
FS9381L	77-100	79X29X18	0.32	7.5	20
FS9382L	77-100	79X29X18	0.32	7.5	20
FS9411L	75-95	61X34X34	3.4	4.3	4
FS9412L	70-90	64X27X27	3.2	4.2	4
FS9413L	72-92	64X27X25	3.2	4.1	4
FS9414L	71-94	78X41X35	7.3	7.5	10
FS9243	66-89	70X21X44	7.3	8.5	8
FS9221L	73.5-96	78X28X43	0.79	9.1	10
FS9242L	85-100	72X30X34	0.52	6.4	10
FS9415L	75-95	61X34X34	3.4	4.3	4

MAIN PARAMETERS (cm)

Walking Aids Series



MODEL NO.	HIGHT (cm)	Size (mm)	N.W (kg)	G.W (kg)	Pcs Cr
FS926	74-97	78X29X36	0.76	8.7	10
FS932	74-97	78X29X43	0.88	9.7	10
FS942S	74-97	78X29X43	0.85	9.7	10
FS945	73-88	79X34X44	0.78	8.8	10
FS946S	74-97	78X29X43	0.85	9.5	10
FS941	72-95	81X36X45	0.9	10.7	10
FS9321	67-92	72X26X35	0.67	7.7	10
FS9322	72-97	78X29X43	0.81	9.3	10
FS924	65-88	72X30X34	0.8	9.2	10
FS921L	74-97	83X41X46	0.74	9.4	10
FS931L	74-97	83X41X46	0.74	9.4	10
FS946A	74-97	78X29X43	0.85	9.5	10
FS921	72-95	79X34X44	0.87	10.4	10
FS931	72-95	79X34X44	0.9	10.6	10
FS934	65-88	72X30X34	0.78	9.1	10
FS947	72-95	78X29X36	0.77	8.8	10
FS9213L	76-96	43X33X42	0.493	7.2	12
FS924L	65-88	72X30X34	0.52	6.4	10
FS9212L	70-88	78X29X36	0.5	6	10
FS922	74-97	78X29X43	0.83	9.5	10
FS9111L	55	91X29X52	1.44	16.1	10

MAIN PARAMETERS (cm)

Walking Aids Series



FS925L(L/M/S)



FS935(L/M/S)



FS9204L

FS935S



FS9251L



FS9256L



FS9252L



FS911L

FS943L



FS945L

FS9113L



FS940L

FS9112L

MODEL NO.	HIGHT (cm)	Footprint (mm)	N.W. (kg)	G.W. (kg)	Pcs Cr
FS925L(L)	135-155	140X33X29	0.88	19.7	20
FS925L(M)	115-135	119X33X29	0.82	18.4	20
FS925L(S)	95-115	101X33X29	0.73	16.7	20
FS935(L)	128-148	134X33X29	1	21.6	20
FS935(M)	113-133	119X33X29	0.94	20.2	20
FS935(S)	98-118	105X33X29	0.85	18.2	20
FS9204L	105-128	79X41X56	1.12	23.7	20
FS9355L	119-139	125X33X29	1.5	31.8	20
FS9355(M)	112-132	119X33X29	1.4	28.8	20
FS9355(S)	95-115	101X33X29	1.3	27	20
FS9251L	115-135	120X36X30	0.81	17.5	20
FS9256L(L)	119-139	125X33X29	1.5	31.8	20
FS9256L(M)	112-132	119X33X29	1.4	28.8	20
FS9256L(S)	95-115	101X33X29	1.3	27	20
FS9252L	100-130	83X33X29	0.95	20	20
FS911L	84	85X26X40	0.87	9.7	10
FS943L	84	85X22X40	0.9	10	10
FS945L	84	85X26X40	0.87	10	10
FS9113L	84	85X26X55	0.87	9.7	10
FS940L	80	81X20X41	0.85	9.3	10
FS9112L	84	85X26X40	0.87	9.7	10

MAIN PARAMETERS (cm)

Hospital Bed

Series



FS3241WGZF7

7 Functions Electric Inclinable Bed With Padel Control System
Flat Metal Bed Panel
Elevating Abs Guardrail With Control
Powder Coating Steel Frame
Removable ABS Head And Foot Board
Central Control Locking Castor
Packing Size: 219x109x63
Over All Size: 218x108

FS3240WZF8

5 Functions Electric Inclinable Bed With Padel Control System
Flat Metal Bed Panel With X-ray Examination Tray
Elevating ABS Guardrail
Foldable Head And Foot Board
Powder Coating Steel Frame
Central Control Locking Castor
Weight Measuring System, Quick Lie Flat System
Packing Size: 229x109x70
Over All Size: 220x108



FS3238WGZF4-53W


5 Functions Electric Inclinable Bed With Commode Form
Net Steel Bed Panel With Mattress And Commode Sucket
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size: 203x110x56
Over All Size: 203x95



▸ Hospital Bed Series

◦ FS3242WGZF8

5 Functions Electric Inclined Bed
Flat Metal Bed Panel
Elevating ABS Guardrail With Control Board
Powder Coating Steel Frame
ABS Head And Foot Board With Control System
Central Control Locking Castor
Weight Measuring System
Packing Size: 217x104x50
Over All Size: 220x108



◦ FS3239WZF4

5 Functions Electric Inclined Bed
Flat ABS Bed Panel
Elevating ABS Guardrail
Powder Coating Mild Steel Frame
Detachable ABS Head And Foot Board
Central Control Locking Castor
Packing Size: 224x104x49
Over All Size: 228x108



◦ FS3238WZF4

5 Functions Electric Inclined Bed
Flat Metal Bed Panel
Elevating Guardrail
Powder Coating Mild Steel Frame
Detachable ABS Head And Foot Board
Central Control Locking Castor
Packing Size: 217x103x45
Over All Size: 210x108



◦ FS3133WBF6

3 Functions Electric Bed With Manual Option
Detachable ABS Bed Panel
Detachable Full Protection Steel Guardrail
Powder Coating Mild Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size: 205x96x43
Over All Size: 212x102



◦ FS3230WZ

3 Functions Electric Bed
Net Metal Bed Panel
Foldable Aluminum Guardrail
Powder Coating Mild Steel Frame
Detachable ABS Head And Foot Board
Central Control Locking Castor
Optional Accessories: Bed Table
Packing Size: 210x102x51
Over All Size: 212x96



◦ FS3238W

5 Functions Electric Inclined Bed
Net Metal Bed Panel
Foldable Aluminum Guardrail
Powder Coating Mild Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size: 209x102x49
Over All Size: 212x96



• Hospital Bed Series



• FS3233W

3 Functions Electric Bed With Ultra-Low Position
 Flat Metal Bed Panel
 Foldable Aluminum Guardrail
 Powder Coating Mild Steel Frame
 Detachable ABS Head And Foot Board
 Pedal Locking Castor
 Packing Size:219x102x49
 Over All Size:222x96



• FS3222WB

2 Functions Electric Bed
 Abs Bed Panel
 Elevating Abs Guardrail
 Powder Coating Mild Steel Frame
 Detachable ABS Head And Foot Board
 Pedal Locking Castor
 Packing Size:209x95x47
 Over All Size:214x96



• FS3236W

3 Functions Electric Bed
 Net Metal Bed Panel
 Foldable Aluminum Guardrail
 Powder Coating Mild Steel Frame
 Detachable ABS Head And Foot Board With
 Crashworthy Wheels
 Pedal Locking Castor
 Packing Size:218x102x49
 Over All Size:218x96



• FS3230W

3 Functions Electric Bed
 Net Metal Bed Panel
 Foldable Aluminum Guardrail
 Powder Coating Mild Steel Frame
 Detachable ABS Head And Foot Board
 Pedal Locking Castor
 Packing Size:209x102x49
 Over All Size:212x96



• FS3220W

2 Functions Electric Bed
 Net Metal Bed Panel
 Foldable Aluminum Guardrail
 Powder Coating Mild Steel Frame
 Detachable ABS Head And Foot Board
 Pedal Locking Castor
 Packing Size:209x102x28
 Over All Size:212x96



▸ Hospital Bed Series



◦ FS3238WGZF4-54W

5 Functions Electric Inclinable Aluminum Bed
 Aluminum Bed Panel
 Foldable Full Protection Aluminum Guardrail
 Aluminum Bed Frame
 ABS Head And Foot Board
 8 Pcs 2" Pedal Locking Castor
 Packing Size: 209x90x33
 Over All Size: 210x103



◦ FS3230WMZ

3 Functions Electric Bed With Linak Actuator
 Net Bed Panel
 Foldable Wooden Guardrail
 Powder Coating Steel Frame
 Wooden Head And Foot Board
 Central Control Locking Castor
 Over All Size: 208x96
 Linak Actuator System



◦ FS3244WMZ

3 Functions Electric Bed
 Wooden Bed Panel
 Elevating Wooden Guardrail
 Powder Coating Mild Steel Frame
 Wooden Head And Foot Board
 Pedal Locking Castor
 Packing Size: 209x96x44
 Over All Size: 209x103



◦ FS3246WM

3 Functions Electric Bed
 Wooden Bed Panel
 Elevating Wooden Guardrail
 Powder Coating Mild Steel Frame
 Wooden Head And Foot Board
 Pedal Locking Castor
 Packing Size: 209x96x30
 Over All Size: 217x103




• Hospital Bed Series



• FS3230WMGF3

3 Functions Electric Bed
Flat Metal Bed Panel
Full Protection Foldable Aluminum
Guardrail
Wooden Head And Foot Board
Powder Coating Steel Frame
Pedal Locking Castor
Packing Size:209x96x49
Over All Size:208x96



• FS3120WMB

2 Functions Electric Bed With Manual
Option
ABS Bed Panel
Foldable Aluminum Guardrail
Powder Coating Mild Steel Frame
Wooden Head And Foot Board
Pedal Locking Castor
Packing Size:204x102x33
Over All Size:206x104




• FS3237WMF3

3 Functions Electric Bed With Double
Motors Lifting System
Steel Bed Panel
Full Protection Foldable Guardrail
Powder Coating Mild Steel Frame
Wooden Head And Foot Board
Pedal Locking Castor
Packing Size:209x96x28
Over All Size:210x101



• FS3231WM

3 Functions Electric Bed With Double
Motors Lifting System
Net Metal Bed Panel
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Wooden Head And Foot Board
Pedal Locking Castor
Optional Accessory: Monkey Pole
Packing Size:213x101x34
Over All Size:223x98



• FS3220MF2

2 Functions Electric Bed,
Net Metal Bed Panel
Detachable Guardrail
Powder Coating Steel Frame
Wooden Head And Foot Board
Packing Size:209x96x28
Over All Size:208x97



• AU300WMGZ

3 Functions Electric Bed With Dual
Actuator
Flat Metal Bed Panel
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Wooden Head And Foot Board
Central Control Locking Castor
Over All Size:208x96
Link Actuator System



• Hospital Bed Series



• FS3030W(FS3031W)

3 Functions Manual Bed
Net Metal Panel
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size 209x92x28
Over All Size 212x96



• FS3026WG

2 Functions Manual Bed
Flat Metal Panel
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size 224x102x32
Over All Size 218x96



• FS3010W

1 Function Manual Bed
Net Metal Panel
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size 209x102x28
Over All Size 212x98



• FS3020W

2 Functions Manual Bed
Net Metal Panel
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size 209x102x28
Over All Size 212x96



• FS3050W

5 Functions Manual Bed With Commode Form
Turn Over Function On Back Section
Net Steel Bed Panel With Mattress And
Commode Bucket
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size 211x98x35
Over All Size 214x97



• FS3012W

1 Function Manual Bed
Net Metal Panel
Foldable Aluminum Guardrail
Powder Coating Steel Frame
Detachable ABS Head And Foot Board
Pedal Locking Castor
Packing Size 209x102x28
Over All Size 212x96



• Hospital Bed Series




• FS3131 Fysiocouch

Length: 200cm
 Dynamic Max Load: 200kg
 Static Max Load: 250kg
 Pillow Configurations
 50cm-3-section; 70cm-3-section;
 90cm-3-section; 70cm-4-section;
 70cm-5-section; 70cm-6-section
 (physiotherapy);
 Adjustable Height: From 46cm To
 95cm; Raised By Actuator System
 Five Main Pillows Supported and
 Angle-adjusted By Gas Springs
 Armrests Height and Direction
 Adjustable (optional Parts)
 Wheel Lifting (central Wheel Lift,
 Dual Wheel Lift)
 Packing Size: 174x75x60
 Over All Size: 170x71



• FS3121 Fysiocouch

Length: 210cm
 Dynamic Max Load: 200kg
 Static Max Load: 250kg
 Adjustable Height: From 46cm To
 95cm; Raised By Actuator System
 Two Main Pillows Supported and
 Angle-adjusted By Gas Springs
 Wheel Lifting (central Wheel Lift,
 Dual Wheel Lift)
 Packing Size: 214x75x60
 Over All Size: 210x71




• FS3132 Fysiocouch

Length: 200cm
 Dynamic Max Load: 200kg
 Static Max Load: 250kg
 Adjustable Height: From 46cm To
 95cm; Raised By Actuator System
 Three Main Pillows Supported and
 Angle-adjusted By Gas Springs
 Armrests Height and Direction
 Adjustable (optional Parts)
 Wheel Lifting (central Wheel Lift,
 Dual Wheel Lift)
 Packing Size: 174x75x60
 Overall Size: 170x71



• FS3020WG

2 Functions Manual Bed
 Net Metal Panel
 Foldable Aluminum Guardrail
 Powder Coating Steel Frame
 Detachable ABS Head And Foot Board
 Pedal Locking Castor
 Packing Size: 209x102x28
 Over All Size: 212x96



• FS3028WGF4

2 Functions Manual Bed
 Elevating ABS Guardrail
 Powder Coating Mild Steel Frame
 Detachable ABS Head And Foot Board
 Pedal Locking Castor
 Packing Size: 209x95x47
 Over All Size: 214x96



• FS3021SF1 Maximal Stainless Steel Bed
 • (FS3021F2 Manual Steel Bed)

4 Functions Manual Bed
 Detachable Guardrail
 Stainless Steel Frame
 Stainless Steel Head And Foot Board
 Over All Size: 205x93





Rehabilitation
Aid Series



FS3080W
Size: 187cm X 62cm X 65cm



FS970
Size: 70cm X 60cm X 108cm



FS5610S
Size: 190cm X 62.5cm X 99cm



FS5609S



FS5607S



FS577



FS518



FS514
H:116cm-206cm



FS519
H:133cm-223cm



FS515
H:136cm-230cm



FS516
H:120cm-200cm

Rehabilitation Aid Series



◦ FS578B(1)



◦ FS578B(2)



◦ FS578B(3)



◦ FS578B(4)



◦ FS578
Size: 45cm X 47cm X 78cm



◦ FS578H2



◦ FS5605S



◦ FS5601S
Size: 83cm X 46cm X 64.5cm



◦ FS5621
L: 78cm W: 40cm H: 79-105cm



◦ FS5721
L: 77cm W: 38cm H: 72-102cm



◦ FS560
L: 88cm W: 40cm H: 73-125cm



◦ FS572
L: 77cm W: 40cm H: 72-113cm



◦ FS5623
L: 90cm W: 45cm H: 72-113cm



◦ FS562
L: 77cm W: 40cm H: 72-113cm



FS573 Size: L:90-118cm W: 33.5cm



FS575 Size: L:90 W: 30cm



FS590 Size: L:89cm W: 25cm

Rehabilitation Aid Series



FS532

Mattress Size: 195 X 86 X 8cm



FS533

Mattress Size: 195 X 86 X 8cm



FS534

Mattress Size: 195 X 86 X 5cm



FS535

Mattress Size: 195 X 86 X 8cm



FS531



FS564



FS579



FS525G



FS525



FS525P



FS5606



FS565



FS512



FS566



FS507



FS561



FS505



FS506

Rehabilitation Aid Series



◦ FS667B



◦ FS8141



◦ FS8142



◦ D115(01)



◦ D115(02)



◦ D115(03)



◦ FS661B



◦ FS666B-100/50



◦ FS664B



◦ FS662B



◦ FS663B



◦ FS665B



◦ FS7911S(12",16",24")




◦ FS118900



◦ FS7901B L300/L400/L500



◦ FS7905SF1



◦ PLASTIC ADAPTER



◦ FS7904B

► Colour Sample

► SEAT & BACK



► FRAME



1XX: Spray-painting series 2XX: Powder coating series 3XX: Aluminum anodized series 4XX: Chromed series

► Spare Parts



- (A6) 6" x 8" Solid Castor
- (A7) 5" Pvc Castor
- (A8) 6" Pvc Castor
- (B0) 8" Pvc Wheel Set
- (B7) 8" Pneumatic Wheel Set
- (B18) 5" Solid Wheelset
- (B19) 5" Solid Wheelwith Brake
- (B19) 5" Solid Wheelwith Plastic Fork.
- (B20) 5" Solid Wheel With Plastic Forkand Brake.
- (A21) 8" Pu Wheel
- (A22) 8" Pneumatic Wheel
- (A23) 8" Solid Wheel

- (A26) 12" Pneumatic Mag Wheel Set
- (A29) 16" Pneumatic Spoke Wheel Set
- (A30) 12.5" 5-spoke Rubber Foam Rear Wheel
- (A31) 12.5" 10-spoke Rubber Foam Rearwheel
- (A32) 12" Rubber Foam Mag Wheel
- (A33) 14" Pneumatic Rear Wheel
- (C33) 16" Pu Wheelset
- (C36) 24" Pneumatic Spokewheelset
- (C37) 24" Pneumatic Mag Wheel Set
- (C38) 24" Solid Spoke Wheel Set
- (C41) 24" Pneumatic Wheel Set
- (C42) 24" Pu Mag Wheel Set

- (C43) 16" 3-spoke Pu Wheel Set
- (C44) 24" 3-spoke Pu Wheel Set For Electric Wheelchair
- (C45) Pu Rear Wheel With Drum Brake(20", 22", 24")
- (C46) 24" Pneumatic Wheel Set For Electric Wheelchair
- (E91) Steel Hub
- (E96) Drum Brake Wheel Hub
- (E97) 98/quick Release Hub
- (E99) (1.65 Drum Brake

► Spare Parts



F01 F02 F03 F04 F05 F06



D43 D44 D45 D46



D57 D58 D59 D60 D61



D62 D63 D64 D65 D67 D68



F07 F08 F09 F10



F11 F12 F13 F14



D48 D49 D50 D51 D52 D54 D53



D55 D56 FS582



FS580 FS581



01L 03L 04L 05L 06L 07L 08L FS5915