

Welded Hydraulic Cylinder – Through Hole

MODEL	BORE & STROKE	ROD DIAM.	DIMENSIONS		PORTS	PIN SIZE	WEIGHT (LBS)
			RETRACTED	EXTENDED			
WTH1504	1.5"X4"	1"	11"	15"	SAE#6	5/8"	7
WTH1506	1.5"X6"		13"	19"			8
WTH1508	1.5"X8"		15"	23"			9
WTH1510	1.5"X10"		17"	27"			11
WTH1512	1.5"X12"		19"	31"			12
WTH1514	1.5"X14"		21"	35"			13
WTH1516	1.5"X16"		23"	39"			14
WTH2004	2"X4"	1 1/4"	12"	16"	SAE#8	3/4"	10
WTH2006	2"X6"		14"	20"			12
WTH2008	2"X8"		16"	24"			14
WTH2010	2"X10"		18"	28"			16
WTH2012	2"X12"		20"	32"			17
WTH2014	2"X14"		22"	36"			19
WTH2016	2"X16"		24"	40"			21
WTH2018	2"X18"		26"	44"			22
WTH2020	2"X20"		28"	48"			24
WTH2024	2"X24"		32"	56"			27
WTH2028	2"X28"		36"	64"			31
WTH2030	2"X30"		38"	68"			33
WTH2032	2"X32"		40"	72"			34
WTH2036	2"X36"		44"	80"			38
WTH2040	2"X40"		48"	88"			41
WTH2042	2"X42"		50"	92"			43
WTH2048	2"X48"		56"	104"			48
WTH2060	2"X60"	68"	128"	58			
WTH2072	2"X72"	80"	152"	68			
WTH2504	2.5"X4"	1 3/8"	12"	16"	SAE#8	3/4"	14
WTH2506	2.5"X6"		14"	20"			16
WTH2508	2.5"X8"		16"	24"			18
WTH2510	2.5"X10"		18"	28"			20
WTH2512	2.5"X12"		20"	32"			22
WTH2514	2.5"X14"		22"	36"			24
WTH2516	2.5"X16"		24"	40"			26
WTH2518	2.5"X18"		26"	44"			28
WTH2520	2.5"X20"		28"	48"			30
WTH2524	2.5"X24"		32"	56"			35
WTH2528	2.5"X28"		36"	64"			39
WTH2530	2.5"X30"		38"	68"			41
WTH2532	2.5"X32"		40"	72"			43
WTH2536	2.5"X36"		44"	80"			47
WTH2540	2.5"X40"		48"	88"			51

MODEL	BORE & STROKE	ROD DIAM.	DIMENSIONS		PORTS	PIN SIZE	WEIGHT (LBS)			
			RETRACTED	EXTENDED						
WTH2542	2.5"X42"	1 3/8"	50"	92"	SAE#8	3/4"	53			
WTH2548	2.5"X48"		56"	104"			59			
WTH2560	2.5"X60"		68"	128"			72			
WTH3004	3"X4"	1 1/2"	12"	16"	SAE#8	1"	19			
WTH3006	3"X6"		14"	20"			21			
WTH3008	3"X8"		16"	24"			24			
WTH3010	3"X10"		18"	28"			26			
WTH3012	3"X12"		20"	32"			28			
WTH3014	3"X14"		22"	36"			31			
WTH3016	3"X16"		24"	40"			33			
WTH3018	3"X18"		26"	44"			36			
WTH3020	3"X20"		28"	48"			38			
WTH3024	3"X24"		32"	56"			43			
WTH3028	3"X28"		36"	64"			48			
WTH3030	3"X30"		38"	68"			51			
WTH3032	3"X32"		40"	72"			53			
WTH3036	3"X36"		44"	80"			58			
WTH3040	3"X40"		48"	88"			63			
WTH3042	3"X42"		50"	92"			65			
WTH3048	3"X48"		56"	104"			73			
WTH3060	3"X60"		68"	128"			87			
WTH3504	3.5"X4"		1 3/4"	12"			16"	SAE#8	1"	24
WTH3506	3.5"X6"			14"			20"			27
WTH3508	3.5"X8"	16"		24"	30					
WTH3510	3.5"X10"	18"		28"	33					
WTH3512	3.5"X12"	20"		32"	36					
WTH3514	3.5"X14"	22"		36"	39					
WTH3516	3.5"X16"	24"		40"	42					
WTH3518	3.5"X18"	26"		44"	45					
WTH3520	3.5"X20"	28"		48"	48					
WTH3524	3.5"X24"	32"		56"	54					
WTH3528	3.5"X28"	36"		64"	60					
WTH3530	3.5"X30"	38"		68"	63					
WTH3532	3.5"X32"	40"		72"	66					
WTH3536	3.5"X36"	44"		80"	72					
WTH3540	3.5"X40"	48"		88"	79					
WTH3542	3.5"X42"	50"		92"	82					
WTH3548	3.5"X48"	56"		104"	91					
WTH3560	3.5"X60"	68"		128"	109					
WTH4004	4"X 4"	2"		13"	17"	SAE#8	1 1/4"			33
WTH4006	4"X 6"			15"	21"					36
WTH4008	4"X 8"		17"	25"	40					
WTH4010	4"X 10"		19"	29"	44					
WTH4012	4"X 12"		21"	33"	47					

MODEL	BORE & STROKE	ROD DIAM.	DIMENSIONS		PORTS	PIN SIZE	WEIGHT (LBS)
			RETRACTED	EXTENDED			
WTH4014	4"X 14"	2"	23"	37"	SAE#8	1 1/4"	51
WTH4016	4"X 16"		25"	41"			55
WTH4018	4"X 18"		27"	45"			58
WTH4020	4"X 20"		29"	49"			62
WTH4024	4"X 24"		33"	57"			70
WTH4028	4"X 28"		37"	65"			77
WTH4030	4"X30 "		39"	69"			81
WTH4032	4"X32"		41"	73"			84
WTH4036	4"X36"		45"	81"			92
WTH4040	4"X 40"		49"	89"			99
WTH4042	4"X 42"		51"	93"			103
WTH4048	4"X 48"		57"	105"			114
WTH4060	4"X 60"		69 "	129"			136