

## **PZB-500-F5 weighing & vacuum packing machine**

### i. Applications

Appliance for the quantitative vacuum packaging in the industry of rice, grains, peanuts, and food ect.

### ii. Technical parameters

Model No.	PZB-500-F5
<b>Weighing Range</b>	<b>1~10</b>
Packing Speed	360~500
Power Supply	4N-AC380v 50Hz 3.3kw
Air ,Air Consumption	0.4~0.6MPa 0.5m3/min
Product Size (MM)	1845mm(L)×1705mm(W)×2390mm(H)

### iii. Main configures

No.	Name	Main configures
1	Touch Screen	Shenzhen/ Weinview
2	Weighing Controller	Canada/general
3	PLC	Japan/Omron
4	Power Switch	Japan/Omron
5	solid state relay	Japan/Omron
6	intermediate relay	Japan/Omron
7	BUTTONS	France/Schneider
8	Load Cells	USA/CELTRON
9	Vacuum pump	Germany/leybold
10	Cylinder	Taiwan/airtac
11	valves	Taiwan/airtac

### iv. Function and Features

1. Suitable for purified rice, foods, coarse cereals processing industry of vacuum package
2. Centralized control with touch screen combined with intelligent control instruments, finishing weighing-feeding-vacuuming-heat sealing-discharging-delivering. Real-time tracking system status, human-computer. Friendly interface and easy operation.
3. Special design of double working station, compact structure, finishing the angular cubic packaging in the limited space.
4. Original designed two sides shaping.
5. Adopt imported load cell, pneumatic element and detective element, reliable and with a self-reduction and safety

devices


6. The material of main structure is aluminum and stainless steel, attractive looking and durable using.

7. Reserve RS232/485 interface

v. Product photo:







Product sample:





Demo Video:

<https://youtu.be/MYxOmZoAvJg>