

Fully-auto Weighing & Vacuum Packing Machine PZB-900-F8

1) Product photo (reference)



Bag giving machine for with and without handle:



2) Technical Parameter:

Model No.	PZB-900-F8
Weighing Range	2-5
Packing Speed(bags/h)	Regular packing:700~900 Vacuum Packing:600~800
Power Supply	4N-AC 380V 50Hz、 9.45KW
Air ,Air Consumption	0.5~0.6MPa 50m ³ /h

Remark: the actual speed depends on the weight, bag type, bag materials and working environment.

3) Main configures

Parts Name	Brand
Touch Screen	Japan/Omron
PLC	Japan/Omron
Electrical parts	Japan/Omron、 France / Schneider
Vacuum Pump	Germany/BECKER Lybold
Cylinder	Taiwan/Airtac
Linear Slides	Taiwan/ABBA
Miniature geared motors	Taiwan / ruiyong

4) Functions and Features

- Fully automatic
- Omron touch screen, Omron PLC centralized control, intelligent control weighing, filling, Vacuum, heat sealing, unloading bags, the whole process of transportation, real-time tracking system working state, friendly interface, easy to operate;
- high reliability and long service life;
- imported from Germany, vacuum pumps, stable and reliable;
- device with fault self-test function, maintenance is simple and convenient;
- intelligent control information presentation system;
- Machine can connected local wifi or cell phone's hotspot. The program can be upgraded remotely.

5) Bag Size Ranges

PZB-900-F8:



240mm ≤ bag width ≤ 340mm; 330mm ≤ bag length ≤ 530mm


vacuumed bag thickness ≤ 70

vacuumed bag length ≤ 430

vacuumed bag width ≤ 340

The actual bag samples are needed to be tested







PZB-900-10 制袋参数图纸：

5.0kg: opa1.5/pe12.5

10kg: opa1.5/pe14.5



适用范围

一、包装部分适用范围

1、自动上袋封口机(Ordinary packing)

F10: 300mm ≤ 包装袋宽度 bag width ≤ 400mm

460mm ≤ 包装袋外长度 bag length ≤ 600mm (在此范围内可能可以用)

F8:

240mm ≤ 包装袋宽度 bag width ≤ 340mm

330mm ≤ 包装袋内长度 bag length ≤ 530mm (在此范围内可能可以用)

2、真空整形机部分适用范围(vacuum packing)

F10:

米包成型厚度 rice bag thickness ≤ 90

米包成型长度 rice bag length ≤ 480

米包成型宽度 rice bag width ≤ 400

F8:

米包成型厚度 rice bag thickness ≤ 70

米包成型长度 rice bag length ≤ 430

米包成型宽度 rice bag width ≤ 340

Remark: need bag samples for final confirmation