



UFO High Bay TC Series




150
lm/W

www.ofled-lighting.en.alibaba.com

- Light Efficacy up 150lm/W
- Input Voltage: 100-240/277Vac or 200-240Vac 50/60Hz.
- 3 or 5 years warranty.
- Option: Non-Dimming, Dimming (RX/PWM/0/1-10V/DALI), ZigBee.

Choosable:
Electric galvanized ring
304 stainless steel ring



TRI-COULOR

Jiangsu Ofled Optoelectronics Technology Co.,Ltd

Factory address: No.9 Zhengfu Road Liangduo Town, Dongtai City Jiangsu Province, P.R. China.
Tel: +86 515 85555809

Shenzhen Office: 446, Huafeng Internet+Creative Garden, No.107 of Gonghe Industrial Road, Xixiang Street, Bao'an District, Shenzhen, China.
Tel: +86 755 23777180
Email: sales@ofled-lighting.com Web: www.ofled-lighting.com




www.ofled-lighting.com

Specifications

Item No.	OHD-HBUFO06TC-100XX	OHD-HBUFO06TC-150XX	OHD-HBUFO06TC-200XX
Watt(W)	100W	150W	200W
Product Size	φ232*155mm	φ276*155mm	φ330*160mm
Input	100-240/277Vac or 200-240Vac 50/60Hz		
Light Efficiency(lm/W)	150lm/W		
CCT:	TRI-COULOR		
Beam Angle	60°/90°/110°		
PF	0.95		
CRI(Ra)	70+		
Material	Aluminum		
Working Temperature	-20℃ ~ +45℃		
Storing Temperature	-20℃ ~ +80℃		
Choosable	Electric galvanized ring / 304 stainless steel ring		
Protection Grade	IP65		
Warranty Years	3&5 Years		






Dimension



Item No.	L(mm)	H(mm)
OHD-HBUFO06TC-100XX	φ232	155
OHD-HBUFO06TC-150XX	φ276	155
OHD-HBUFO06TC-200XX	φ330	160

- There will be slight deviation in the actual situation, which is subject to the actual situation.

Luminance distribute curve




Adjustable color temperature




- Three adjustable color temperatures

3000K		
4500K		
6500K		
no-output		


Multiple Mounting Options




Ring Mounted



Rod Mounted



Ceiling Mounted



Wall Mounted

Accessories(To be updated...)



60°




90°



120°

Zigbee

System including charged equipment end (controller, intelligent power supply), sensors (mobile sensors, optical sensors, optical sensors, color sensors, sun sensors, temperature and humidity sensor, etc.), manual control side (images of the wall panel, remote control), the local server and application software control side (server, gateway, software), and the cloud server. The components work together. After setting, the system will run automatically.



CONTROLLER

1-10 V CONTROLLER
0-10 V CONTROLLER
STRIP CONTROLLER
SWITCHING CONTROLLER
SILICON CONTROLLED CONTROLLER

POWER

12-80W DIMMING POWER SUPPLY
12-80W DIMMING AND TONING POWER SUPPLY
100W-200W DIMMING POWER SUPPLY
12 W RGBCW POWER SUPPLY

SENSOR


ILLUMINANCE SENSOR
COLOR TEMPERATURE SENSOR
MOTION SENSOR
PRESENCE SENSOR
TEMPERATURE AND HUMIDITY SENSOR

GATEWAY

NETWORK PORT - ZIGBEE GATEWAY
NETWORK PORT -ZIGBEE-POE GATEWAY

REMOTE CONTROLS

THE REMOTE CONTROL
WALL SCENE PANEL WALL DIMMING PANEL PASSIVE WIRELESS PANEL



DALI wired stability is combined with the convenience of ZigBee wireless

Accessories



OHD-PUE-AR
Aluminum reflector
60°/90°



OHD-PUE-PR
PC reflector
60°/90°/120°



OHD-PUE-FG
Frost glass
T=3.8mm Tempered



OHD-PUE-PRC01
PC reflector cover
(Tapered bottom cover)



OHD-PUE-PRC02
PC reflector cover
(Conical Gloss Bottom Cover)



OHD-PUE-TG
high definition
Tempered glass



OHD-PA-RB01
Rotatable bracket



OHD-PU-NRB01
Non-Rotatable bracket



OHD-PU-SR01
Safety rope



OHD-PA-WC2
Waterproof connect
+2m cable



OHD-PA-WC5
Waterproof connect
+5m cable



OHD-PA-SC
Suspension chains



OHD-PA-APW01
Australian plug+1.5m cable
(driver connect directly)



OHD-PA-APW02
Australian plug+1.5m cable
+waterproof connect



OHD-PA-MS03
IP65 Microware sensor
(With remote control
function)



OHD-PA-MS03
IP65 Microware sensor
(Without remote control
function)





OHD-PA-DS01



OHD-PA-MS004DC
DC Microware sensor
(With remote control
function)

Way to install


ADJUSTABLE POWER SUPPLY USAGE




INDUCTOR EXTERNAL CONNECTION



EMERGENCY POWER SUPPLY



Application



- The products are widely used in shipyards, mines, workshops, factories, warehouses, highway toll stations, gas stations, large supermarkets, exhibition halls, gymnasiums and other places that need industrial and mining lighting.