Guangzhou Netum Electronic Technology Co.,Ltd

Folding portable document scanner



Product introduction

- Folding and rotating fuselage, the fuselage is small and foldable and easy to carry
- can adjust multiple joints, overhead shooting, selfie upside-down shooting, any side shooting
- Type-C can power supply interface, no external power supply, high-speed and high-quality data transmission
- Applicable to multiple application scenarios: scanning of corporate documents and contract bills, quick scanning of archives in archives, electronic archiving, online trial display of evidence and materials in evidence center, campus classroom, test paper and textbook display, online course teaching, remote calligraphy, painting training, video shooting, video recording, photo sharing, etc., in addition to support a variety of live communication software

Guangzhou Netum Electronic Technology Co.,Ltd

Product feature

- ➢ USB2.0 interface
- Auto Focus
- > Touch focus
- > Touch to rotate image
- > Touch three segments control LED light
- > 1080P@60fps

2、Technical specification			
Product		Video camera platform	
	Imaging	IMX258	
light sensor chip	Sensor		
	Pixel Size	1.12um*1.12um	
	optical	1/3.06″	
	fitting		
	dimensions		
	focal length	2.8mm	
	Aperture	1.9	
	Degree	Diagonal=90.3°Horizontal=77.4° vertical=62°	
	distortion	< 1%	
	Resolution	MJPG	
	and frame	3840*2880@10fps,3840*2160@15fps,2592*1944@30fp	
	rate	S,	
		2048*1536@30fps,1920*1080@60fps,1600*1200@30fp	
		S,	
		1280*960@30fps,1280*720@30fps,1024*768@30fps,	
		800*600@30fps,640*480@30fps	
		YUY2	
		1920*1080@5fps,1280*960@5fps,1280*720@10fps,	
		1024*768@10fps, 800*600@10fps,640*480@30fps	
	Dynamic	70dB	
	Range		
	Sensitivity	10800 mV/lux·s	
	CRA	33°	

2、Technical specification

Guangzhou Netum Electronic Technology Co.,Ltd

	Shutter type	Electronic rolling shutter
Effect	working voltage	USB5V
	working current	Max 203mA(LED working)
Further specification	USB takes	UP to 11 megapixels
	Audio	UAC standard
	UVC video	UVC, compatible with Windows/MAC OS/Linux/Android system
	USB port	USB2.0 port, UVC/UAC standard protocol, powered by USB
Product specification	Appearance	Folding type, metal parts
	Size	L*W*H: 220mm*62.5mm*12.5mm (Unfolding)
	Gross weight /net weight	