

Report No.: 244436362b 002 Page 1 of 11

Client: CHONGQING WORLD STEEL CO.,LTD

Contact Information: #NO.5,GUANGSHACHENG,JIULONGZHEN,JIULONGPO,CHONGQIN

G,CHINA

Contact Person: Bruce

Identification/ Austenitic Stainless Steel Seamless Tube+OD 50.8mm * WT 1.65mm

Model No(s):

Condition at delivery: Test item complete and undamaged.

Sample Receiving date: 2022-07-13

Testing Period: 2022-07-14 to 2022-07-15

Place of testing: Chemical laboratory Shanghai

Test Specification: Test result:

 Risk Assessment of Articles: Screening of substances of very high concern (SVHC) subject to the candidate list by European Chemical Agency (ECHA) according to Regulation (EC) No. 1907/2006 of REACH and its amendments SVHC concentration(s)

≤0.1%

Other information:

Product or Lot No.: Heat No: 12B299

Material and Mark: TP316L (UNS S31603) Manufacturing standard: ASTM A213-2020

The report 244436362b 002 supersede report 244436362b 001

For and on behalf (Shanghan Color)
TÜV Rheinland (Shanghan Color)

2022-07-20 (02)

Nicky Chen / Assistant Manager

Date Name/Position

Sample information is provided by customer. Test result is drawn according to the kind and extent of tests performed.

This test report relates to the above mentioned test sample. Without permission of the test center this test report is not permitted to be duplicated in extracts. This test report does not entitle to carry any safety mark on this or similar products.

'Decision Rule" document announced in our website (https://www.tuv.com/landingpage/en/qm-gcn/) describes the statement of conformity and its rule of enforcement for test results are applicable throughout this test report.



Page 2 of 11

Material List:

Item: Austenitic Stainless Steel Seamless Tube+OD 50.8mm * WT 1.65mm

| Material No. | Material | Color | Location |
|--------------|----------|--------|----------------|
| A001 | Metal | silver | refer to photo |



Page 3 of 11

1. Screening of Substances of Very High Concern (SVHC) subject to the Candidate List by European Chemical Agency (ECHA) according to Regulation (EC) No. 1907/2006 of REACH and its amendments.

Obligation of Importer is necessary if the detected SVHC concentration in article level is >0.1%: To communicate information down the supply chain according to article. 33 of REACH. OR

- 1. Notification to ECHA, if the quantities of SVHC in the produced/imported articles are above 1 ton in total per year per company.
- 2. Provide sufficient information to ensure safe use of the article and, as a minimum, include the name of the substance, to their customers and on request to consumers within 45 days of the receipt of this request.

Test Method:

- 1) SVOC: organic solvent extraction, determination by GC-MS/ECD
- 2) VOC: organic solvent extraction, determination by GC-MS
- 3) VVOC: headspace-GC/MS analysis
- 4) non-VOC: organic solvent extraction, determination by LC-MS/MS.
- 5) inorganics: acid digestion, determination by ICP-OES

Test Result:

| Test No. | Material No. | Result (%) |
|----------|--------------|-------------------|
| T001 | A001 | <rl< th=""></rl<> |

Abbreviation: < = Less than

RL =Reporting Limit % =Percentage





Page 4 of 11

Remark:

(*1) The reporting limit for each individual SVHC in Candidate List by ECHA:

| | Substance | CAS No. | Reporting Limit |
|----|--|--|--------------------|
| 1 | 4,4'- Diaminodiphenylmethane (MDA) | 101-77-9 | 0.01% |
| 2 | Benzyl butyl phthalate (BBP) | 85-68-7 | 0.01% |
| 3 | Bis (2-ethylhexyl)phthalate (DEHP) | 117-81-7 | 0.01% |
| 4 | Dibutyl phthalate (DBP) | 84-74-2 | 0.01% |
| 5 | Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified: Alpha-hexabromocyclododecane Beta-hexabromocyclododecane Gamma-hexabromocyclododecane | 25637-99-4 / 3194-55-6 / 134237-50-6 / 134237-51-7 / 134237-52-8 | 0.01% |
| 6 | 5-tert-butyl-2,4,6-trinitro-m-xylene (Musk xylene) | 81-15-2 | 0.01% |
| 7 | 2,4-Dinitrotoluene (2,4-DNT) | 121-14-2 | 0.01% |
| 8 | Diisobutyl phthalate (DIBP) | 84-69-5 | 0.01% |
| 9 | Tris(2-chloroethyl)phosphate | 115-96-8 | 0.01% |
| 10 | Diarsenic pentaoxide (*2) | 1303-28-2 | 0.01% |
| 11 | Diarsenic trioxide (*2) | 1327-53-3 | 0.01% |
| 12 | Lead chromate (*2)(*3) | 7758-97-6 | 0.01% |
| 13 | Lead chromate molybdate sulphate red (C.I. Pigment Red 104) (*2)(*3) | 12656-85-8 | 0.01% |
| 14 | Lead sulfochromate yellow (C.I. Pigment Yellow 34) (*2) | 1344-37-2 | 0.01% |
| 15 | Trichloroethylene | 79-01-6 | 0.01% |
| 16 | Chromium trioxide (*2) | 1333-82-0 | 0.01% |
| 17 | Acids generated from chromium trioxide and their oligomers: Names of the acids and their oligomers: Chromic acid, Dichromic acid, Oligomers of chromic acid and dichromic acid. (*2) | 7738-94-5 / 13530-68-2 | 0.01% |
| 18 | Sodium dichromate (*2)(*3) | 7789-12-0 / 10588-01-9 | 0.01% |
| 19 | Potassium dichromate *2)(*3) | 7778-50-9 | 0.01% |
| 20 | Ammonium dichromate (*2)(*3) | 7789-09-5 | 0.01% |
| 21 | Potassium chromate (*2)(*3) | 7789-00-6 | 0.01% |
| 22 | Sodium chromate (*2)(*3) | 7775-11-3 | 0.01% |
| 23 | Formaldehyde, oligomeric reaction products with aniline (technical MDA) (*10) | 25214-70-4 | 0.01% |
| 24 | 1,2-Dichloroethane | 107-06-2 | 0.01% |
| 25 | Bis(2-methoxyethyl) ether | 111-96-6 | 0.01% |
| 26 | Arsenic acid (*2) | 7778-39-4 | 0.01% |
| 27 | 2,2'-dichloro-4,4'-methylenedianiline (MOCA) | 101-14-4 | 0.01% |
| 28 | Dichromium tris(chromate) (*2)(*3) | 24613-89-6 | 0.01% |
| 29 | Strontium chromate (*2)(*3) | 7789-06-2 | 0.01% |
| 30 | Potassium hydroxyoctaoxodizincatedichromate (*2)(*3) | 11103-86-9 | 0.01% |
| 31 | Pentazinc chromate octahydroxide (*2)(*3) | 49663-84-5 | O BOOM |
| 32 | 1-bromopropane (n-propyl bromide) | 106-94-5 | LADOR |
| 33 | Diisopentylphthalate | 605-50- | 0.01% |
| 34 | 1,2-Benzenedicarboxylic acid, di-C6-8-branched alkyl esters, C7-rich (DIHP) | 71888-89-6 | 0.01% |
| 35 | 1,2-Benzenedicarboxylic acid, di-C7-11-branched and linear alkyl esters (DHNUP) | 68515-42-4 * 位势 | 检测专用幕。 |
| 36 | 1,2-Benzenedicarboxylic acid, dipentylester, branched and linear | 84777-06-0 | (02) |



Page 5 of 11

| is(2-methoxyethyl) phthalate ipentyl phthalate (DPP) -pentyl-isopentylphthalate nthracene oil (*6) itch, coal tar, high temperature (*6) -(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) covering well-defined substances and UVCB substances, polymers and omologues] -Nonylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 9 ovalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] g2-Benzenedicarboxylic acid, dihexyl ester, branched and linear ihexyl phthalate g2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate EC No. 201-559-5) | 117-82-8 131-18-0 776297-69-9 90640-80-5 65996-93-2 - - 68515-50-4 84-75-3 68515-51-5 / 68648-93-1 | 0.01% 0.01% 0.01% 0.01%(*7) 0.01%(*7) 0.01% 0.01% |
|---|--|--|
| l-pentyl-isopentylphthalate nthracene oil (*6) itch, coal tar, high temperature (*6) -(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) covering well-defined substances and UVCB substances, polymers and omologues] -Nonylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] -(2-Benzenedicarboxylic acid, dihexyl ester, branched and linear sihexyl phthalate -(2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | 776297-69-9 90640-80-5 65996-93-2 68515-50-4 84-75-3 | 0.01% 0.01%(*7) 0.01%(*7) 0.01% |
| nthracene oil (*6) itch, coal tar, high temperature (*6) -(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) -(vering well-defined substances and UVCB substances, polymers and omologues] -Nonylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 9 ovalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] -(2-Benzenedicarboxylic acid, dihexyl ester, branched and linear sihexyl phthalate -(2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | 90640-80-5 65996-93-2 - - - 68515-50-4 84-75-3 | 0.01%(*7) 0.01%(*7) 0.01% 0.01% |
| itch, coal tar, high temperature (*6) -(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) covering well-defined substances and UVCB substances, polymers and omologues] -Nonylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 9 ovalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] -(2-Benzenedicarboxylic acid, dihexyl ester, branched and linear sihexyl phthalate -(2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | 65996-93-2 - - 68515-50-4 84-75-3 | 0.01%(*7) 0.01% 0.01% |
| -(1,1,3,3-tetramethylbutyl)phenol, ethoxylated (OPEO) covering well-defined substances and UVCB substances, polymers and omologues] -Nonylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 9 ovalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] -2-Benzenedicarboxylic acid, dihexyl ester, branched and linear sihexyl phthalate -2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | - 68515-50-4 84-75-3 | 0.01% 0.01% 0.01% |
| covering well-defined substances and UVCB substances, polymers and comologues] -Nonylphenol, branched and linear substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] -2-Benzenedicarboxylic acid, dihexyl ester, branched and linear sihexyl phthalate -2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | 68515-50-4 84-75-3 | 0.01% |
| substances with a linear and/or branched alkyl chain with a carbon number of 9 povalently bound in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] 2-Benzenedicarboxylic acid, dihexyl ester, branched and linear sihexyl phthalate 2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic acid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | 68515-50-4 84-75-3 | 0.01% |
| ihexyl phthalate ,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | 84-75-3 | <u> </u> |
| ,2-benzenedicarboxylic acid, di-C6-10-alkyl esters; 1,2-benzenedicarboxylic cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | | 0.01% |
| cid, mixed decyl and hexyl and octyl diesters with ≥ 0.3% of dihexyl phthalate | 68515-51-5 / 68648-03-1 | |
| | 30010 01-0 / 000-0-30-1 | 0.01% |
| rixylyl phosphate | 25155-23-1 | 0.01% |
| odium perborate,perboric acid, sodium salt (*2) (*5) | - | 0.01% |
| odium peroxometaborate (*2) (*5) | 7632-04-4 | 0.01% |
| -sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec- utyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any f the individual stereoisomers of [1] and [2] or any combination thereof] | - | 0.01% |
| -(2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) | 25973-55-1 | 0.01% |
| ,4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) | 3864-99-1 | 0.01% |
| -(2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) | 36437-37-3 | 0.01% |
| -benzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) | 3846-71-7 | 0.01% |
| nthracene | 120-12-7 | 0.01% |
| sis(tributyltin) oxide (TBTO) (*4) | 56-35-9 | 0.01% |
| riethyl arsenate (*2) | 15606-95-8 | 0.01% |
| ead hydrogen arsenate (*2) | 7784-40-9 | 0.01% |
| Cobalt dichloride (*2) | 7646-79-9 | 0.01% |
| crylamide | 79-06-1 | 0.01% |
| anthracene oil, anthracene paste, distn. lights (*6) | 91995-17-4 | |
| | 91995-15-2 | † |
| , | | (S\$1%)(X) |
| | 100 | L Me Oha |
| . , | 2/2/ | 0.01% |
| | 1303-96-4 / 1330-43-4/12179- | 0.01 |
| | V 11 -11 -11 | 松测去田色 |
| | 100 | (02) |
| o - surfit - () - k | adium peroxometaborate (*2) (*5) sec-butyl-2-(2,4-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [1], 5-sec- tyl-2-(4,6-dimethylcyclohex-3-en-1-yl)-5-methyl-1,3-dioxane [2] [covering any the individual stereoisomers of [1] and [2] or any combination thereof] (2H-benzotriazol-2-yl)-4,6-ditertpentylphenol (UV-328) (4-di-tert-butyl-6-(5-chlorobenzotriazol-2-yl)phenol (UV-327) (2H-benzotriazol-2-yl)-4-(tert-butyl)-6-(sec-butyl)phenol (UV-350) Denzotriazol-2-yl-4,6-di-tert-butylphenol (UV-320) Inthracene (s(tributyltin) oxide (TBTO) (*4) iethyl arsenate (*2) Dead hydrogen arsenate (*2) Debalt dichloride (*2) Crylamide Inthracene oil, anthracene paste, distn. lights (*6) Inthracene oil, anthracene paste (*6) Inthracene oil, anthracene paste (*6) Dric acid (*2) (*5) sodium tetraborate, anhydrous (*2) (*5) Methoxyethanol | Total Continuation Total C |



| 69 | 2-Ethoxyethanol | 110-80-5 | 0.01% |
|-----|---|----------------------|-----------|
| 70 | Cobalt(II) sulphate (*2) | 10124-43-3 | 0.01% |
| 71 | Cobalt(II) dinitrate (*2) | 10141-05-6 | 0.01% |
| 72 | Cobalt(II) carbonate (*2) | 513-79-1 | 0.01% |
| 73 | Cobalt(II) diacetate (*2) | 71-48-7 | 0.01% |
| 74 | Alkanes C10-C13, chloro (Short Chain Chlorinated Paraffins) (SCCP) | 85535-84-8 | 0.01% |
| 75 | 2-Ethoxyethyl acetate | 111-15-9 | 0.01% |
| 76 | Hydrazine | 302-01-2 / 7803-57-8 | 0.01% |
| 77 | 1-Methyl-2-pyrrolidone (NMP) | 872-50-4 | 0.01% |
| 78 | 1,2,3-Trichloropropane | 96-18-4 | 0.01% |
| 79 | Aluminosilicate Refractory Ceramic Fibres (RCF) (*8) | - | 0.01% |
| 80 | Zirconia Aluminosilicate Refractory Ceramic Fibres (Zr-RCF) (*8) | - | 0.01% |
| 81 | 2-Methoxyaniline,o-Anisidine | 90-04-0 | 0.01% |
| 82 | 4-(1,1,3,3-tetramethylbutyl)phenol | 140-66-9 | 0.01% |
| 83 | Calcium arsenate (*2) | 7778-44-1 | 0.01% |
| 84 | Trilead diarsenate (*2) | 3687-31-8 | 0.01% |
| 85 | N,N-dimethylacetamide (DMAC) | 127-19-5 | 0.01% |
| 86 | Phenolphthalein | 77-09-8 | 0.01% |
| 87 | Lead dipicrate (*2) | 6477-64-1 | 0.01% |
| 88 | Lead diazide, Lead azide (*2) | 13424-46-9 | 0.01% |
| 89 | Lead styphnate (*2) | 15245-44-0 | 0.01% |
| 90 | 1,2-bis(2-methoxyethoxy)ethane (TEGDME,triglyme) | 112-49-2 | 0.01% |
| 91 | 1,2-dimethoxyethane,ethylene glycol dimethyl ether (EGDME) | 110-71-4 | 0.01% |
| 92 | Diboron trioxide (*2) (*5) | 1303-86-2 | 0.01% |
| 93 | Formamide | 75-12-7 | 0.01% |
| 94 | Lead(II) bis(methanesulfonate) (*2) | 17570-76-2 | 0.01% |
| 95 | 1,3,5-Tris(oxiran-2-ylmethyl)-1,3,5-triazinane-2,4,6-trione (TGIC) | 2451-62-9 | 0.01% |
| 96 | 1,3,5-tris[(2S and 2R)-2,3-epoxypropyl]-1,3,5-triazine-2,4,6-(1H,3H,5H)-trione | 59653-74-6 | 0.01% |
| | (β-TGIC) | | |
| 97 | 4,4'-bis(dimethylamino)benzophenone (Michler's ketone), MK | 90-94-8 | 0.01% |
| 98 | N,N,N',N'-tetramethyl-4,4'-methylenedianiline (Michler's base), RMK [4-[[4-anilino-1-naphthyl][4-(dimethylamino)phenyl]methylene] cyclohexa-2.5- | 101-61-1 | 0.01% |
| 99 | (C.I. Basic Blue 26) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*2) | 2580-56-5 | |
| 100 | [4-[4,4'-bis(dimethylamino) benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium chloride (C.I. Basic Violet 3) [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*9) | 548-62-9 | (Shanga) |
| 101 | 4,4'-bis(dimethylamino)-4"-(methylamino)trityl alcohol [with ≥ 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*9) | 561-41-1 | 上海人 |
| 102 | $α$, $α$ -Bis[4-(dimethylamino)phenyl]-4 (phenylamino)naphthalene-1-methanol (C.I. Solvent Blue 4) [with \ge 0.1% of Michler's ketone (EC No. 202-027-5) or Michler's base (EC No. 202-959-2)] (*9) | 6786-83-02 報 | 大 |
| 103 | Bis(pentabromophenyl) ether (decabromodiphenyl ether) (DecaBDE) | 1163-19-3 * 粒影 | 检测专用革。 |
| 104 | Pentacosafluorotridecanoic acid | 72629-94-8 | (02)0.01% |



Page 7 of 11

| 105 | Tricosafluorododecanoic acid | 307-55-1 | 0.01% |
|-----|--|--|-----------------------|
| 106 | Henicosafluoroundecanoic acid | 2058-94-8 | 0.01% |
| 107 | Heptacosafluorotetradecanoic acid | 376-06-7 | 0.01% |
| 108 | Diazene-1,2-dicarboxamide (C,C'-azodi(formamide)) (ADCA) (*11) | 123-77-3 | 0.05% |
| 109 | Cyclohexane-1,2-dicarboxylic anhydride [1], cis-cyclohexane-1,2-dicarboxylic anhydride [2], trans-cyclohexane-1,2-dicarboxylic anhydride [3] [The individual cis- [2] and trans- [3] isomer substances and all possible combinations of the cis- and trans-isomers [1] are covered by this entry] | 85-42-7 / 13149-00-3 / 14166-21-3 | 0.01% |
| 110 | Hexahydromethylphthalic anhydride (MHHPA) [1], Hexahydro-4-methylphthalic anhydride [2], Hexahydro-1-methylphthalic anhydride [3], Hexahydro-3-methylphthalic anhydride [4] [The individual isomers [2], [3] and [4] (including their cis- and trans- stereo isomeric forms) and all possible combinations of the isomers [1] are covered by this entry] | 25550-51-0 / 19438-60-9 / 48122-14-1 / 57110-29-9 | 0.01% |
| 111 | N,N-dimethylformamide | 68-12-2 | 0.01% |
| 112 | 1,2-Diethoxyethane | 629-14-1 | 0.01% |
| 113 | Diethyl sulphate | 64-67-5 | 0.01% |
| 114 | Methoxyacetic acid (MAA) | 625-45-6 | 0.01% |
| 115 | Dimethyl sulphate | 77-78-1 | 0.01% |
| 116 | N-methylacetamide | 79-16-3 | 0.01% |
| 117 | Furan | 110-00-9 | 0.01% |
| 118 | Methyloxirane (Propylene oxide) | 75-56-9 | 0.01% |
| 119 | 3-ethyl-2-methyl-2-(3-methylbutyl)-1,3-oxazolidine | 143860-04-2 | 0.01% |
| 120 | Dibutyltin dichloride (DBTC) (*15) | 683-18-1 | 0.01% |
| 121 | Dinoseb (6-sec-butyl-2,4-dinitrophenol) | 88-85-7 | 0.01% |
| 122 | 4,4'-methylenedi-o-toluidine | 838-88-0 | 0.01% |
| 123 | 4,4'-oxydianiline and its salts | 101-80-4 | 0.01% |
| 124 | 4-Aminoazobenzene | 60-09-3 | 0.01% |
| 125 | 4-methyl-m-phenylenediamine (toluene-2,4-diamine) | 95-80-7 | 0.01% |
| 126 | 6-methoxy-m-toluidine (p-cresidine) | 120-71-8 | 0.01% |
| 127 | Biphenyl-4-ylamine | 92-67-1 | 0.01% |
| 128 | o-aminoazotoluene | 97-56-3 | 0.01% |
| 129 | o-Toluidine | 95-53-4 | 0.01% |
| 130 | Acetic acid, lead salt, basic (*2) | 51404-69-4 | 0.01% |
| 131 | Trilead bis(carbonate) dihydroxide (*2) | 1319-46-6 | 0.01% |
| 132 | Lead oxide sulfate (*2) | 12036-76-9 | 0.01% |
| 133 | [Phthalato(2-)]dioxotrilead (*2) | 69011-06-9 | 0.01% |
| 134 | Dioxobis(stearato)trilead (*2) | 12578-12-0 | 0.01% |
| 135 | Fatty acids, C16-18, lead salts (*2) | 91031-62-8 | 0.01% |
| 136 | Lead bis(tetrafluoroborate) (*2) | 13814-96-5 | (Sh ^{0.01} % |
| 137 | Lead cyanamidate (*2) | 20837-86-9 Mand | D.04%2 |
| 138 | Lead dinitrate (*2) | 10099-74 | 上海60% |
| 139 | Lead monoxide (lead oxide) (*2) | 1317-36-8 | 0.01% |
| 140 | Orange lead (lead tetroxide) (*2) | 1314-41-62 🗱 | 0.01架 |
| 141 | Lead titanium trioxide (*2) | 12060-00-8 * 位验 | 检测专用革。/* |
| 142 | Lead titanium zirconium oxide (*2) | 12626-81-2 | (02)001% |



Page 8 of 11

| 143 | Pyrochlore, antimony lead yellow (*2) | 8012-00-8 | 0.01% |
|-----|--|--|--------------|
| 144 | Pentalead tetraoxide sulphate (*2) | 12065-90-6 | 0.01% |
| 145 | Silicic acid (H2Si2O5), barium salt (1:1), lead-doped [with lead (Pb) content above the applicable generic concentration limit for 'toxicity for reproduction' Repr. 1A (CLP) or category 1 (DSD),the substance is a member of the group entry of lead compounds, with index number 082-001-00-6 in Regulation (EC) No 1272/2008] (*2) | 68784-75-8 | 0.01% |
| 146 | Silicic acid, lead salt (*2) | 11120-22-2 | 0.01% |
| 147 | Sulfurous acid, lead salt, dibasic (*2) | 62229-08-7 | 0.01% |
| 148 | Tetraethyllead (*2) | 78-00-2 | 0.01% |
| 149 | Tetralead trioxide sulphate (*2) | 12202-17-4 | 0.01% |
| 150 | Trilead dioxide phosphonate (*2) | 12141-20-7 | 0.01% |
| 151 | Ammonium pentadecafluorooctanoate (APFO) (*12) | 3825-26-1 | 0.01% |
| 152 | Pentadecafluorooctanoic acid (PFOA) | 335-67-1 | 0.01% |
| 153 | Cadmium (*2) | 7440-43-9 | 0.01% |
| 154 | Cadmium oxide (*2) | 1306-19-0 | 0.01% |
| 155 | 4-Nonylphenol, branched and linear, ethoxylated (NPEO) [substances with a linear and/or branched alkyl chain with a carbon number of 9 covalently bound in position 4 to phenol, ethoxylated covering UVCB- and well-defined substances, polymers and homologues, which include any of the individual isomers and/or combinations thereof] | - | 0.01% |
| 156 | Imidazolidine-2-thione; (2-imidazoline-2-thiol) | 96-45-7 | 0.01% |
| 157 | Disodium 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis(4-aminonaphthalene-1-sulphonate) (C.I. Direct Red 28) | 573-58-0 | 0.01% |
| 158 | Disodium 4-amino-3-[[4'-[(2,4-diaminophenyl)azo][1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)naphthalene-2,7-disulphonate (C.I. Direct Black 38) | 1937-37-7 | 0.01% |
| 159 | Lead di(acetate) (*2) | 301-04-2 | 0.01% |
| 160 | Cadmium sulphide (*2) | 1306-23-6 | 0.01% |
| 161 | Cadmium chloride (*2) | 10108-64-2 | 0.01% |
| 162 | Cadmium fluoride (*2) | 7790-79-6 | 0.01% |
| 163 | Cadmium sulphate (*2) | 10124-36-4 / 31119-53-6 | 0.01% |
| 164 | 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (DOTE) (*13) | 15571-58-1 | 0.01% |
| 165 | Reaction mass of 2-ethylhexyl 10-ethyl-4,4-dioctyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate and 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-octyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (reaction mass of DOTE and MOTE) (*14) | | 0.01% |
| 166 | 1,3-propanesultone | 1120-71-4 | 0.01% |
| 167 | Nitrobenzene | 98-95-3 | 0.01% |
| 168 | Perfluorononan-1-oic-acid and its sodium and ammonium salts | 375-95-1 21049-39-8 4149-60-4 | 0.01% |
| 169 | Benzo[def]chrysene (Benzo[a]pyrene) | 50-32-8 | 0.01% |
| 170 | 4,4'-isopropylidenediphenol (bisphenol A) | 80-05-7 | 0.01% |
| 171 | Nonadecafluorodecanoic acid (PFDA) and its sodium and ammonium salts | 335-76-2 3830-45-3 3108-42-7 | (Shangha) |
| 172 | 4-heptylphenol, branched and linear [substances with a linear and/or branched alkyl chain with a carbon number of 7 covalently bound predominantly in position 4 to phenol, covering also UVCB- and well-defined substances which include any of the individual isomers or a combination thereof] | * KUV RA | 0.0196 |
| 173 | p-(1,1-dimethylpropyl)phenol | 80-46-6 * 粒数 | 检测专用幕。* |
| 174 | Perfluorohexane-1-sulfonic acid and its salts (PFHxS) | - 7spec | (ion 1 10 2) |



| Test Report No.: 244436362b 002 | Page 9 of 11 |
|---------------------------------|--------------|
|---------------------------------|--------------|

| 1775 Chrysene | | | | |
|---|-----|---|-------------|-------------|
| 177 Cadmium nitrate(*2) | 175 | Chrysene | 218-01-9 | 0.01% |
| 1776 Cadmium hydroxide(*2) 21041-35-2 0.01% 1779 Cadmium carbonate(*2) 513-78-0 0.01% 180 11,67,8,9,141-51,61,717,18,18-Dodecachioropentacyclo 1122-1,16,9,02,13,05,10]octadeca-7,15-diene (*Dochlorane Plus"TM) [covering any of its individual anta- and syn-isomers or any combination thereof] - 0.01% 181 Reaction products of 1,3,4-thiadiazoidine-2,5-dithione, formaldehyde and 4-heptylphenol, branched and linear] - 0.01% 182 Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA) 552-30-7 0.01% 183 Dicyclohexyl phthalate (DCHP) 84-61-7 0.01% 184 Terphenyl, hydrogenated 61788-32-7 0.01% 185 Decamethylcyclopentasiloxane (D5) 541-02-6 0.01% 186 Decamethylcyclohexasiloxane (D6) 540-97-6 0.01% 187 Dodecamethylcyclohexasiloxane (D6) 540-97-6 0.01% 188 Ethylenediamine (EDA) 107-15-3 0.01% 198 Lead 7439-92-1 0.01% 199 Disodium octaborate (*2)(*5) 12008-41-2 0.01% | 176 | Benzo[a]anthracene | 56-55-3 | 0.01% |
| 179 Cadmium carbonate(*2) 513-78-0 0.01% 180 (12,21,14,15,16,17,17,18,18- Dodecachloropentacyclo (12,21,16,00,21,305,10)octadeca-7,15-diene (*Dechlorane Plus*TM) (covering any of its individual anti- and syn-isomers or any combination thereof) - 0.01% 181 Reaction products of 13,44-fluidiazoidines. 25-dittione, formaldehyde and 4-heptylphenol, branched and linear) - 0.01% 182 Benzene-1.2,4-fricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA) 552-30-7 0.01% 183 Dicyclohexyl phthalate (DCHP) 84-61-7 0.01% 184 Terphenyl, hydrogenated 61788-32-7 0.01% 185 Octamethylcyclobetrasiloxane (D4) 556-67-2 0.01% 186 Decamethylcyclohexasiloxane (D5) 541-02-6 0.01% 187 Dodecamethylcyclohexasiloxane (D6) 540-97-6 0.01% 188 Ethylenediamine (EDA) 107-15-3 0.01% 189 Lead 7439-92-1 0.01% 190 Disodium octaborate (*2)(*5) 1208-41-2 0.01% 191 Benzo(ghilperylene 191-24-2 0.01% 192 | 177 | Cadmium nitrate(*2) | 10325-94-7 | 0.01% |
| 18.7 8.9.14.15.16.17.17.18.18- Dodecachloropentacyclo 16.7 8.9.14.15.16.17.17.18.18- Dodecachory of tickney (*Decisionane Plus"TM) (covering any of its individual anti- and syn-isomers or any combination thereof) 20.01% | 178 | Cadmium hydroxide(*2) | 21041-95-2 | 0.01% |
| 180 11.2.1.16.9.02.13.05.10)bctadeca-7.15-diene (**Dechlorane Plus************************************ | 179 | Cadmium carbonate(*2) | 513-78-0 | 0.01% |
| 181 heptylphenol, branched and linear (RP-HP) (with ≥0.1% w/w 4-heptylphenol, branched and linear) - 0.01% 182 Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA) 552-30-7 0.01% 183 Dicyclobexyl phthalate (DCHP) 34-61-7 0.01% 184 Terphenyl, hydrogenated 61788-32-7 0.01% 185 Octamethylcyclopertasiloxane (D4) 566-67-2 0.01% 186 Decamethylcyclohexasiloxane (D5) 541-02-6 0.01% 187 Dodecamethylcyclohexasiloxane (D6) 540-97-6 0.01% 188 Ethylenediamine (EDA) 107-15-3 0.01% 189 Lead 7439-92-1 0.01% 190 Disodium octaborate (*2)(*5) 12008-41-2 0.01% 191 Benzo(grillpenylene 191-24-2 0.01% 192 2,2-bis(4'-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo(kjitluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo(2,2,1]heptan-2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate <td< td=""><td>180</td><td>[12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering</td><td>-</td><td>0.01%</td></td<> | 180 | [12.2.1.16,9.02,13.05,10]octadeca-7,15-diene ("Dechlorane Plus"TM) [covering | - | 0.01% |
| 183 Dicyclohexyl phthalate (DCHP) 84-61-7 0.01% 184 Terphenyl, hydrogenated 61788-32-7 0.01% 185 Octamethylcyclotertasiloxane (D4) 556-67-2 0.01% 186 Decamethylcyclopentasiloxane (D5) 541-02-6 0.01% 187 Dodecamethylcyclohexasiloxane (D6) 540-97-6 0.01% 188 Ethylenediamine (EDA) 107-15-3 0.01% 189 Lead 7439-92-1 0.01% 190 Disodium octaborate (*2)(*5) 12008-41-2 0.01% 191 Benzo[ghi]perylene 191-24-2 0.01% 192 2,-2-bis(4'hydroxyphenyl)-4-methylpentane 8807-17-6 0.01% 193 Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 207-08-9 0.01% 195 Phenanthrene 850-18 0.01% 196 Pyrene 129-00-0 0.01% 197 1,77-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% with of 4 nonylphenol, branched and linear (4-NP) 2.3.3,* startelluror-2-(pheptialurorpropoxylpropionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) 104 4-tert-butylphenol 98-54-4 0.01% 105 Perfluorobutane sulfonic acid (PFBS) and its salts 107-2-3-5 0.01% 107 2-3-3,* startelluror-2-2-(pheptialurorpropoxylpropionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) 104 4-tert-butylphenol 98-54-4 0.01% 105 Perfluorobutane sulfonic acid (PFBS) and its salts 107-2-3-5 0.01% 107 2-3-5-5 0.01% 108 Bis(2-(2-methoxyethylace)) derivs, wherein C12 is the predominant staron number of the fatty acyloxyl derivs, wherein C12 is the predominant staron number of the fatty acyloxyl derivs, wherein C12 is the predominant staron number of the fatty acyloxyl derivs, wherein C12 is the predominant staron number of the fatty acyloxyl derivs, wherein C12 is the predominant staron number of the fatty acyloxyl derivs, wherein C12 is the predominant staron number of the fatty acyloxyl derivs, wherein C12 is the predominant staron number of the fatty acyloxyl derivs, wherein C12 is the predominant staron number of the fatty acyloxyl derivs, whe | 181 | heptylphenol, branched and linear (RP-HP) [with ≥0.1% w/w 4-heptylphenol, | - | 0.01% |
| 184 Terphenyl, hydrogenated 61788-32-7 0.01% 185 Octamethylcyclotetrasiloxane (D4) 556-67-2 0.01% 186 Decamethylcyclopentasiloxane (D5) 541-02-6 0.01% 187 Dodecamethylcyclopentasiloxane (D6) 540-97-6 0.01% 188 Ethylenediamine (EDA) 107-15-3 0.01% 189 Lead 7439-92-1 0.01% 190 Disodium octaborate (*2)(*5) 12008-41-2 0.01% 191 Benzo(philperylene 191-24-2 0.01% 192 2,2-bis(4'-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo(k)fluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 85-01-8 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo(2,2,1)heptan-2-one 15087-24-8 0.01% 199 Tirs(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% wiv of 4 - - | 182 | Benzene-1,2,4-tricarboxylic acid 1,2 anhydride (trimellitic anhydride, TMA) | 552-30-7 | 0.01% |
| 185 Octamethylcyclotetrasiloxane (D4) 556-67-2 0.01% 186 Decamethylcyclopentasiloxane (D5) 541-02-6 0.01% 187 Dodecamethylcyclopentasiloxane (D6) 540-97-6 0.01% 188 Ethylenediamine (EDA) 107-15-3 0.01% 189 Lead 7439-92-1 0.01% 190 Disodium octaborate (*2)(*5) 12008-41-2 0.01% 191 Benzo[ghilperylene 191-24-2 0.01% 192 2,2-bis(4'-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 85-01-8 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2,2,1]heptan-2-one 15087-24-8 0.01% 199 2-methoxyethyl acetate 110-49-6 0.01% 199 17ris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% ww of 4 - 0.01% | 183 | Dicyclohexyl phthalate (DCHP) | 84-61-7 | 0.01% |
| 188 Decamethylcyclopentasiloxane (D5) 541-02-6 0.01% 187 Dodecamethylcyclohexasiloxane (D6) 540-97-6 0.01% 188 Ethylenediamine (EDA) 107-15-3 0.01% 189 Lead 7439-92-1 0.01% 190 Disodium octaborate (*2)(*5) 12008-41-2 0.01% 191 Benzo[ghi]perylene 191-24-2 0.01% 192 22-bis(4'-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 207-08-9 0.01% 195 Phenanthrene 206-44-0 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2,2.1]heptan-2-one 15087-24-8 0.01% 198 2-methoxythyl acetate 110-49-6 0.01% 199 Tis(4-nonylphenyl, branched and linear (4-NP) 0.01% 190 1-nonylphenol, branched and linear (4-NP) 0.01% 200 2,3,3,3-tetrafluoro-2-(heptafluoropropoxylpropionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) 0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone 119313-12-1 0.01% 203 2-benzyl-2-dimethylamino-4-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinobutyrophenone 119313-12-1 0.01% 205 1-vinylimidazole 693-98-1 0.01% 206 1-vinylimidazole 693-98-1 0.01% 207 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 208 2-butyl-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-0,0')tin(*15) 22673-19-4 201 2-(4-tert-butylbenane-2,4-dionato-0,0')tin(*15) 22673-19-4 201 2-(4-tert-butylbenon 0.01% 0.01% 202 2-(4-tert-butylbenon 0.01% 0.01% 203 2-(4-tert-butylbenon 0.01% 0.01% 204 2-(4-tert-butylbenon 0.01% 0.01% 205 2-(4-tert-butylbenon 0.01% 0.01% 206 2-(4-tert-butylbenon 0.01% 0.01% 207 2-(4-tert-butylbenon 0.01% 0.01% 208 2-(4-tert-butylbenon 0.01% | 184 | Terphenyl, hydrogenated | 61788-32-7 | 0.01% |
| 187 Dodecamethylcyclohexasiloxane (D6) 540-97-6 0.01% 188 Ethylenediamine (EDA) 107-15-3 0.01% 189 Lead 7439-92-1 0.01% 190 Disodium octaborate (*2)(*5) 12008-41-2 0.01% 191 Benzo[ghi]perylene 191-24-2 0.01% 192 2,-bis(4*-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 206-44-0 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-timethyl-3-(phenylmethylene)bicyclo[2,2,1]heptan-2-one 15087-24-8 0.01% 198 Z-methoxyethyl acetate 110-49-6 0.01% 199 Tis(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 0.01% 199 Tis(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 0.01% 190 2.3,3,3-terralluoro-2-(heptalluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) 98-54-4 0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phithalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4*-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 206 1-vinylimidazole 1072-63-5 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-0,0*)tin(*15) 22673-19-4 201 2-(4-tert-butylbenzylpropionaledhyde and its individual stereoisomers 0.01% 201 2-(4-tert-butylbenzylpropionaledhyde and its individual stereoisomers 0.01% 202 2-(4-tert-butylbenzylpropionaledhyde and its individual stereoisomers 0.01% 203 2-(4-tert-butylbenzylpropionaledhyde and its individual stereoisomers 0.01% 204 2-(4-tert-butylbenzylpropionaledhyde and its individual stereoisomers 0.01% 205 2-(4-tert-butylbenzylpropionaledhyde and its individual stereoisomers 0.01% | 185 | Octamethylcyclotetrasiloxane (D4) | 556-67-2 | 0.01% |
| 188 | 186 | Decamethylcyclopentasiloxane (D5) | 541-02-6 | 0.01% |
| 189 Lead 7439-92-1 0.01% 190 Disodium octaborate (*2)(*5) 12008-41-2 0.01% 191 Benzo[ghi]perylene 191-24-2 0.01% 192 2,2-bis(4'-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 85-01-8 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2,2,1]heptan-2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 - 0.01% - 0.01% 200 2,3,3-stertafluor-2-(rheptafluoropropoxylypropionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) - 0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 Disohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 2 | 187 | Dodecamethylcyclohexasiloxane (D6) | 540-97-6 | 0.01% |
| 190 Disodium octaborate (*2)(*5) 12008-41-2 0.01% 191 Benzo[ghi]perylene 191-24-2 0.01% 192 2,2-bis(4'-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 85-01-8 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2,2,1]heptan-2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 4-methoxyethyl acetate 110-49-6 0.01% 199 4-methoxyethyl acetate 110-49-6 0.01% 199 4-methoxyethyl acetate 10,3,3,3-tetrafluorop-2-(heptafluoropropoxy)propionic acid, its salts and its acyl haldes (covering any of their individual isomers and combinations thereof) - 0.01% 200 2-methoyl-1-(4-methylthiophenyl)-2-morpholinobutyrophenone 119313-12-1 0.01% 201 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 202 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 203 2-methyl-imidazole 693-98-1 0.01% 204 2-methyl-imidazole 693-98-1 0.01% 205 2-methyl-imidazole 693-98-1 0.01% 206 1-virylimidazole 693-98-1 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 2-methyl-imidazole 693-98-1 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,0')tin(*15) 22673-19-4 (Sh.B.M.) 200 2-methyl-imidazole 143-24-8 0.01% 201 2-methyl-imidazole 143-24-8 0.01% 202 2-methoxyethoxy)ethyl)ether 0.01% 203 2-methoxyethoxyethoxylethyl)ether 0.01% 204 2-methoxyethoxylethyl)ether 0.01% 205 2-methoxyethoxylethyl)ether 0.01% 206 2-methoxyethoxylethyl)ether 0.01% 207 2-methoxyethoxylethyl)ether 0.01% 208 2-methoxyethoxylethyl)ether 0.01% 0.01% 209 0.01% 0.01% 0.01% 209 0.01% 0.01% 0.01% 209 0.01% 0.01% 0.01% 209 0.01% 0.01% 0.01% 200 0.01% 0.01% 0.01% 200 0.01% 0.01% | 188 | Ethylenediamine (EDA) | 107-15-3 | 0.01% |
| 191 Benzo[ghi]perylene 191-24-2 0.01% 192 2,2-bis(4'-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 85-01-8 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7.7-trimethyl-3-(phenylmethylene)bicyclo[2,2,1]heptan-2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 176(4-nonylphenyl, branched and linear (4-NP) - 0.01% 200 13,3,3-tetrafluoro-2-(heptafluoropropoxylpropionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) - 0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% < | 189 | Lead | 7439-92-1 | 0.01% |
| 192 2,2-bis(4'-hydroxyphenyl)-4-methylpentane 6807-17-6 0.01% 193 Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 85-01-8 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2,2.1]heptan-2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 -00/19henol, branched and linear (4-NP) -0.01% 200 2,3,3-3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) -0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 205 Perfluorathere 1072-63-5 0.01% 206 Perfluorathere | 190 | Disodium octaborate (*2)(*5) | 12008-41-2 | 0.01% |
| Benzo[k]fluoranthene 207-08-9 0.01% 194 Fluoranthene 206-44-0 0.01% 195 Phenanthrene 85-01-8 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2,2.1]heptan-2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 - 0.01% 190 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) - 0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 205 Perfluorobutane sulfonic acid (PFBS) and its salts - 0.01% 206 2-methylimidazole 693-98-1 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 22673-19-4 Shaon 0.03% 210 Sisc(2-(2-methoxyethoxy)ethyl)ether 143-24-8 0.03% 211 Sisc(2-(2-methoxyethoxy)ethyl)ether 143-24-8 0.03% 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 203 0.04% 0.04% 0.04% 204 0.04% 0.04% 0.04% 205 0.04% 0.04% 0.04% 206 0.04% 0.04% 0.04% 207 0.04% 0.04% 0.04% 208 0.04% 0.04% 0.04% 209 0.04% 0.04% 0.04% 209 0.04% 0.04% 0.04% 209 0.04% 0.04% 0.04% 200 0.04% 0.04% 0.04% 201 0.04% 0.04% 0.04% 202 0.04% 0.04% 203 0.04% 0.04% 0.04% 204 0.04% 0.04% 0.04% 205 0.04% 0.04% 0.04% 0.04% 206 0.04% 0.04% 0.04% 0.04% 207 0.04% 0.04% 0.04% 0.04% 208 | 191 | Benzo[ghi]perylene | 191-24-2 | 0.01% |
| Fluoranthene 206-44-0 0.01% 195 Phenanthrene 85-01-8 0.01% 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan-2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 - 0.01% 200 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) - 0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 205 Perfluorobutane sulfonic acid (PFBS) and its salts - 0.01% 206 1-vinylimidazole 1072-63-5 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,O)tin(*15) 22673-19-4 Shaga 201 Sis(2-(2-methoxyethoxy)ethyl)ether 143-24-8 10.01% 201 Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 202 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 203 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 204 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 205 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 208 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 209 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 201 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 202 2-(4-tert- | 192 | 2,2-bis(4'-hydroxyphenyl)-4-methylpentane | 6807-17-6 | 0.01% |
| Phenanthrene 85-01-8 0.01% | 193 | Benzo[k]fluoranthene | 207-08-9 | 0.01% |
| 196 Pyrene 129-00-0 0.01% 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan- 2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 -nonylphenyl, branched and linear (4-NP) - 0.01% 200 2,33,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) - 0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 205 Perfluorobutane sulfonic acid (PFBS) and its salts - 0.01% 206 1-vinylimidazole 693-98-1 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-Q,O')tin(*15) 22673-19-4 | 194 | Fluoranthene | 206-44-0 | 0.01% |
| 197 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan- 2-one 15087-24-8 0.01% 198 2-methoxyethyl acetate 110-49-6 0.01% 199 Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 -nonylphenol, branched and linear (4-NP) 200 2,3,3,3-tetrafluoro-2-(heptafluoropopoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 205 Perfluorobutane sulfonic acid (PFBS) and its salts - 0.01% 206 1-vinylimidazole 1072-63-5 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 22673-19-4 Shadon of the fatty acyloxy derivs, wherein C12 is the predominant carbon number of the fatty acyloxy derivs, wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 10.01% 201 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 202 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% | 195 | Phenanthrene | 85-01-8 | 0.01% |
| 198 2-methoxyethyl acetate 110-49-6 0.01% 199 Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 -nonylphenol, branched and linear (4-NP) - 0.01% 200 2,3,3,3-stetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) - 0.01% 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 205 Perfluorobutane sulfonic acid (PFBS) and its salts - 0.01% 206 1-vinylimidazole 1072-63-5 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-Q,O')tin(*15) 22673-19-4 Shagata 211 Bis(2-(2-methoxyethoxyethoxyethyl)ether 143-24-8 0.04-24 <td< td=""><td>196</td><td>Pyrene</td><td>129-00-0</td><td>0.01%</td></td<> | 196 | Pyrene | 129-00-0 | 0.01% |
| Tris(4-nonylphenyl, branched and linear) phosphite (TNPP) with ≥ 0.1% w/w of 4 -nonylphenol, branched and linear (4-NP) 200 2,3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) 201 4-tert-butylphenol 202 Diisohexyl phthalate (DiHexP) 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 205 Perfluorobutane sulfonic acid (PFBS) and its salts 206 1-vinylimidazole 207 2-methylimidazole 208 Butyl 4-hydroxybenzoate 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 210 Bis(2-(2-methoxyethoxy)ethyl)ether 211 Sins(2-(2-methoxyethoxy)ethyl)ether 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers 200 Dibutylbenzyl)propionaldehyde and its individual stereoisomers 201 Sins(2-(2-tert-butylbenzyl)propionaldehyde and its individual stereoisomers 202 Dibutylbenzyl)propionaldehyde and its individual stereoisomers | 197 | 1,7,7-trimethyl-3-(phenylmethylene)bicyclo[2.2.1]heptan- 2-one | 15087-24-8 | 0.01% |
| -nonylphenol, branched and linear (4-NP) 200 2.3,3,3-tetrafluoro-2-(heptafluoropropoxy)propionic acid, its salts and its acyl halides (covering any of their individual isomers and combinations thereof) 201 4-tert-butylphenol 202 Diisohexyl phthalate (DiHexP) 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 205 Perfluorobutane sulfonic acid (PFBS) and its salts 206 1-vinylimidazole 207 2-methylimidazole 208 Butyl 4-hydroxybenzoate 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 201 Bis(2-(2-methoxyethoxy)ethyl)ether 202 Diocyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 200 1-vinylbenzyl)propionaldehyde and its individual stereoisomers | 198 | 2-methoxyethyl acetate | 110-49-6 | 0.01% |
| halides (covering any of their individual isomers and combinations thereof) 201 4-tert-butylphenol 98-54-4 0.01% 202 Diisohexyl phthalate (DiHexP) 71850-09-4 0.01% 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 119313-12-1 0.01% 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 205 Perfluorobutane sulfonic acid (PFBS) and its salts - 0.01% 206 1-vinylimidazole 1072-63-5 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 22673-19-4 Sh.201% 210 Bis(2-(2-methoxyethoxy)ethyl)ether 143-24-8 0.01% 211 Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% | 199 | | - | 0.01% |
| Diisohexyl phthalate (DiHexP) 202 Diisohexyl phthalate (DiHexP) 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 205 Perfluorobutane sulfonic acid (PFBS) and its salts 206 1-vinylimidazole 207 2-methylimidazole 208 Butyl 4-hydroxybenzoate 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 210 Bis(2-(2-methoxyethoxy)ethyl)ether 211 Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers 213 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 214 19313-12-1 215 0.01% 216 0.01% 217 2-methylimidazole 218 0.01% 219 2-f4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | 200 | | <u>-</u> | 0.01% |
| 203 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 71868-10-5 70.01% 205 Perfluorobutane sulfonic acid (PFBS) and its salts | 201 | 4-tert-butylphenol | 98-54-4 | 0.01% |
| 204 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one 71868-10-5 0.01% 205 Perfluorobutane sulfonic acid (PFBS) and its salts - 0.01% 206 1-vinylimidazole 1072-63-5 0.01% 207 2-methylimidazole 8utyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 210 Bis(2-(2-methoxyethoxy)ethyl)ether Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% 1072-63-5 0.01% 693-98-1 0.01% 143-26-8 0.01% 143-24-8 0.01% 143-24-8 0.01% 143-24-8 0.01% 143-24-8 1 0.01% 143-24-8 | 202 | Diisohexyl phthalate (DiHexP) | 71850-09-4 | 0.01% |
| Perfluorobutane sulfonic acid (PFBS) and its salts 1 | 203 | 2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone | 119313-12-1 | 0.01% |
| 206 1-vinylimidazole 1072-63-5 0.01% 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 22673-19-4 (Sh2.01% 210 Bis(2-(2-methoxyethoxy)ethyl)ether 143-24-8 Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% | 204 | 2-methyl-1-(4-methylthiophenyl)-2-morpholinopropan-1-one | 71868-10-5 | 0.01% |
| 207 2-methylimidazole 693-98-1 0.01% 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 22673-19-4 (Sh201** 210 Bis(2-(2-methoxyethoxy)ethyl)ether 143-24-8 Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers - 0.01% | 205 | Perfluorobutane sulfonic acid (PFBS) and its salts | - | 0.01% |
| Butyl 4-hydroxybenzoate 208 Butyl 4-hydroxybenzoate 94-26-8 0.01% 209 Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 210 Bis(2-(2-methoxyethoxy)ethyl)ether Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers 94-26-8 0.01% Sh2.01% 143-24-8 1 0.01% 143-24-8 1 0.01% 143-24-8 1 0.01% | 206 | 1-vinylimidazole | 1072-63-5 | 0.01% |
| Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) 210 Bis(2-(2-methoxyethoxy)ethyl)ether Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | 207 | 2-methylimidazole | 693-98-1 | 0.01% |
| 210 Bis(2-(2-methoxyethoxy)ethyl)ether Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | 208 | Butyl 4-hydroxybenzoate | 94-26-8 | 0.01% |
| Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | 209 | Dibutylbis(pentane-2,4-dionato-O,O')tin(*15) | | (Sh201% |
| Dioctyltin dilaurate, stannane, dioctyl-, bis(coco acyloxy) derivs., and any other stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant carbon number of the fatty acyloxy moiety (*13) 212 2-(4-tert-butylbenzyl)propionaldehyde and its individual stereoisomers | 210 | Bis(2-(2-methoxyethoxy)ethyl)ether | 143-24-8 | L 10.08 Ray |
| | 211 | stannane, dioctyl-, bis(fatty acyloxy) derivs. wherein C12 is the predominant | M Rh 政 | |
| 213 Orthoboric acid, sodium sait ("2) ("5) 13840-567 AND HOLES | | , , , , , , | 12040 52 米 | - 10 |
| (3) | 213 | Orthodoric acid, sodium sait ("2) ("5) | 13840-56 | (世界マルギノ・・) |



924-42-5

Page 10 of 11

0.01%

| • ` | ot Report No.: 24-4-000025 002 | _ | |
|-----|---|--|-------|
| 214 | 2,2-bis(bromomethyl)propane1,3-diol (BMP) 2,2-dimethylpropan-1-ol, tribromo derivative/3-bromo-2,2-bis(bromomethyl)-1-propanol (TBNPA) 2,3-dibromo-1-propanol (2,3-DBPA) | 3296-90-0 / 36483-57-5 / 1522-92-5 / 96-13-9 | 0.01% |
| 215 | Glutaral | 111-30-8 | 0.01% |
| 216 | Medium-chain chlorinated paraffins (MCCP) [UVCB substances consisting of more than or equal to 80% linear chloroalkanes with carbon chain lengths within the range from C14 to C17] | - | 0.01% |
| 217 | Phenol, alkylation products (mainly in para position) with C12-rich branched or linear alkyl chains from oligomerisation, covering any individual isomers and/ or combinations thereof (PDDP) | - | 0.01% |
| 218 | 1,4-dioxane | 123-91-1 | 0.01% |
| 219 | 4,4'-(1-methylpropylidene)bisphenol | 77-40-7 | 0.01% |
| 220 | tris(2-methoxyethoxy)vinylsilane | 1067-53-4 | 0.01% |
| 221 | S-(tricyclo(5.2.1.0'2,6)deca-3-en-8(or 9)-yl O-(isopropyl or isobutyl or 2-ethylhexyl) O-(isopropyl or isobutyl or 2-ethylhexyl) phosphorodithioate | 255881-94-8 | 0.01% |
| 222 | 6,6'-di-tert-butyl-2,2'-methylenedi-p-cresol | 119-47-1 | 0.01% |
| 223 | (±)-1,7,7-trimethyl-3-[(4-methylphenyl)methylene]bicyclo[2.2.1]heptan-2-one covering any of the individual isomers and/or combinations thereof (4-MBC) (3E)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1R,3E,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1S,3Z,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1R,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1R,3E,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1S,3E,4R)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one (1R,3Z,4S)-1,7,7-trimethyl-3-(4-methylbenzylidene)bicyclo[2.2.1]heptan-2-one | 1782069-81-1 95342-41-9 852541-25-4 36861-47-9 741687-98-9 852541-30-1 852541-21-0 | 0.01% |

Remark:

224 N-(hydroxymethyl)acrylamide

- (*2) The substances are tested and calculated in terms of its respective elements and to the worst-case scenario. The report states the theoretical value of SVHC substances without consideration of the actual occurrence in the article.
- (*3) The substances are tested and calculated in terms of Cr (VI).

Test Report No.: 244436362b 002

- (*4) The substance is tested and calculated in terms of Tributyl tin.
- (*5) The substances are confirmed and tested in terms of borate and the borate may come from the compounds other than SVHCs.
- (*6) The substances are UVCB (substance of unknown or variable composition, complex reaction products or biological materials), which are identified by its main constituents.
- (*7) Individual concentrations to the constituent of UVCB with an amount of < 0.01% were not considered by the calculation of the sum.
- (*8) The test results are based on microscopic and chemical evaluation.
- (*9) The substances are quantified in terms of Michler's ketone and Michler's base by LC-MS, as Michler's ketone or Michler's base was found exceeds 0.01%.
- (*10) The content oligomer is determined by Py-GC/MS.
- (*11) The content of diazene-1,2-dicarboxamide is analyzed in terms of its breakdown product.
- (*12) The substance is tested in terms of pentadecafluorooctanoate.
- (*13) The substance is tested and calculated in terms of Dioctyl tin.
- (*14) The substance is tested and calculated in terms of Monooctyl tin and Dioctyl tin.
- (*15) The substance is tested and calculated in terms of Dibutyl tin
- (*16) The tested material(s) was screened only for selected SVHCs. Selection of tests refers to the material type and application and the possibility of contamination during production & material specific and contamination of the product.
- (*17) The other SVHCs which are not mentioned in test result were either not subject to testing according remark *16 or less than report limit.
- (*18) The theoretical content of SVHC substances is calculated in terms of its respective elements. This material may contains the mentioned SVHCs, it is suggested to check the respective recipe if the theoretical content of the respective substance >0.1% in each article



Page 11 of 11

Sample Photo



- END -





General Terms and Conditions of Business of TÜV Rheinland in Greater China

These General Terms and Condisions of Business of TÜV Rheinland in Greater China ("CTCE") is made between the client and one or more member entitles of TÜV Rheinland in Terter State ("CTCE") is made between the client and one or more member entitles of TÜV Rheinland in Terter State ("China hered" China hered refers to Mainland China. Hong Kong and Talwan. The client hereof includes ("China hered") concludes the contract of the repulse of a day laws. (In a natural person capable to form legally binding contracts under the applicable laws who concludes the contract not for the purpose of a day laws ("China hered") contracts and capable to form legally binding contracts under the applicable law. The following terms and conditions apply to agreed services including consultancy services, information, deliveries and similar services as well as a molitary services and other secondary obligations provided within the scope of contract performance.

coagainors provided within the scope of contract performance.

Any standard tream and conditions of the client of any nature shall not apply and shall hereby be expressly excluded. No standard contractual terms and conditions of the client shall form part of the contract even if TU Rheinland does not explicitly object to them. A shall slot apply to future contracts with the client without TUV Rheinland having to refer to them separately in each individual care.

Unless otherwise agreed, all quotations submitted by TÜV Rheinland can be changed by TÜV Rheinland without notice prior to its acceptance and confirmation by the other party.

The contract shall come into effect for the agreed terms upon the quotation letter of TDV. Rheinland or a separate contractual document being signed by both contracting parties, or upon the works requested by the client being carried out by TDV. Rheinland. If the client instructs TDV Rheinland without receiving a quotation from TDV. Rheinland, quotation, TDV. Rheinland is, in its sole discretion, entitled to accept the order by giving written notice of such acceptance (including notice sent with electronic means) or by performing the requested productions of the contraction of the contract

services.
The contract term starts upon the coming into effect of the contract in accordance with article 3.1 and shall continue for the term agreed in the contract.
If the contract provides for an extension of the contract term, the contract term will be extended by the term provided for in the contract unless terminated in writing by either party with a three-month notice prior to the end of the contractual term.

Scope of services

The scope and type of the services to be provided by TÜV Rheinland shall be specified in the contractually agreed service scope of TÜV Rheinland by both parties. If no such separate service scope of TÜV Rheinland by both parties. If no such separate service scope of TÜV Rheinland of service scope of TÜV Rheinland of service to be provided. Unless otherwise agreed, services beyond the scope of the service description (e.g. checking the correctness and functionality of parts, products, processes, installations, organizations not listed in the service description, as well as the intended use and application of such jare not work in particular, or responsibility is assumed for the design, electric of materials, construction or intended use of an examined The appends are plant, unless this is operasily sealed in the order. The appends are serviced to the contract is entered into.

TÜV Rheinland is entitled to determine, in its soel descreten, the method and nature of the assessment unless otherwise agreed in writing or if mandatory provisions require a specific procedure to be followed.

TOV Rheinland is entitled to determine, in it is now assessment unless otherwise agreed in writing of it mandatory provisions require a specific procedure to be followed.

The provision of the provision of the provision of the provision of any gusrantee of the Correctness (proving plant of the provision of the accuracy or the accuracy or

in accordance with regulations, unless these questions are expressly covered by the contract. In the case of impection work. TVV Rehelland shall not be responsible for the accuracy or checking of the safety programmes or safety regulations on which the inspections are based, unless otherwise expressly agreed in writing.

If mandatory legal regulations and standards or official requirements for the agreed service scope change after conclusion of the contract, which a written notice to the client, TVV Rehelland shall be entitled to additional remuneration for resulting additional expenses. The services to be provided by TVV Rehelland shall be entitled to additional remuneration for resulting additional expenses. The services to be provided by TVV Rehelland under the contract or agreed exclusively with the client. A contract of third parties with the services of TVV Rehelland, as well as making reports, etc.) is not part of the agreed services. This also applies if the client passes on work results - in full or in extracts - to third parties in accordance with clause 11.4.

5.1

Performance periodicidates
The contractingly agent periodicidates of performance are based on estimates of the work invoked which are prepared in line with the details provided by the client. They shall only be binding if being confirmed as binding by TUV Rheinland in writing.
If binding periodic of performance have been agreed, these periods shall not commence until the client has submitted all required documents to TUV Rheinland.
If binding periodicidates of performance have been agreed, these periodicidates of performance not caused by TUV Rheinland.
If the periodicidates of performance not caused by TUV Rheinland, the client has soft of the periodicidates of performance not caused by TUV Rheinland in the client has not done so in time and, in periodicidates of performance of a delay in performance, in particular if the client has not fulfilled the soft and the client has not done so in time and, in performance of the service as specified in the contract.

If the performance of TUV Rheinland is delayed due to unforeseeable circumstances such as force majeure, strike, business disruptions, governmental regulations, transport obstacles, etc., TUV Rheinland is entitled to postpore performance for a reasonable period of time which required to resume performance.

If the client is obliged to comply with legal, officially prescribed and/or by the accreditor prescribed deathles, it is the client's responsibility in this respect urities TUV Rheinland espression are one of the hindrance of the service of the which required to resume performance.

The client shall guarantee that all cooperation required on its part, its agents or third parties will be provided in good time and at no cost to $T\bar{U}V$ Rheinland.

be provised in good eine and at no cost of 100 Kneinland.

Design documents, supplies, auditing staff, etc. necessary for performance of the services shall be made available free of charge by the client. Moreover, collaborative action of the client must be undertaken in accordance with legal provisions, standards, safety regulations and accident prevention instructions. And the client represents and warrants or

The product, service or management system to be certified complies with applicable laws and regulations; and

It doesn't have any illegal and dishonest behaviours or is not included in the list of Enterprises with Serious Illegal and Dishonest Acts of People's Republic of China.

If the client breaches the aforesaid representations and warranties, TÜV Rheinland is entitled to i) immediately terminate the contract/order without prior notice; and ii) withdraw the issued testing report/certificates if any.

The client shall bear any additional cost incurred on account of work having to be redone or being delayed as a result of late, incorrect or incomplete information provided by or lack of proper cooperation from the cli

If the scope of performance is not laid down in writing when the order is placed, invoicing shall be based on costs actually incurred. If no price is agreed in writing, invoicing shall be made in accordance with the price list of TUV Rheinland valid at the time of performance. Unless otherwise agreed, work shall be invoiced according to the progress of the work. If the execution of an order extends over more than one month and the value of the contract or the agreed fixed price exceeds \$2,500.00 or equivalent value in local currency. TUV Rheinland may demand payments on account or in installments.

All invoice amounts shall be due for payment within 30 days of the invoice date without deduction on receipt of the invoice. No discounts and rebates shall be granted. Payments shall be made to the bank account of TÜV Rheinland as indicated on the invoice, sating the invoice and client numbers and client numbers and client numbers are entitled to client deduction from the state of the payment of the payment of the country where TÜV Rheinland is located. At the same time, TÜV Rheinland shale he right to claim further damages. Should the client of default in payment of the invoice despite being granted a reasonable grace period, TÜV Rheinland shall be entitled to cancel the contract, which was the certificate, claim damages for new-entimance and related to charge the promises of the contract designs, claim of payment, commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings against the client's assets or cases in which the commencement of insolvency proceedings has been disnisted due to lack of assets. s. ns to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of

Objections to the invoices of TÜV Rheinland shall be submitted in writing within two weeks of receiped of the invoices.

TÜV Rheinland shall be entitled to demand appropriate advance payments.

TÜV Rheinland shall be entitled to fraise its fees at the beginning of a month if overheads and/or purchase costs have increased. In this case, TÜV Rheinland shall notify the client in writing of the rise in fees. This notification shall be issued one month prior to the date on which the rise in fees shall come into effect (period of notice of changes in fees). If the rise in fees remains under 5% per contractual year, the client shall not have the right to terminate the contract. If the rise in fees exceeds 5% per contractual year, the client shall be entitled to terminate the contractual by the vide of the period of notice of changes in fees. If the contract terminate the contractual by the vide of the period of notice of changes in fees. If the contract the period of notice of changes in fees. If the contract of the expiry of the notice period.

Only legally established and undisputed claims may be offset against claims by TÜV Rheinland. TÜV Rheinland that limes to setoff any amount due or payable by the client, including but not limited to setoff against any fees paid by the client under any contracts, agreement and/or orders/quotations reached with TÜV Phienland.

Acceptance of work

Any part of the work result ordered which is complete in itself may be presented by $T\bar{U}V$ Rheinland for acceptance as an instalment. The client shall be obliged to accept it

immediately. If acceptance is required or contractually agreed in an individual case, this shall be deemed to have taken place two (2) weeks after completion and handover of the work, unless the client refuses acceptance within this period stating at least one fundmental breach of contract by TIM Publicians. berinland.

ent is not entitled to refuse acceptance due to insignificant breach of contract by TÜV

The client is not entitled to refuse acceptance due to insignificant breach of contract by TUV remeinland.
The control of the

Confidentiality

For the purpose of these terms and conditions, "confidential information," means all know-how, trade secrets, documents, images, drawings, expertise, information, data, test results, reports, samples, project documents, princing and financial information, customer and supplier information, and marketing techniques and materials, techniques and techn

biddle count accreditation bodies or third parties that are involved in the performance of the contract, must be treated by the receiving party with the same level of confidentiality as the receiving party uses to protect its own confidential information, but never with a lesser level of confidentiality than that which is reasonably required.

The protection of the confidentiality than that which is reasonably required. The receiving party uses to protect its own confidential information received from the disclosing party coly to those of its employees who need this information to perform the services required for the contract. The receiving party undestables to oblige these employees to observe the same level of services party confidentiality clause. Information for which the receiving party can turnish proof that: it was generably whom at the time of disclosure or has become general knowledge without violation of this confidentiality clause by the receiving party, or which is confidentiality clause by the receiving party or the receiving party can be provided by the disclosure by the disclosure by the disclosure party, sharp party developed it itself, irrespective of disclosure by the disclosing party, sharp her receiving party can be party developed it itself, irrespective of disclosure by the disclosing party, sharp and the party can be considered to the receiving party or the receiving party can be considered to the considered party can be considered to the considered t

10.5 a)

b) c)

the receiving party already possessed this information prior to disclosure by the disclosing party or party or the receiving party developed it itself, irrespective of disclosure by the disclosing party, shall not be deemed to constitute "confidential information" as defined in this confidential prior to be deemed to constitute "confidential information" as defined in this confidential prior party. The receiving party hereby agrees to immediately (of termal confidential information party, the disclosing party, to destroy all confidential the disclosing party, and/or (i) on request by the disclosing party, to destroy all confidential the disclosing party in writing, at any time if so requested by the disclosing party but at the disclosing party with reflect the disclosing party but at the disclosing party in writing, at any time if so requested by the disclosing party but at the disclosing party with reflect the disclosing party but at the disclosing party but at the disclosing party but at the disclosing party that the disclosing party to writing at any time if so requested by the disclosing party but at the disclosing party but at

10.7

Copyrights and rights of use, publications

11.1

Copyrights and rights of use, publications
TUV Rheinland shall retain all exclusive copyrights in the reports, expert reports/opinions, test
reports/results, results, acclusions, presentations etc. prepared by TUV Rheinland, unless
otherwise agreed by the parties in a separate agreement. As the owner of the copyrights, TUV
use ("right out great test her right to use the work results for individual or all types of
The client receives a simple, unlimited, non-transferable, non-sublicensable right of use to the
contents of the work results produced within the scope of the contract, unless otherwise
agreed by the parties in a separate agreement. The client may only use such reports, expert
the scope of the contract for the contractally agreed purpose.
The transfer of right of use of the generated work results regulated in clause 11.2. of the GTGB
is subject to full geyment of the remunestion agreed in showed TUV Rheinland basis on the
work results in full unless TUV Rheinland has given its prior written consent to the partial
passing on of work results.
Any publication or duplication of the work results for advertising purposes or any further use of
introduction of TUV Rheinland need the prior written approval of TUV Rheinland here
the price of the second results.
The consent of TUV Rheinland client is colleged to stop the transfer or the work results to refer the second produced the second part of the remove the prior written approval of TUV Rheinland to pulse the second part of the work results immediately at its own expense and, as far as possible, to withdraw publication.

The consent of TUV Rheinland to pulselation or duplication of the work results immediately at his own expense and, as far as possible, to withdraw publication.

The consent of TUV Rheinland to pulselation or duplication of the work results immediately at his own expense and, as far as possible, to withdraw publication.

11.6

Liability of TÜV Rheinland

Liability of TÜV Rheinland
Irrespective of the legal basis, to the fullest exent permitted by applicable law, in the event of a
breach of contractual obligations or tort, the liability of TÜV Rheinland for all damages, losses
and reimbursement of expenses caused by TÜV Rheinland, its legal representatives and/or
employees shall be limited bit; (i) in the case of a contract with a faed overall fee, three times
entry the case of a contract expressly charged on a time and
material basis, a maximum of 2000 Euro or equivalent amount in local currency, and (vi) in
the case of a framework agreement that provides for the possibility of placing individual orders,
three times of the fee for the individual order under which the damages or losses have
cocurred. Notwithstanding the above, in the event that the total and accumulated islability
calculated according to the foreign provision rescreeds 25 Million Euro or equivalent amount
or handle to
and shall not exceed the said 2.5 Million Euro or equivalent amount in local currency.
The limitation of lability according to active 12 th above shall not apply to damages and
various agents. Such limitation shall not apply to damages for a person selent, physical
injury of timess.

In the contract of the provision in the case of the provision secretary
injury of timess.

vicarious agents. Such limitation shall not apply to damages for a person's death, physical injury of illness, and a fundamental breach of context, TVD Rehalend will be liable even where minor negligence is involved. For this purpose, a "fundamental breach" is breach of a material contractual obligation, the performance of which permits the due performance of the contract. Any claim for damages resonably foreseen as a possible consequence of such breach of contract shall be limited to the amount of damages resonably foreseen as a possible consequence of such breach of contract as the contract of the clean.

contract to the client.
The limitation periods for claims for damages shall be based on statutory provisions.
None of the provisions of this article 12 changes the burden of proof to the disadvantage of the

13.1

When passing on the services provided by TÜV Rheinland or parts thereof to third parties in Greater China or other regions, the client must comply with the respectively applicable regulations of national and international export control to the performance of a contract with the client is subject to the proviso that there are no obstacles to performance due to national or international foreign trade legislations or embarges and/or with immediate effect and the client shall compensate for the losses incured thereof by TÜV Rheinland.

The elient understands and agrees that TÜV Rheinland processes personal data (including but not limited to personal information) of the client and its related parties (including but not limited to the supplier of the client) for the purpose of fulfilling is contract. The client confirms that it has obtained the prior consent of the data subject, which entities TÜV Rheinland to access, use, or process the personal data that the client collected or processed by itself and data. TÜV Rheinland will use and process the data is no condence with the relevant legal basis. If any personal data has to be disclosed or transferred to any third party or any overseas party outside of the district in which the personal data was collected, the client also confirms that it has obtained the prior consent of the data subject. TÜV Rheinland will sure any outsides of the district in which the personal data was collected, the client also confirms that it has obtained the prior consent of the data subject. TÜV Rheinland will carry out cross-border asculing related laws and regulations in China and the local country. TÜV Rheinland will sate measures to avoid any leakage, abute, manipulation, damage or unauthorized access of personal data. The personal data will be deleted immediately as soon as a corresponding reason for deletion arises. Data subject may excesse the following rights: right of information, where the right to revoke their consent at any time with felfect for the future, as well as the right to file a complaint with the competent data protection supervisory authority. For further details on the processing of personal data by TÜV Rheinland as she person responsible or contract on the processing of personal data by TÜV Rheinland as she person responsible or contract on the processing of personal data by TÜV Rheinland as she person responsible or contract on the processing of personal data by TÜV Rheinland AG, cio Group Data Protection officer, Am Grauen Stein, \$1105 Cologne, Germany.

Retention of test material and documentation

The test samples submitted by the client to TUV Rheinland for testing will be scrapped following testing or will be returned to the client at the client's expense. The only exceptions are test samples, which are placed in storage on the basis of statutory regulations or of another Charges apply if the test samples are stored at the premises of TUV Rheinland. The cost of placing a test sample into storage will be disclosed to the client in the quotation. It reference samples or documentations are given to the client to be placed in storage at their premises, the reference samples or documentations must be made available to TUV references, the reference samples or documentations are given to the client to be placed in storage at their premises, the reference samples or documentations are given to the client to be placed in storage at their premises, the reference samples or documentation are given to the control of the cont 15.4

16.1

Termination of the contract

Notwithstanding clause 3.3 of the GTCB, TÜV Rheinland and the client are entitled to terminate the contract in its entirely or, in the case of services combined in one contract, each of the combined parts of the contract individually and independently of the continuation of the remaining services with six (6) mortifier notice to the end of the contractually agreed term. The combined is not to the contract of the contract which is the contract of the contract which is the contract of the contract which includes but not limited to the following:

a) the client class contract which includes but not limited to the following:

a) the client class contract which includes but not limited to the following:

b) the client misuses the conflictation or certification mark or uses it is violation of the contract;

c) in the event of several consecutive delays in payment class three times;

d) a substantial deterioration of the financial circumstances of the client cours and as a result the payment chains of TÜV Rheinland under the contract are considerably endingented and the contract in a considerably endingented and the contract of the client misuses the certificate or certification mark or uses it is violation of the contract;

d) in the event of any serious misrepresentation, be it by intentional fraud or grossly negligent behavior of the managers, employees or agents of the client course.

1) it TÜV Rheinland, for reasons beyond its control, is temporarily of finally not able or entitled powerment interferences, sanctions, use of accretification or notification or ordification or other, in the event of termination with written notice by TÜV Rheinland for pood cause, TÜV Rheinland for dampes against the client that conditions of a client for a finally service to the spaid until rove vent of termination with written notice of the client has not been able to make use of the time windows for auditing /aervice provision provided by TÜV Rheinland to good cause. TÜV Rheinland reserves the right to

17.2

withdrawn (for example during the performance of monitoring audis). Clause 16.3 applies accordingly.

Force Majeure

*Terore Nejeure' means the occurrence of an event or circumstance that prevents or impedes a Party from performing one or more of its contractual obligations under the contract, I and to a party from performing one or more of its contractual obligations under the contract, I and to the contract, and (c) that the effects of the impediment could not reasonably have been coverage and (b) that it conclusion of the contract, and (c) that the effects of the impediment could not reasonably have been overaged to the contract, and (c) that the effects of the impediment could not reasonably have been avoided or overcome by the efficied Party, contract the efficiency of t

18. 18.1.

18.3.

Hardship
The Parlies are bound to perform their contractual duties even if events have rendered performance more onerous than could reasonably have been anticipated at the time of the Notwithstanding paragraph 1 of this Clause, where a Party proves that:

The continued performance of its contractual duties has become excessively onerous due to an event beyond its reasonable control which it could not reasonably have been expected to have taken into account at the time of the continuation of the contract, and that attacked the control of the control of the contract, and that are also make the control of the control

19.3

agreement of the other Party.

Partial invalidity, written form, place of jurisdiction and dispute resolution.

All amendments and supplements must be in writing in order to be effective. This also applies to amendments and supplements to this clause 171.

It also applies to amendments and supplements to this clause 171.

Description of the property of the propert