Effective Date: 2020/4/20

SAFETY DATA SHEET

Zinc Flake Powder (<50um)

SHAN DONG JIE HAN METAL MATERIAL CO.,LTD

According to GHS (Eighth Revised Edition)



Section 1 Product and Company Identification

> Product Identifier

Product Name Zinc Flake Powder (<50um)

Synonyms Flake zinc powder, Lamellar zinc powder

CAS No. 7440-66-6

EC No. - Molecular Formula -

> Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified

Uses Please consult manufacturer.

Uses Advised Against Please consult manufacturer.

> Details of the Supplier of the Safety Data Sheet

Applicant Name Shandong jie han metal material co.,Ltd

Application Address qingyang industrial park zouping city shandong

china 250033

Applicant Post Code 250000

Applicant Telephone +86-531-88823503 **Applicant Fax** +86-531-88823503

Applicant E-mail Info@jhaluminiumpaste.com

Supplier Name Shandong jie han metal material co.,Ltd

Supplier Address qingyang industrial park zouping city shandong

china 250033

Supplier Post Code 250000

Supplier Telephone +86-531-88823503 **Supplier Fax** +86-531-88823503

Supplier E-mail Info@jhaluminiumpaste.com

> Emergency Phone Number

Emergency Phone Number +86-18254114470

Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the Eighth revised edition):

> GHS Hazard Class

Flammable Solids Category 1

GHS Label Elements

Pictogram



Signal Word Danger

> Hazard Statements

H228 Flammable solid

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

> Precautionary Statements

Prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting] equipment.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response

P391 Collect spillage.

Storage

Not applicable

Disposal

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.	
Zn	95-97	7440-66-6	231-175-3	
Stearic acid	3-5	57-11-4	266-928-5	

Section 4 First Aid Measures

> Description of First Aid Measures

General Advice Immediate medical attention is required. Show this safety data sheet (SDS) to

the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes and consult a

Inhalation

physician if feel uncomfortable.

Take off contaminated clothing and shoes immediately. Wash off with plenty of **Skin Contact**

water for at least 15 minutes and consult a physician if feel uncomfortable.

Do not induce vomiting. Never give anything by mouth to an unconscious Ingestion

person. Call a physician or Poison Control Center immediately.

Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not

breathing, give artificial respiration and consult a physician immediately.

Protecting of Ensure that medical personnel are aware of the substance involved. Take First-aiders precautions to protect themselves and prevent spread of contamination.

> Most Important Symptoms and Effects, both Acute and Delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

> Indication of Any Immediate Medical Attention and Special Treatment Needed

1 Treat symptomatically.

2 Symptoms may be delayed.

Section 5 Fire Fighting Measures

> Extinguishing Media

Suitable Extinguishing

Dry chemical, carbon dioxide, water spray, alcohol-resistant foam. Media

Unsuitable Do not use a solid water stream as it may scatter or spread fire. **Extinguishing Media**

> Specific Hazards Arising from the Substance or Mixture

1 Will form explosive mixtures with air.

- 2 Detonation may occur from heavy impact or excessive heating.
- 3 Flammable solid which burns and propagates flame easily, even when partly wetted with water.
- May burn fiercely. 4
- 5 Any source of ignition, i.e. friction, heat, sparks or flame, may cause fire or explosion.
- **6** Containers may explode when heated.
- 7 Fire exposed containers may vent contents through pressure relief valves.
- May expansion or decompose explosively when heated or involved in fire.

> Advice for Firefighters

- As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- **2** Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

Section 6 Accidental Release Measure

Personal Precautions, Protective Equipment and Emergency Procedures

- Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

> Environmental Precautions

- 1 Prevent further leakage or spillage if safe to do so.
- 2 Discharge into the environment must be avoided.

> Methods and Materials for Containment and Cleaning Up

- Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

Section 7 Handling and Storage

> Precautions for Handling

- To prevent fire caused by electrostatic discharge steam, equipment on all metal parts should be grounded.
- **2** Use explosion proof equipment.
- 3 Handling is performed in a well ventilated place.
- 4 Wear suitable protective equipment.
- 5 Avoid contact with skin and eyes.
- 6 Keep away from heat/sparks/open flames/ hot surfaces.
- 7 Take precautionary measures against static discharges.

> Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

Section 8 Exposure Controls/Personal Protection

> Control Parameters

Occupational Exposure Limit Values

Component	Country/Posion	Limit Value	e - Eight Hours	Limit Value - Short Term		
	Country/Region	ppm	mg/m³	ppm	mg/m³	
Zn 7440-66-6	Switzerland	-	2	-	4	
	Switzerland	-	0.1	-	0.4	
	Germany (DFG)	-	2	-	4	
	Germany (DFG)	-	0.1	_	0.4	

Biological Limit Values

No information available

Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- **2** GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air (Series standard) .

> Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.
- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

> Personal Protection Equipment

Body

Eye Protection Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Hand Protection Wear protective gloves (such as butyl rubber), passing the tests according to

EN 374(EU), US F739 or AS/NZS 2161.1 standard.

If exposure limits are exceeded or if irritation or other symptoms are

Respiratory protection experienced, use a full-face respirator with multi-purpose combination (US) or

type AXBEK (EN 14387) respirator cartridges.

Skin and

Protection

Wear fire/flame resistant/retardant clothing and antistatic boots.

Section 9 Physical and Chemical Properties

Appearance: Silver powder

Odor: No information available

PH: No information available

Melting Point/Freezing Point (°C): 419 Initial Boiling Point and Boiling Range (°C): 907

Flash Point (°C)(Closed Cup): Not applicable Evaporation Rate: Not applicable

Upper/lower explosive limits[%(v/v)]: Upper limit: No information available; Lower limit: No information

available

Vapor Pressure (MPa): Not applicable Relative Vapour Density(Air = 1): Not applicable

Relative Density(Water=1): 7.14 Solubility: Insoluble in water

n-Octanol/Water Partition Coefficient: No information available

Auto-Ignition Temperature(°C): 460

Decomposition Temperature (°C): No information

available

Particle characteristics: No information available

Kinematic Viscosity (mm²/s): Not applicable

Section 10 Stability and Reactivity

Reactivity Contact with incompatible substances can cause decomposition or other

chemical reactions.

Chemical Stability Stable under proper operation and storage conditions.

Possibility of Reacts severely with halogens, interhalogens or other strong oxidants, or

Hazardous Reactions causes a fire.

Conditions to Avoid Incompatible materials, heat, flame and spark.

Incompatible Materials Halogen, interhalogen, strong oxidant, water and acids.

Hazardous

Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Section 11 Toxicological Information

> Acute Toxicity

No information available

> Skin Corrosion/Irritation

No information available

> Serious Eye Damage/Irritation

No information available

> Skin Sensitization

No information available

> Respiratory Sensitization

No information available

> Germ Cell Mutagenicity

No information available

> Carcinogenicity

ID	CAS No.	Component	IARC	NTP	
1	7440-66-6	Zn	Not Listed	Not Listed	
2	57-11-4	Stearic acid	Not Listed	Not Listed	

> Reproductive Toxicity

No information available

> Reproductive Toxicity (Additional)

No information available

> STOT-Single Exposure

No information available

> STOT-Repeated Exposure

No information available

> Aspiration Hazard

No information available

Section 12 Ecological Information

> Acute Aquatic Toxicity

Component	CAS No.	Fish	Crustaceans	Algae
Zn 7440-	7440-66-6	LC ₅₀ : 2.01mg/L	EC ₅₀ : 1.33mg/L (48h)	No information
	7440-00-0	(96h)(Fish)	EC50. 1.331119/L (4011)	available

> Chronic Aquatic Toxicity

No information available

> Others

Persistence and Degradability

No information available

Bioaccumulative Potential

No information available

Mobility in Soil

No information available

Results of PBT and vPvB Assessment

Zn does not meet the criteria for PBT and vPvB according to Regulation (EC) No

1907/2006, annex XIII.

Section 13 Disposal Considerations

Waste Chemicals Before disposal should refer to the relevant national and local laws and

regulation. Recommend the use of incineration disposal.

Contaminated
Packaging
Disposal
Recommendations

Containers may still present chemical hazard when empty. Keep away from hot

and ignition source of fire. Return to supplier for recycling if possible.

Refer to section 13.1 and 13.2.

Section 14 Transport Information

Transporting Label



Marine pollutant Yes

UN Number 1325

UN Proper Shipping

Name Transport Hazard Class 4.1

_

Transport Subsidiary

Hazard Class

None

Packing Group III

Section 15 Regulatory Information

FLAMMABLE SOLID, ORGANIC, N.O.S.

> International Chemical Inventory

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
Zn	√	√	√	√	√	√	√	√	×
Stearic acid	×	×	×	×	×	×	×	×	×

Flake Zinc Powder (<50um)

[TSCA] United States Toxic Substances Control Act Inventory.

[DSL] Canadian Domestic Substances List.

[IECSC] China Inventory of Existing Chemical Substances.

[NZIoC] New Zealand Inventory of Chemicals.

[PICCS] Philippines Inventory of Chemicals and Chemical Substances.

[KECI] Existing and Evaluated Chemical Substances.[AICS] Australia Inventory of Chemical Substances.[ENCS] Existing And New Chemical Substances.

Note

" $\sqrt{}$ " Indicates that the substance included in the regulations

"x" That no data or included in the regulations

Section 16 Additional Information

 Creation Date
 2020/06/05

 Revision Date
 2020/06/05

Reason for Revision -

> Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 8th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.