



Introduction







Trendelenburg position



Back panel and leg panel down at the



Back panel and leg panel up simultaneously



CPR, one-key reset



Whole bed rise function



Whole bed down function

- Use high-quality materials: the bed frame and the bed board are made of high-quality steel plate, and the surface is electrostatically sprayed; the head and foot of the bed are made of ABS high-quality engineering plastics for one-time molding.
- Casters: 125MM central control casters, flexible rotation, one-foot brake, four-wheel brake, safety, stability, high wear
- Guardrails: Butterfly-shaped lifting guardrails are used on both sides to keep up and down synchronously with the bed board. The angle display accurately displays the angle of each part and can be easily lifted.
- Electronic control system: using high-quality motors and control systems, the system runs stably and has high safety.

Model	MF301DS-22
Instrument Size	2165*1115*530~770 (±10) mm
Back Panel Adjustable Angle Range 0°~70°	
Thigh Panel Adjustable Angle Range	0°~30°
Calf Panel Adjustable Angle Range	0°~10°
Trendelenburg Position	≥12°(manual)
Lifting Range	520~770mm
Guardrail Height (above the bed)	380mm(±10mm)
Safe Load	175kg
Power Supply	110~220V, 50/60Hz
Net Weight	145kg
Package Size	2200*1200*730mm
Gross Weight	192kg

www.biobase.cc 16 www.biobase.com