

Introduction

The multifunctional electric bed provides back, bent legs, full lift, full forward tilt, full staff to operate and can effectively reduce the labor intensity of nursing staff.

E-mail: export@biobase.com



BIOBASE



Leg down function

Leg up function



Trendelenburg position



Back panel and leg panel down at the



Back panel and leg panel up simultaneously



CPR, one-key reset



Whole bed rise



Whole bed down function

Features

- Use high-quality materials: the bed frame and the bed board are made of high-quality steel plate, and the surface is electrostatically sprayed; the head and foot of the bed are made of ABS high-quality engineering plastics for one-time
- Casters: 125mm central control casters, flexible rotation, one-foot brake, four-wheel brake, safety, stability, high wear resistance, no noise.
- Guardrails: butterfly-shaped lifting guardrails are used on both sides to keep up and down synchronously with the bed board. The angle display accurately displays the angle of each part and can be easily lifted.
- Electronic control system: using high-quality motors and control systems, the system runs stably and has high safety.
- Trendelenburg position: with a posterior tilt angle of ≥12° and manual adjustment, it helps improve patients' blood circulation, enhance postural comfort, or meet specific medical scenario requirements.

Technical Parameter

| Model | MF301DS-22 |
|------------------------------------|--|
| Instrument Size(W*D*H) | 2165*1115*530~770mm(±10mm) |
| Back Panel Adjustable Angle Range | a _{0°-70°} cc / www.biobase.com |
| Thigh Panel Adjustable Angle Range | 0°~30° |
| Calf Panel Adjustable Angle Range | 0°~10° |
| Trendelenburg Position | ≥12°(manual) |
| Lifting Range | 520~770mm |
| Guardrail Height (above the bed) | 380mm(±10mm) |
| Safe Load | 175kg |
| Power Supply | AC110~220V, 50/60Hz |
| Net Weight | 145kg |
| Package Size(W*D*H) | 2200*1200*730mm |
| Gross Weight | 205kg |

www.biobase.cc 16 www.biobase.com