

Thermostatic Oil Bath



Introduction:

Thermostatic oil bath is a kind of laboratory equipment that realizes accurate temperature control and uniform heating by heating oil. It is used in biology, physics, chemical, medical, environmental protection and other experimental science fields or auxiliary heating precision products.

Feature:

- * High efficiency heating, maximum temperature up to 300°C.
- * Microcomputer control, more accurate temperature control, more accurate temperature regulation.
- * The stainless steel inner liner has the advantages of strong corrosion resistance.

Technical Parameters:

Model	BK-OB5	BK-OB10	BK-OB15	BK-OB20
Capacity	5L	10L	15L	20L
Temp. Range	RT+5°C~300°C			
Thermostatic Precision	±1°C			
Display	LED Display			
Consumption	1000W	1500W	1800W	1800W
Power Supply	AC220V, 50/60Hz; 110V, 50/60Hz			
Internal Size(L*W*H)	180*180*150mm	260*260*150mm	310*310*150mm	280*280*300mm
Internal Size(L*W*H)	380*270*220mm	460*350*220mm	510*400*220mm	440*340*340mm
Net Weight	4.5kg	7.5kg	9.5kg	10kg
Packing Size(L*W*H)	405*295*245mm	485*375*245mm	535*425*245mm	530*420*430mm
Gross Weight	5.5kg	8.5kg	11kg	12.5kg

Electric Sand Bath



BK-SB1



BK-SB2

Introduction:

This product is suitable for industrial and mining enterprises, scientific research institutions, etc., for chemical analysis, physical determination of heating, especially for the heating of flammable goods.

Technical Parameters:

Model	BK-SB1	BK-SB2
Capacity	12L	
Temp. Range	RT~300°C	
Temp. Fluctuation	±1°C	
Temp. Accuracy	1°C	
Display	Pointer Voltmeter	LED
Thermostatic function	No	Yes
Consumption	2000W	
Power Supply	Standard: AC220V, 50Hz; Optional: 220V, 60Hz; 100V, 50/60Hz	
Internal Size(L*W*H)mm	400*300*100	
External Size(L*W*H)mm	530*340*190	
Package Size(L*W*H)mm	590*400*250	
Net Weight	15.5kg	
Gross Weight	17kg	