

BIOBASE GROUP


Tel: +86-531-81219803





BIOBASE PROVIDES YOU WITH ONE-STOP SERVICE

Version 2025-1



1	Hospital Bed	
4	Flat Hospital Bed	
	Single-Crank Hospital Bed	

2 Wheelchair

Manual Wheelchair-----27

Electric Wheelchair-----27



The hospital bed is a bed with certain functions specially designed for the special medical environment and the health needs of patients. The invention of the hospital bed not only brings the Gospel to patients, increases the comfort of patients, but also facilitates the operation of medical personnel and meets the needs of medical personnel for some specific functions.

Features

- The bed frame is welded and formed from high-quality steel, and the surface is electrostatically sprayed with plastic, making it strong, durable, and beautiful
- The bed board is made of high-quality cold-rolled steel plates that are once stretched and molded. The surface is sprayed with electrostatic plastic to prevent corrosion and is easy to clean.
- The steel bedside elbow is formed with beautiful appearance, locking installation and easy disassembly.
- The rocker screw adopts a metal hidden hand crank with a light and flexible structure, and the screw has a two-way limit protection device.

Technical Parameter

Model	MF1S
External Size	2080*915*500mm(±10mm)
Packing Size	2050*950*150mm
Gross Weight	40kg



Features

• The bed board is made of high-quality cold-rolled steel; Electrostatic spray on the surface, anti-corrosion, easy to clean.

E-mail: export@biobase.com

- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Using 5" silent casters, flexible rotation, high safety and stability, wear-resistance, no noise, with four braking device.
- Aluminum alloy folding guardrails are used on both sides, which can be retracted freely and locked tightly to protect the safety of patients.

Technical Parameter

Model	MF3S
Туре	Slatted
External Size(mm)	2120*960*500(±10)
Packing Size(mm)	2050*1000*200
Gross Weight (kg)	55



The hospital bed is a bed with certain functions specially designed for the special medical environment and the health needs of patients. The invention of the hospital bed not only brings the Gospel to patients, increases the comfort of patients, but also facilitates the operation of medical personnel and meets the needs of medical personnel for some specific functions.

Features

- The bed frame is welded and formed from high-quality steel, and the surface is electrostatically sprayed with plastic, making it strong, durable, and beautiful.
- The bed board is made of high-quality cold-rolled steel plates that are once stretched and molded. The surface is sprayed with electrostatic plastic to prevent corrosion and is easy to clean.
- The steel bedside elbow is formed with beautiful appearance, locking installation and easy disassembly.
- The rocker screw adopts a metal hidden hand crank with a light and flexible structure, and the screw has a two-way limit protection device.

Technical Parameter

Model	MF101S
External Size	2080*915*500mm(±10mm)
Back Adjustable	0-75°(±5°)
Packing Size	2050*950*150mm
Gross Weight	40kg



Features

- The bed board is made of high-quality cold-rolled steel; Electrostatic spray on the surface, anti-corrosion, easy to clean.
- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Using 5" silent casters, flexible rotation, high safety and stability, wear-resistance, no noise, with four braking device.
- Aluminum alloy folding guardrails are used on both sides, which can be retracted freely and locked tightly to protect the safety of patients.
- ABS concealed hand crank with a light and free structure and two-way limit protection.

Technical Parameter

Model	MF103S
Туре	Slatted
External Size (mm)	2120*960*500(±10)
Back Adjustable	0-70°
Packing Size (mm)	2050*1000*220
Gross Weight (kg)	58



- The bed board is made of high-quality cold-rolled steel, punching formed; Electrostatic spray on the surface, anti-corrosion, easy to clean.
- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Using 5" silent casters, flexible rotation, high safety and stability, wear-resistance, no noise, with four braking device.
- Aluminum alloy folding guardrails are used on both sides, which can be retracted freely and locked tightly to protect the safety of patients.
- ABS concealed hand crank with a light and free structure and two-way limit protection.

Technical Parameter

Model	MF104S
Туре	Punching
External Size (mm)	2120*910*500(±10)
Back Adjustable	0-70°
Packing Size (mm)	2050*1000*250
Gross Weight (kg)	60



- The bed board is made of high-quality cold-rolled steel, punching formed; Electrostatic spray on the surface, anti-corrosion, easy to clean.
- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Using 5" silent casters, flexible rotation, high safety and stability, wear-resistance, no noise, with four braking device.
- Aluminum alloy folding guardrails are used on both sides, which can be retracted freely and locked tightly to protect the safety of patients.
- ABS concealed hand crank with a light and free structure and two-way limit protection.

Technical Parameter

Model	MF201S
Туре	Punching
External Size (mm)	2120*910*560(±10)
Back Adjustable	0-70°
Leg Adjustable	0-30°
Packing Size (mm)	2050*1000*250
Gross Weight (kg)	70

www.biobase.co www.biobase.co

Double-Crank Hospital Bed

Double-Crank Hospital Bed





- The bed board is made of high-quality cold-rolled steel; Electrostatic spray on the surface, anti-corrosion, easy to clean.
- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Using 5" silent casters, flexible rotation, high safety and stability, wear-resistance, no noise, with four braking device.
- Aluminum alloy folding guardrails are used on both sides, which can be retracted freely and locked tightly to protect
 the safety of patients.
- ABS concealed hand crank with a light and free structure and two-way limit protection.

Technical Parameter

Model	MF202S
Туре	Slatted
External Size (mm)	2120*960*500(±10)
Back Adjustable	0-70°
Leg Adjustable	0-30°
Packing Size (mm)	2050*1000*220
Gross Weight (kg)	67



- The bed board is made of high-quality cold-rolled steel, punching formed; Electrostatic spray on the surface, anti-corrosion, easy to clean.
- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Diameter 125mm luxury central control caster, flexible rotation, synchronous braking, convenient and stable locking.
- Aluminum alloy folding guardrails are used on both sides, which can be retracted freely and locked tightly to protect the safety of patients.
- ABS concealed hand crank with a light and free structure and two-way limit protection.

Technical Parameter

Model	MF203S
Туре	Punching
External Size (mm)	2120*910*560(±10)
Back Adjustable	0-70°
Leg Adjustable	0-35°
Packing Size (mm)	2100*1000*600; 2100*1050*700(with wooden support)
Gross Weight (kg)	85; 125

Double-Crank Hospital Bed

Double-Crank Hospital Bed

BIOBASE



- The bed board is made of high-quality cold-rolled steel, punching formed; Electrostatic spray on the surface, anti-corrosion, easy to clean.
- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Diameter 125mm luxury central control caster, flexible rotation, synchronous braking, convenient and stable locking.
- Four PP guardrails, dampers can control speed and noise when lifting, providing safety protection.
- ABS concealed hand crank with a light and free structure and two-way limit protection.

Technical Parameter

Model	MF204S
Туре	Punching
External Size (mm)	2180*1030*560(±10)
Back Adjustable	0-70°
Leg Adjustable	0-35°
Packing Size (mm)	2100*1000*600; 2100*1050*700(with wooden support)
Gross Weight (kg)	95; 135



Introduction

The hospital bed is a bed with certain functions specially designed for the special medical environment and the health needs of patients. The invention of the hospital bed not only brings the Gospel to patients, increases the comfort of patients, but also facilitates the operation of medical personnel and meets the needs of medical personnel for some specific functions.

Features

- The bed frame is welded and formed from high-quality steel, and the surface is electrostatically sprayed with plastic, making
 it strong, durable, and beautiful.
- The bed board is made of high-quality cold-rolled steel plates that are once stretched and molded. The surface is sprayed with electrostatic plastic to prevent corrosion and is easy to clean.
- The steel bedside elbow is formed with beautiful appearance, locking installation and easy disassembly.
- The rocker screw adopts a metal hidden hand crank with a light and flexible structure, and the screw has a two-way limit protection device.

Technical Parameter

Model	MF205S
External Size	2080*915*500mm(±10mm)
Back Adjustable	0-75°(±5°)
Leg Adjustable	0-35°(±5°)
Packing Size	2050*950*150mm
Gross Weight	51kg

Three-Crank Hospital Bed



Features

- The bed board is made of high-quality cold-rolled steel, punching formed; Electrostatic spray on the surface, anti-corrosion, easy to clean.
- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Diameter 125mm luxury central control caster, flexible rotation, synchronous braking, convenient and stable locking.
- Aluminum alloy folding guardrails are used on both sides, which can be retracted freely and locked tightly to protect the safety of patients.
- ABS concealed hand crank with a light and free structure and two-way limit protection.

Technical Parameter

Model	MF303S
Туре	Punching
External Size (mm)	2120*910*560-740(±10)
Back Adjustable	0-70°
Leg Adjustable	0-30°
Overall Lifting Range (mm)	500-740
Packing Size (mm)	2100*1000*460; 2100*1050*700(with wooden support)
Gross Weight (kg)	100; 140



Optional Accessory

- * Mattress
- Infusion stand,
- * Mobile dining table
- * Bedside cabinet,
- * Case folder, etc.

Features

- The bed board is made of high-quality cold-rolled steel, punching formed; Electrostatic spray on the surface, anti-corrosion, easy to clean.
- The head and the end of the bed are made of high-quality plastic, one-time formed; With beautiful appearance and lock-type installation, can insert bedside card.
- Diameter 125mm luxury central control caster, flexible rotation, synchronous braking, convenient and stable locking.
- Four PP guardrails, dampers can control speed and noise when lifting, providing safety protection.
- ABS concealed hand crank with a light and free structure and two-way limit protection.

Technical Parameter

Model	MF304S
Туре	Punching
External Size (mm)	2180*1030*560-740(±10)
Back Adjustable	0-70°
Leg Adjustable	0-30°
Overall Lifting Range (mm)	500-740
Packing Size (mm)	2100*1000*460; 2100*1050*700(with wooden support)
Gross Weight (kg)	122; 160





- Bed frame made of high quality steel welding molding, electrostatic spraying surface, firm and durable, beautiful and generous.
- The head of the bed and the end of the bed are molded by high-quality engineering plastic, beautiful appearance lock type installation, easy to disassemble.
- Casters adopt 5 inch silent casters, flexible rotation, safe and stable, high wear resistance, no noise, four corners with brake device.
- Aluminum alloy folding guardrail is adopted on both sides, which can be easily closed and locked firmly to protect the safety
 of patients.
- ABS concealed hand crank with a light and free structure and two-way limit protection.
- The bed plate is made of high quality cold rolled steel plate. The surface is electrostatic sprayed, anti-corrosion and easy to clean.

Technical Parameter

Model	MF401S MF402S		
External Size (mm)	2120*960*560 (±10)	2010*960*500 (±10)	
Back Adjustable	0-70°	0-70°	
Leg Adjustable	-55°-25°	-55°-25°	
Roll Over Angle	0-60°	0-60°	
Packing Size (mm)	2050*1000*250	2050*1000*420	
Gross Weight	77kg	85kg	
Difference	Avoid sliding when lifting the back (Only MF402S)		



- Bed frame made of high quality steel welding molding, electrostatic spraying surface, firm and durable, beautiful and generous.
- ABS concealed hand crank with a light and free structure and two-way limit protection.
- Casters adopt 5 inch silent casters, flexible rotation, safe and stable, high wear resistance, no noise, four corners with brake device.
- The head of the bed and the end of the bed are molded by high-quality engineering plastic, beautiful appearance lock type installation, easy to disassemble.
- Aluminum alloy folding guardrail is adopted on both sides, which can be easily closed and locked firmly to protect the safety
 of patients.

Technical Parameter

Model	MFE202S
External Size (mm)	1886*900*650(±10)
Back Adjustable	0-70°
Leg Adjustable	0-35°
Packing Size (mm)	 2050*1000*320 (pieces, installation is required when the pieces arrive) 1950*1300*980 (finished product, the finished product does not need to be installed upon arrival)
Gross Weight	98kg
Bed surface size (mm)	1786*796(±10mm)



The multifunctional electric bed provides



BIOBASE



Leg down function

Leg up function



Trendelenburg position



Back panel and leg panel down at the



Back panel and leg panel up simultaneously



CPR, one-key reset



Whole bed rise



Whole bed down function

Features

- Use high-quality materials: the bed frame and the bed board are made of high-quality steel plate, and the surface is electrostatically sprayed; the head and foot of the bed are made of ABS high-quality engineering plastics for one-time molding.
- Casters: 125MM central control casters, flexible rotation, one-foot brake, four-wheel brake, safety, stability, high wear resistance, no noise.
- Guardrails: Butterfly-shaped lifting guardrails are used on both sides to keep up and down synchronously with the bed board. The angle display accurately displays the angle of each part and can be easily lifted.
- Electronic control system: using high-quality motors and control systems, the system runs stably and has high safety.

echnical Parameter

Model	MF301DS-22
Instrument Size	2165*1115*530~770 (±10) mm
Back Panel Adjustable Angle Range	a _{0°-70°} cc / www.biobase.com
Thigh Panel Adjustable Angle Range	0°~30°
Calf Panel Adjustable Angle Range	0°~10°
Trendelenburg Position	≥12°(manual)
Lifting Range	520~770mm
Guardrail Height (above the bed)	380mm(±10mm)
Safe Load	175kg
Power Supply	110~220V, 50/60Hz
Net Weight	145kg
Package Size	2200*1200*730mm
Gross Weight	192kg

www.biobase.cc 16 www.biobase.com



The multifunctional electric bed provides



BIOBASE

Leg down function



Leg up function



Back panel and leg simultaneously



Back panel and leg panel down at the



Whole bed rise function



Whole bed down function



Trendelenburg position



Reverse Trendelenburg position



CPR, one-key reset

Features

- Use high-quality materials: the bed frame and the bed board are made of high-quality steel plate, and the surface is electrostatically sprayed; the head and foot of the bed are made of ABS high-quality engineering plastics for one-time molding.
- Casters: 125MM central control casters, flexible rotation, one-foot brake, four-wheel brake, safety, stability, high wear
- Guardrails: Butterfly-shaped lifting guardrails are used on both sides to keep up and down synchronously with the bed board. The angle display accurately displays the angle of each part and can be easily lifted.
- Electronic control system: using high-quality motors and control systems, the system runs stably and has high safety.

Technical Parameter

Technical Parameter	
Model	MF401D-22
Instrument Size	2250*1115*500~800 (±10) mm
Back Panel Adjustable Angle Range	e _{0°~70°} ont(c) blobase.com
Thigh Panel Adjustable Angle Range	20°~30° GG / WWW.biobase.com
Calf Panel Adjustable Angle Range	0°~10°
Trendelenburg Position	≥12°(electric)
Reverse Trendelenburg Position	≥12°(electric)
Lifting Range	500~800mm
Guardrail Height (above the bed)	380mm(±10mm)
Safe Load	175kg
Power Supply	110~220V, 50/60Hz
Net Weight	145kg
Package Size	2200*1200*730mm
Gross Weight	192kg

www.biobase.cc 18 www.biobase.com



- The bed frame is formed by high-quality rigid welding, and the surface is electrostatically sprayed.
- The foot cover adopts wear-resistant and non-slip outer foot cover, which can better protect the foot
 of the bed and the ground.
- The bed surface is made of artificial leather, and the inner lining is made of 3cm thick sponge, which rebounds quickly.
- A storage rack is added at the bottom to place items, which is more convenient.(MFZC2S)

Technical Parameter

Model	MFZC1S MFZC2S		
Product Size (mm)	1900*600*600(±10)		
Loading	≤175kg		
Packing Size(mm)	1960*660*200		
Gross Weight(kg)	30 35		





Introduction

The examination bed is generally placed in the consultation room to check the specific condition of the patient. From small clinics to large hospitals, it is suitable for use in various departments of outpatient clinics, and can be used as lying or lying on patients during pre-diagnosis.

Features

- The bed frame is formed by high-quality rigid welding, and the surface is electrostatically sprayed.
- The foot cover adopts wear-resistant and non-slip outer foot cover, which can better protect the foot of the bed and the ground.
- The bed surface is made of artificial leather, and the inner lining is made of 3cm thick sponge, which rebounds quickly.
- A storage rack is added at the bottom to place items, which is more convenient.(MFZC4S)

Technical Parameter

Model	MFZC3S	MFZC4S	
Product Size (mm)	1800*600*600 (±10mm)		
Loading	≤175kg		
Packing Size(mm)	1860*660*200		
Gross Weight(kg)	25 30		

Manual Wheelchair

Manual Wheelchair

BIOBASE





Introduction

Wheelchair is an important mobile tool for home rehabilitation, turnover transportation, medical treatment, and outingactivities for the wounded, sick, and disabled it not only satisfies the mobility of the physically disabled and people withmobility impairments, but more importantly, it is convenient for family members to move and take care of patients.

Allow patients to use wheelchairs to exercise and participate in social activities.

Features

- The tire is non-inflatable tire with strong seismic buffering capacity.
- The skeleton adopts high strength carbon steel structure, which is light, simple and durable.
- The cellular breathable cushion is used for the seat cushion, which has better moisture absorption and air permeability and makes the patient more comfortable.
- The back can be folded, the cushion can be removed, the foot pedal can be opened and closed, easy to carry
- and simple operation.

Technical Parameter

144.0407	SYIV100-MFT809		
Model	Type I	Type II	
Rear Wheel Configuration	PU wheel	Integrated wheel	
Instrument Size (W*D*H)	1050*710*900mm		
Folded Size (W*D*H)	960*240*900mm		
Seat Size (W*D*H)	460*400*390mm		
Seat Height	480mm		
Front Wheel Diameter	8 inches		
Rear Wheel Diameter	24 inches		
Loading Capacity	100kg		
Net Weight	15.8kg		
Gross Weight	17.7kg		
Package Size(W*D*H)	920*240*890mm		



SYIV100-MFT608S Type I





SYIV100-MFT609MS Type II

Introduction

Wheelchair is an important mobile tool for home rehabilitation, turnover transportation, medical treatment, and outingactivities for the wounded, sick, and disabled. it not only satisfies the mobility of the physically disabled and people withmobility impairments, but more importantly, it is convenient for family members to move and take care of patients. Allow patients to use wheelchairs to exercise and participate in social activities.

Features

- The tire is non-inflatable tire with strong seismic buffering capacity.
- The skeleton adopts high strength carbon steel structure, which is light, simple and durable.

SYIV100-MFT608S Type II

- The cellular breathable cushion is used for the seat cushion, which has better moisture absorption and air permeability and makes the patient more comfortable.
- The back can be folded, the cushion can be removed, the foot pedal can be opened and closed, easy to carry and simple operation.
- Equipped with portable commode.

Technical Parameter

Model	SYIV100-MFT608S		SYIV100-MFT609MS	
Model	Type I	Type II	Type I	Type II
Rear Wheel Configuration	PU wheel	Integrated wheel	PU wheel	Integrated wheel
Instrument Size (W*D*H)	1040*650*890mm			
Folded Size (W*D*H)	940*240*890mm		930*260*890mm	
Seat Size (W*D*H)	440*400*370mm		440*400*360mm	
Seat Height	520mm		530mm	
Front Wheel Diameter	8 inches			
Rear Wheel Diameter	24 inches			
Loading Capacity	100kg			
Net Weight	18.8kg		20.2kg	
Gross Weight	21kg		22kg	
Package Size(W*D*H)	920*280*890mm			

www.biobase.co www.biobase.co

Manual Wheelchair

Manual Wheelchair







Introduction

Wheelchair is an important mobile tool for home rehabilitation, turnover transportation, medical treatment, and outingactivities for the wounded, sick, and disabled. It not only satisfies the mobility of the physically disabled and people withmobility impairments, but more importantly, it is convenient for family members to move and take care of patients.

Allow patients to use wheelchairs to exercise and participate in social activities.

Features

- The skeleton adopts high strength aluminum alloy structure, which is light, simple and durable.
 The product can be folded a whole frame can be folded, more convenient to use and carry.
- The cellular breathable cushion is used for the seat cushion, which has better moisture absorption and air permeability.(808A)
- The back pad adopts honeycomb breathable type.(808C)
- Equipped with portable commode.(808C)

Technical Parameter

Model	SYIV100-MFL808A			SYIV100-MFL808C	
Model	Type I	Type II	Type III	Type I	Type II
Rear Wheel Configuration	PU wheel	Integrated wheel	Pneumatic wheel	PU wheel	Integrated wheel
Instrument Size (W*D*H)	970*630*870mm			1010*650*950r	nm
Folded Size (W*D*H)	970*280*870mm			1010*280*950r	nm
Seat Size (W*D*H)	460*400*370mm			450*400*410m	m
Seat Height	510mm				
Front Wheel Diameter	8 inches				
Rear Wheel Diameter	24 inches				
Loading Capacity	100kg				
Net Weight	13kg			14.3kg	
Gross Weight	14.5kg			16.5kg	
Package Size(W*D*H)	950*260*880mm			970*280*890m	m



SYIV100-MFL808B



SYIV100-MFL808B-16



SYIV100-MFL808B-12

Introduction

Wheelchair is an important mobile tool for home rehabilitation, turnover transportation, medical treatment, and outingactivities for the wounded, sick, and disabled. It not only satisfies the mobility of the physically disabled and people withmobility impairments, but more importantly, it is convenient for family members to move and take care of patients. Allow patients to use wheelchairs to exercise and participate in social activities.

Features

• The tires are non-pneumatic tires with strong shock resistance and cushioning ability.

SYIV100-MFL808B-20

- The frame adopts high-strength aluminum alloy structure, which is wear-resistant, corrosion-resistantand light in weight.
- The seat cushion is made of honeycomb breathable material, which has better moisture absorption and air permeability, making the patient more comfortable.
- The product can be folded-the backrest can be folded, the seat cushion can be detached, and the foot pedal can be opened and closed, making the operation more light and flexible.
- Double brake and special seat belt design.

Technical Parameter

Model	SYIV100-MFL808B-12	SYIV100-MFL808B-16	SYIV100-MFL808B-20	SYIV100-MFL808B
Rear Wheel Configuration	Integrated wheel			PU wheel
Instrument Size (W*D*H)	930*625*920mm			
Folded Width	320mm			
Seat Size (W*D*H)	450*370*445mm			
Seat Height	470mm			
Front Wheel Diameter	6 inches			
Rear Wheel Diameter	12 inches	16 inches	20 inches	
Loading Capacity	100kg			
Package Size(W*D*H)	770*300*710mm			
Net Weight	12kg		10.5kg	
Gross Weight	13.5kg		12kg	

www.biobase.cc 24



The manual wheelchair is designed for the elderly and the disabled, which is convenient for home life, travel, supermarket shopping, to make the life of patients more comfortable. It is suitable for home, hospital, nursing home.

Features

- Free-inflatable tires, with strong shock-absorbing performance.
- High quality welding, exquisite workmanship, light and simple body, more durable.
- Honeycomb breathable cushion, which has better moisture absorption and air permeability, making the patient more comfortable.
- Armrests can be lifted back and pedal can be removed.

Technical Parameter

Model	SYIV100-MFL822
Front Wheel Diameter	8 inches, rubber integrated wheel
Rear Wheel Diameter	24 inches, PU tires
Seat Width	460mm
Seat Depth	410mm
Backrest Height	430mm
Folded Width	310mm
Seat Height	500mm
Loading Capacity	100kg
Armrest	PU
Pedal	ABS plastic
Folded Size	800*310*720mm
Unfolded Size	1050*600*890mm
Net Weight	14kg
Package Size	810*320*730mm
Gross Weight	17kg



Introduction

Wheelchair is an important mobile tool for home rehabilitation, turnover transportation, medical treatment, and outing activities for the wounded, sick, and disabled it not only satisfies the mobility of the physically disabled and people with mobility impairments, but more importantly, it is convenient for family members to move and take care of patients. Allow patients to use wheelchairs to exercise and participate in social activities.

Features

- The stepless adjustment lever allows you to adjust the angle of back, full or half-lying as you wish.
- The pull-out type enlarges the toilet bowl. The toilet bowl is deepened and enlarged to prevent side leakage. The pull-out type design is clean and hygienic and does not release odor.
- The aluminum alloy wheel frame is equipped with air-free high-quality PU tires, which are easy to care for and maintenance-free.
- It folds compactly and can be placed in the trunk, making it easy to carry when traveling to meet various travel needs.

Technical Parameter

Model	SYIV100-MFLG813	
Rear Wheel Configuration	PU wheel	
Instrument Size (W*D*H)	1190*670*1200mm	
Folded Size (W*D*H)	880*370*1000mm	
Seat Size (W*D*H)	460*400*390mm	
Seat Height	570mm	
Seat Width	470mm	
Seat Depth	470mm	
Front Wheel Diameter	8 inches	
Rear Wheel Diameter	24 inches	
Loading Capacity	100kg	
Net Weight	18.3kg	
Gross Weight	21kg	
Package Size(W*D*H)	920*370*1000mm	



- Humanized intelligent controller, one-hand button operation, electromagnetic brake, 360° sensitive control.
- Manual/electric dual mode switch, sensitive control.
- Folding before and after, small volume, easy to follow.
- High elastic memory sponge, sedentary, easy to remove and clean.
- The frame is made of aluminum alloy, bearing 120KG without deformation.

Technical Parameter

Model	MFN800L
Front Wheel Diameter	8 inches
Rear Wheel Diameter	12 inches
Seat Width	420mm±10mm
Seat Depth	500mm±10mm
Seat Height	530mm±10mm
Instrument Size	970*620*935mm±10mm
Max Speed	4.5km/h
Endurance Mileage	12-15km
Climbing Ability	≥3°
Loading Capacity	120kg
Detten	Lithium batteries
Battery	Standard: 12A Optional: 6A, 20A
Power Supply	AC100~240V, 50/60Hz
Package Size(W*D*H)	610*425*800mm±20mm
Net weight	25.5±1kg
Gross Weight	28±1kg



Features

- Humanized intelligent controller, one-hand button operation, electromagnetic brake, 360° sensitive control.
- Manual/electric dual mode switch, sensitive control.
- One-step folding, designed for use in small Spaces such as home.
- High elastic memory sponge, sedentary, easy to remove and clean.
- The frame is made of aluminum alloy, bearing 120KG without deformation.
- Control handle remote start speed regulation.

Technical Parameter

Model	MFN801L
Front Wheel Diameter	6 inches
Rear Wheel Diameter	12 inches
Seat Width	480mm±10mm
Seat Depth	410mm±10mm
Seat Height	460mm±10mm
Instrument Size	900*590*855±10mm
Max Speed	4.5km/h
Endurance Mileage	12-15km
Climbing Ability	≥3°
Loading Capacity	120kg
Detten	Lithium batteries
Battery	Standard: 12A Optional: 6A, 20A
Power Supply	AC100~240V, 50/60Hz
Package Size(W*D*H)	670*460*710±20mm
Net weight	22±1kg
Gross Weight	24±1kg





Adjustable headrest



Leg lift device



Water cup holder



Umbrella stand

Technical Parameter

Model	MFN803A	MFN803B	MFN803C	MFN803D	MFN803E	MFN803F
Front Wheel Diameter	8 inches	8 inches				
Rear Wheel Diameter	12 inches					
Seat Width	460mm					
Seat Depth	420mm					
Seat Height	510mm					
Instrument Size	1040*630*98	0mm				
Max Speed	4.5km/h					
Endurance Mileage	Shdard:15~2	0km Optional: 7	.5~10km, 20~25k	m		
Climbing Ability	≥3°					
Loading Capacity	120kg		tahi			
Fold Mode	Manual	Electric	Manual	Electric	Electric	Manual
Back Lying Mode	W _I . DIOD	ase.cc	Manual	.bioba	Electric	
Back Lying Angle	1		100-135°			
Battery	Lithium batte	ries				
Dationy	standard: 24\	standard: 24V12Ah Optional: 24V6Ah, 24V20Ah				
Power Supply	AC100~240V	′, 50/60Hz				
Standard Accessory	water cup ho	water cup holder or umbrella stand				
Optional Accessory	honeycomb r	honeycomb rear wheel, adjustable headrest, leg lift device, water cup holder, umbrella stand				
Package Size	670*430*870	mm				
Net weight	27.5kg	28.7kg	28.2kg	29.6kg	33kg	29.2kg

30 www.biobase.cc www.biobase.com







Livable Armrest



250W*2 Brush Motor



Brush Controller



Detachable Footrest



Brak

Technical Parameter

Model	MFN805AT MFN805ATQ
Front Wheel Diameter	10 inches
Rear Wheel Diameter	16 inches
Seat Width	460mm
Seat Depth	400mm
Seat Height	575mm
Max. Speed	4.5km/h
Endurance Mileage	15~20km
Climbing Ability	15~20km V _{≥3°} Dase cc / www.biobase.com
Loading Capacity	120kg
Fold Mode	Manual
	Lithium battery (MFN805AT)
Battery	Lead-acid battery (MFN805ATQ)
	Standard: 24V12Ah, Optional: 24V20Ah
Motor	DC24V 250W*2, brush motor
Power Supply	AC100~240V, 50/60Hz
Controller	45A, brush controller
Charge Time	2A charger, 6~8h
Standard Accessory	250W*2 brush motor, Brush controller
Optional Accessory	Front wheel, Rear wheel, Controller, Remote control handle, Mobile APP
Unfold Size	1130*650*985mm
Net Weight	34.5kg(Not including charger and battery)
Package Size	680*450*880mm
Gross Weight	39kg



Features

- Humanized intelligent controller, 360° sensitive control, mobile APP control, optional wireless telecontroller.
- The front wheels are 10-inch aluminum alloy wheel with free-inflation PU tires, with good obstacle crossing ability and shock-absorbing function; the rear wheels are 16-inch inflation tires.
- The backrest is fixed and low so that user can not lie back.
- 250W high efficiency energy-saving dual motor.
- Durable battery (Lead-acid or lithium battery alternative), stable power supply performance, easy to disassemble.
- High-elastic memory sponge back cushion, breathable and indeformable, comfortable and stable.
- Detachable footrest, livable armrest and folding backrest, convenient to assemble and carry.
- High-quality carbon steel frame, folded left and right, bearing 120KG without deformation, optional color can be customized.



MFN805BT/BTQ



MFN805DT/DTQ



MFN805ET/ETQ

The electric wheelchair is designed for the elderly and the disabled, which is convenient for home life, travel, supermarket shopping, to make the life of patients more comfortable. It is suitable for home, hospital, nursing home.

Features

- Humanized intelligent controller, 360° sensitive control, mobile APP control, optional wireless telecontroller.
- The front wheels are 10-inch aluminum alloy wheel with free-inflation PU tires, with good obstacle crossing ability and shock-absorbing function; the rear wheels are 16-inch inflation tires.
- The high backrest is fixed so that users can not lie back. (MFN805BT/BTQ)
- High backrest for pneumatic lying back and manual leg lifting. (MFN805CT/CTQ)
- High backrest for pneumatic lying back and pneumatic leg lifting. (MFN805DT/DTQ)
- Electric remote control high backrest for lying back and electric leg lifting. (MFN805ET/ETQ)

MFN805CT/CTQ

- 250W high efficiency energy-saving dual motor.
- Durable battery (Lead-acid or lithium battery alternative), stable power supply performance, easy to disassemble.
- High-elastic memory sponge back cushion, breathable and indeformable, comfortable and stable.
- Detachable footrest, livable armrest and folding backrest, convenient to assemble and carry.
- High-quality carbon steel frame, folded left and right, bearing 120KG without deformation, optional color can be customized.





Brush Controller











High Headrest



Manual Lying Back Switch (MFN805CT/CTQ&MFN805DT/DTQ)



(MFN805CT/CTQ)



Gas Spring Leg Lifting (MFN805DT/DTQ)



Electric Leg Lifting (MFN805ET/ETQ)



Wireless Controller



Technical Parameter

Model	MFN805BT	MFN805CT	MFN805DT	MFN805ET	
5	MFN805BTQ	MFN805CTQ	MFN805DTQ	MFN805ETQ	
Front Wheel Diameter	10 inches				
Rear Wheel Diameter	16 inches				
Seat Width	460mm				
Seat Depth	400mm				
Seat Height	575mm				
Max. Speed	4.5km/h				
Endurance Mileage	15~20km		About 20km		
Climbing Ability	≥3°	e.cc / www	highaga		
Loading Capacity	120kg	5.667 WWW	niunasc.		
Fold Mode	Manual				
	Lithium battery (MFN805BT, MFN805CT, MFN805DT, MFN805ET)				
Battery	Lead-acid battery (MFN805BTQ, MFN805CTQ, MFN805DTQ, MFN805ETQ)				
	Standard: 24V12Ah, Optional: 24V20Ah				
Motor	DC24V 250W*2, bi	DC24V 250W*2, brush motor			
Power Supply	AC100~240V, 50/6	60Hz			
Controller	45A, brush controll	er			
Charge Time	2A charger, 6~8h				
Standard Accessory	250W*2 brush mot	or, Brush controller			
Optional Accessory	Front wheel, Rear	wheel, Controller, Remote	control handle, Mobile A	\PP	
Unfold Size	1130*650*1300mm	ı			
Net Weight (Not including	10.00	22.20	223	DECRESS	
charger and battery)	35.5kg	38.5kg	39kg	40.5kg	
Package Size	680*450*880mm				
Gross Weight	40kg	43kg	43.5kg	45kg	

33 34 www.biobase.cc www.biobase.com



Technical Parameter

Material	PP
Product Size	380*225*130mm
Net Weight	0.4kg
Applicable Product	Wheelchair: SYIV100-MFL808C/ SYIV100-MFT608S



Technical Parameter

Material	PP
Product Size	315*290*160mm
Net Weight	0.35kg
Applicable Draduct	Wheelchair: SYIV100-MFT609MS
Applicable Product	Walking Aid: MF911L/ MF911LA/MF731L/ MF732L



Technical Parameter

Material	PA
Product Size	540*320*130mm
Net Weight	0.85kg
Applicable Product	All manual wheelchairs



www.biobase.com

Material	Stainless steel+PA	
Product Size	(990-1650)*90*90mm(Infusion bracket)	
	100*70*50mm(Mounting bracket) 0.56kg(Infusion bracket)	
Net Weight	0.085kg(Mounting bracket)	
Applicable Product	All manual wheelchairs	
Remark: It is usually packed	together with the wheelchair in one package.	



Technical Parameter

Material	Knitted+sponge+carbon steel
Product Size	390*200*300mm
Net Weight	2.9kg
Applicable Product	Electric wheelchair: MFN803 series MFN800L



Technical Parameter

Material	Carbon steel+leather+sponge+PA
Product Size	860*290*500mm
Net Weight	3.1kg
Applicable Product	Electric wheelchair: MFN803 series



Technical Parameter

Material	PA
Product Size	85*70*140mm
Net Weight	0.17kg
Applicable Product	Electric wheelchair: MFN803 series
Remark: It is usually packe	d together with the wheelchair in one package.



Technical Parameter

	PA+stainless steel
Material	285*90*60mm
Product Size	0.21kg
Net Weight	Electric wheelchair: MFN803 series
Applicable Product	Electric wheelchair, MFNoo3 series
Remark: It is usually packed t	ogether with the wheelchair in one package.



Technical Parameter

Material	PA+carbon steel
Product Size	110*60*360mm
Net Weight	0.16kg
Applicable Product	Electric wheelchair: MFN803 series
Remark: It is usually packed toget	ther with the wheelchair in one package.



Technical Parameter

Material	Aluminum alloy+ rubber
Product Size	300*300*70mm
Net Weight	2kg
Applicable Product	Electric wheelchair: MFN803 series
Remark: Replacement befo	re shipment.

BIOBASE Walking Stick

Walking Stick

36




The cane is a must-have for many elderly people when going out, and is suitable for people with strong upper limb muscle grip.

Features

- Lightweight and easy to carry.
- A variety of structures to choose from.
- 10 steps height adjustable.
- The foot pad is made of wear-resistant, elastic, non-slip rubber material with a high surface friction coefficient, which is convenient and durable.

Technical Parameter

Model	MF6201L	MF6202L	MF6203L	MF6204L	MF6205L
Height	71-94cm	76-98.5cm	73.5-96.5cm	72.5-95cm	70-93cm
Material	Aluminum alloy				
Net weight	0.34kg	0.37kg	0.38kg	0.4kg	0.48kg
Gross Weight	7.4kg	8kg	8.2kg	8.6kg	6.1kg
Feet	One foot				Four feet
Model	MF6206L	MF6207L	MF6208L	MF6209L	MF6210L
Height	76-98.5cm	72.5-95.5cm	72.5-95cm	69-91.5cm	75-97.5cm
Material	Aluminum alloy	il. ovo.	ort Ohio		
Net weight	0.54kg	0.54kg	0.52kg	0.46kg	0.49kg
Gross Weight	6.7kg	6.7kg	6.5kg	5.9kg	6.2kg
Feet	Four feet	nobase.c	G / WWW.	DIODASE.C	
Model	MF6211L	MF6212L	MF6213L	MF6214L	MF6215L
Height	71.5-94.5cm	71-93.5cm	74-97cm	80-102.5cm	77-99.5cm
Material	Aluminum alloy		Upper part: aluminur	m alloy; Lower part: Q235 s	teel
Net weight	0.5kg	0.52kg	0.79kg	0.82kg	0.83kg
Gross Weight	6.3kg	6.5kg	9.2kg	9.5kg	9.6kg
Feet	Four feet				
Model	MF6216L	MF6217L	MF6218L	MF6219L	MF6220L
Height	76-99cm	64-87cm	70-92.5cm	67.5-90cm	66-89cm
Material	Upper part: alumin	um alloy; Lower part: Q2	235 steel		
Net weight	0.85kg	0.76kg	0.79kg	0.8kg	0.82kg
Gross Weight	9.8kg	8.9kg	9.2kg	9.3kg	9.5kg
Feet	Four feet				
Package Size	670*170*300mm	(MF6201L-MF6204L, 20	Opcs/box)		
(W*D*H)	760*400*450***	(MF6205L-MF6220L, 10)naa/hay)		



35 www.biobase.cc

Walking Aid

Walking Aid

BIOBASE









Introduction

The walking aid allows the elderly and patients with lower limbs inconvenience but not lost mobility to go out for a walk like normal people. The triangle-like design can better protect the users.

Features

- One-click folding, easy to carry.
- Can switch freely between fixed and interactive sports modes.
- Height adjustable.
- Large load-bearing capacity, suitable for a wide range of people.
- A variety of structures to choose from.

Technical Parameter

Model	MF911LA	MF731L	MF911L	MF732L
Туре	Frame walker	Wheeled walker	Frame walker	Wheeled walker
Material	Aluminum alloy	and Object		
Maximum Load	150kg			
Instrument Size	49*56*(70-87) cm	53*59*(72-87) cm	47*57*(76-93) cm	47*57*(77-94) cm
Optional Accessories	Sitting board, Toilet bowl, C	Sitting board, Toilet bowl, Carrying case		
Net Weight	2.3kg	2.7kg	2.5kg	3.0kg
Gross Weight	3.2kg(1 unit)	3.6kg(1 unit)	3.4kg(1 unit)	3.9kg(1 unit)
	20.2kg(8 units)	23.5kg(8 units)	21.8kg(8 units)	25.2kg(8 units)
Package Size (W*D*H)	580*520*750mm(8 sets/box)			
550*85*720mm(1 set/box)				







Material	ABS
Product Size	510*230*70mm
Net Weight	0.82kg
Applicable Product	MF911L/ MF911LA/ MF731L/ MF732L



Technical Parameter

Material	Leather+sponge
Product Size	510*240*90mm
Net Weight	1.1kg
Applicable Product	MF911L/ MF911LA/ MF731L/ MF732L



Technical Parameter

Material	ABS
Product Size	560*405*55mm(Without the round toilet)
Net Weight	1.5kg(Without the round toilet)
Applicable Product	MF911L/ MF911LA/ MF731L/ MF732L



ww.biobase.cc/www.biobase.com Technical Parameter

Material	Leather+sponge	
Product Size	540*430*100mm(Without the round toilet)	
Net Weight	1.8kg(Without the round toilet)	
Applicable Product	MF911L/ MF911LA/ MF731L/ MF732L	



Technical Parameter

Material	Oxford cloth
Product Size	370*310*5mm(Without the round toilet)
Net Weight	0.2kg(Without the round toilet)
Applicable Product	MF911L/ MF911LA/ MF731L/ MF732L





Introduction

Bath chair is mainly used for the elderly or people who cannot adapt to standing for a long time to reduce the occurrence of dizziness and fainting accidents caused by standing for a long time.

Technical Parameter

Model	MFMY101	MFMY102	
Adjustable Height	680-800mm	680-800mm	
Loading Capacity	150kg		
Material	Aluminium alloy, ABS	Aluminium alloy, ABS	
External Size	510*490*690mm	470*500*730mm	
Package Size	400*120*650mm	400*120*650mm	
Net Weight	2.6kg	3.1kg	
Gross Weight	3.4kg	3.9kg	

39 www.biobase.cc 40 www.biobase.com

Toilet Chair

Shift Machine



Introduction www.biobase.cc/www.biobase.com

The toilet chair is mainly suitable for the elderly or those who can not squat for a long time due to inconvenience of legs and feet. It can provide physical support for defecation and reduce the occurrence of dizziness and fainting accidents caused by standing after a long squat.

Technical Parameter

Model	MFCYA101
Seat height	380-510mm
Loading Capacity	100kg
External Size	570*465*(670-800)mm
Package Size	500*225*710mm
Net Weight	3.3kg
Gross Weight	4kg





Features

- It can be used with a toilet, and it can be used in many places, including bedrooms and toilets.
- Extended all-inclusive arc-shaped armrests, safer anti-collision and more convenient to hold.
- Thickened sponge cushion, more comfortable to use.
- Compared with similar products, it is more cost-effective.

Technical Parameter

Model	MFYW201(Upgrade model)	MFYW102 (Upgrade model)
External Size	630*530*(870-1100) mm	750*500*(750-900)mm
Brake	Foot Switch	
Driving Method	Electric drive pusher	Hydraulic pressure drive
Passing Width	560mm	500mm
Lifting Height	230mm	150mm
Load-bearing	120kg	
Power Supply	100-240V 50/60Hz	
Packing Size	750*540*410mm	760*550*420mm
Gross Weight	28kg	37kg

www.biobase.cc 42