







## PRODUCT SIZE













## PRODUCT PARAMETER

Parameter	Display Resolution	1920*1080/3840*2160
	Contrast	1400:1typ
	Maximum Brightness	350cd/m <sup>2</sup>
	Image Ratio	16:09
	Visual Angle	178°
	Color	16.7M
	Input Voltage	AC110-240V 50HZ-60HZ
Touch Screen	Touch Type	Infrared touch/ Capacitive touch/ Non-touch
	Touch Screen Sensing	Finger
	Calibration	No calibration
	Number of Touches	More than 60 million times in the same location
	Responding Speed	Click 8ms Continuous: 3ms
Play System	System	Android system RAM: 2GB ROM:16GB
	Play Mode	Support multiple playback modes such as looping, timing, interstitial, etc.
	Decoding Resolution	supportup to 3840*2160
	Split Screen Playback	Support horizontal screen, vertical screen, full screen and split screen playback
	Time Switch Play	5 switches per day, seven days a week can be set up, 24 hours unmanned management
	Audio Sound	Left channel right channel, 8n5W speaker
	Support Subtitles	You can set mobile subtitles, and play subtitles in commercials
	Image Format	5upport JPG, BMP, PNG, GIF and other image format browsing and support rotation/slide show, upto 4096*4096 resolution
	Play File Format	Video: All video formats Music: MP3 style music

Play System	Network Interface	RJ45/IEE1802.31/100M ETHERNET LAN: WIFI
	Network Support	4G, Ethernet, support WiFi/Bluetooth 4.0, wireless peripheral expansion
	Log Management	Supportterminal log and program log management
	TF Card	SupportTF card
	Ethernet	10M/100M/1000M adaptive Ethernet
	Switch Machine	Manualswitch machine, automatic timing switch machine.
	Background Operation Software	LAN/Internet B/S management software
	Language	Simplified Chinese, Traditional Chinese, English and other languages
	GPS	External Gps(optional)

## INSTALLATION METHOD









