



BELOONG

TOUCH QUERY ALL IN ONE MACHINE



PRODUCT SIZE



21.5"



32"



43"



50"



55"



65"

PRODUCT PARAMETER

Dispiay	Display resolution	1920*1080/3840*2160
	Contrast	4000:1typ
	Maximum brightness	350cd/m
	Image ratio	0.672916667
	Perspective	178°
	Color	16.7M
	Input voltage	AC110-240V (50Hz-60Hz)
Screen	Touch type	Infrared/Capacitive touch
	Number of touches	More than 60 million times in the same location
	Responding speed	Click: 8ms Continuous: 3ms
Specification	Motherboard	X86 motherboard
	RAM	4G
	ROM	128G
	System	Windows system
	Audio	Onboard RTL ALC269 HD sound card
		Audio input; MIC input
		2.0 4Pin speaker output 2W*2
	Display interface	HDMI 1 Type-A female connector 3840*2160@60Hz
		VGA 1 standard VGA female connector 3840*2160@60Hz
	Network port	1 standard RJ45 interface 10M/100M/1000M adaptive
		Onboard RTL8111F Gigabit LAN
	System functions	Support diskless startup, network wake-up, power on, watchdog and other functions
	Language	Simplified Chinese, Traditional Chinese, Japanese, European OSD languages etc.
	Switch machine	Manual switch machine, automatic timing switch machine.

Video	Maximum resolution	3840*2160@60Hz
	The largest color depth	24bit
	The biggest frame rate	30frm
	The largest stream	USB2.0 device:20Mbit/sec

INSTALLATION METHOD



K-shape base



S-shape base



整理 整顿 清扫 清洁







BELOONG