











BELOONG

INTERACTIVE WHITEBOARD



PRODUCT SIZE



PRODUCT PARAMETER

Display	Backlight Type	DLED direct type
	Screen Ratio	16:9
	Physical Resolution	3840x 2160 UHD
	Brightness	350-380cd/ m ² (center point)
	Contrast	1200:1 (Typ.) transmission
	Display Color	8 bit/16.7 Million
	Viewing Angle	178°,178°
	Refresh Rate	60Hz
	Corresponding Time	8ms
	Audio Output Power	8Ω10W x2
	Camera	OPTIONAL
	Touch Type	Infrared touch screen
Touch	Touch Points	20 touch points
	Touch Writing Surface Material	4mm tempered glass
	Touch Screen Sensing Method	Fingers or other non-transparent touch-sensitive media
	Detection Function And Calibration	With software automatic detection function
Specifications And Parameters	Installation Method	Hanger (standard)
	Front Interface	USB1 (PC USB), USB2 (all channels shared USB),HDMI IN, TOUCH USB
	Storage Environment	Storage temperature: -20℃~60℃; storage humidity: 10%RH~90%RH
	Working Environment	Working temperature: -10℃~55℃; Working humidity: 10%RH~90%RH
	Service Life	≧ 50000 hours

Power	Operating Voltage	110~240V/50~60Hz	Power switch/position	Yes/Post
	Power Consumption	About 330W	Power type/method	Three-core power supply/fixed
	Standby Power Consumption	≦0.5W	Power interface specifications	Customer-defined
Motherboard Configuration Scheme	Configuration	Memory 2G.3G.4G DDR3, storage 16G.32G WIFI2.4GHZ +5G (5G projection hotspot)		
	Input Port	RJ45*1 (side) HDMI*2 (side) TOUCH USB*1 (side) VGA*1 (side) VGA AUDIO IN*1 (side) YPBPR*1 (side) AV*1 (side) TV*1 (side))		
	Output Port	SPDIF*1 (side) Earphone*1 (bottom)		
	Audio	MPEG1/2 layer I/II, AC-3 (customization required), AAC-Lc, WMA...		
	Video	MPEG-2/4,AVS,H.264,H.265,TS,Realmedia...		
Computer Standard	Picture	Support JPG, BMP, PNG and other image format browsing and support rotation/ slide show /picture zoom function		
	Installation Method	OPS	processor	i3.i5.i7 4th generation
	Chipset	Intel(R) 7 Series Chipset Family Mobile	hard disk	SSD 128G

INSTALLATION METHOD







BELOONG