


链板给料机 **Apron Feeder**

LTF SERIES





Features/Benefits

- Standard apron feeder range for quarry/aggregate processing/recycling applications;
- Can be used on flat or up to 20° slopes;
- Provide hoppers according to customer requirements;
- Electric and hydraulic drives are available.

主要应用场合:

- | | |
|--------|--------|
| ● 水泥行业 | ● 铁矿 |
| ● 表层土 | ● 铝矾土 |
| ● 铜矿 | ● 煤矿 |
| ● 建筑垃圾 | ● 石灰石矿 |

The main application occasions:
Cement industry; iron ore;
topsoil; bauxite; copper mine;
coal mine; construction waste;
limestone mine.

LTF Chain Plate Feeder Specifications

Model	Standard sizes (WxL) mm	Power Kw	Maximum feed size mm	processing capacity tph	Speed m/s	Angle °
LTF1034	1000x3400	11	500	250-400	0~0.3	0~20
LTF1038	1000x3800	11	500	250-400		
LTF1043	1000x4300	15	500	250-400		
LTF1052	1000x5200	22 (2x11)	500	250-400		
LTF1234	1200x3400	15	600	250-500		
LTF1238	1200x3800	15	600	250-500		
LTF1243	1200x4300	22 (2x11)	600	250-500		
LTF1252	1200x5200	30 (2x15)	600	250-500		

