




Creating the future smart retail

YALATECH SMART ESL SOLUTION

Table of Contents

- I Overview (value of our ESL)
- II Spec of ESL
- III Spec of AP
- IV What makes our solution superior?
- V ESL software
- VI System integration and deployment

The Infrastructure of ESL System



Value of our ESL




Price Management

- Real-time price update
- Price synchronization
- Information synchronization



Stock Management

- Connect with your ERP
- Online / offline information synchronization
- Automatic update on stock status



Interactive Marketing

- Customized QR codes
- NFC feature(optional)



Order Picking

- Route guidance
- Picking indicator











SMART RETAIL, SMART OFFICE AND MORE -

Total H/S solution for you

Slim Series ESL

Lite Series ESL

Freezer & Waterproof ESL

Rock Series ESL

Gateway(AP)

ESL software

ESL Accessories

YalaTech Electronic Shelf Label Product Lineup









Rock Series (3.5, 4.2, 5.83, 10.2inch)





Freezer & Waterproof (2.66, 4.2inch)



Slim Series (2.13, 2.66, 2.9, 4.2, 7.5inch)



Lite Series (1.54, 2.13, 2.66, 2.9, 4.2, 7.5inch)

Lite Series ESL



- Simply design
- NFC optional
- Colorful cases customizable

1.54	2.13	2.66
2.90	4.2	7.5

Slim Series ESL



- Slim design
- Super tough crash-proof protective cover for the display
- In-mould barcode label for long-lasting use
- 7 colors LED
- NFC optional

 2.13
 2.66
 2.90

 4.2
 7.5

Freezer and Waterpoof ESL





- Super tough crash-proof protective cover for the display
- In-mould barcode label for long-lasting use
- IP 67 waterproof
- Work in -20°C low temperature environment
- 7 colors LED
- NFC optional
- lithium battery for longer endurance

2.66

4.2


Rock Series ESL



- Super tough crash-proof protective cover for the display
- In-mould barcode label for long-lasting use
- IP 67 waterproof
- 7 colors LED
- NFC optional
- lithium battery for longer endurance


3.5 4.2 5.83 10.2

ESL Gateway (Access Point)



Features


- Communicate to ESL units automatically in the initial setting
- High-speed bi-directional communication
- Simple installation, plug & play
- High capacity and wide coverage



Specifications of ESL Gateway

Weight	41.7g
Working voltage	4.8-5.5V
Communication Distance	Indoor 30m radius, 2800 sqm coverage
No. of ESL per base station	5000pcs
Communication Frequency Range	2.4Ghz
Communication Protocol	Zigbee2.4G/TCP/IP
Communication Model	bi-directional communication
Transmitting power	20dbm
Power	DC
Interface	DC-in, Ethernet port
Installation	support multiple approaches
Operate Temperature	-10 60
Working Humidity	10-90%RH

What Makes Our Solution Superior?



All the points above are the reasons why our ESL solution would be the best value-formoney solution you can ever expect.

1. Optimized Communication Protocol

Our communication protocol is the foundation to ensure efficient and stable communication between base stations and ESLs.

YalaTech has developed its own protocol based on Zigbee at 2.4G frequency band.

To ensure efficient and stable transmission, our communication protocol adopts the following technologies:


- Ad hoc networking
- Broadcasting
- Roaming
- Automatic channel selection


Optimized Communication Protocol

Features:

- --High-speed bi-directional communication between ESL and Gateway
- --With automatic networking technology, ESL has the ability to automatically search for gateway
- --High capacity and wide coverage
- --Private communication protocol to ensure no interference and communication security

AUTO NETWORKING





Intelligent self-organizing network technology, digital labels can automatically search for AP. When the previous binding AP fails, the digital labels will automatically match the new AP to ensure stable operation.

Coverage of AP(base station)



With one AP only, the coverage is more than 2800


* Coverage: Indoor 30m radius, 2800 sqm coverage * No. of ESL per base station(AP): 5000

Theoretically, there is no limit to the number of ESL devices that one base station can access. However, in an indoor environment like a supermarket, due to the physical barriers of the walls and pillars, and considering the influence of the number of access on the price tag change speed, we have verified many times and tested it out that when the number of price tags is around 5000, the base station can exert excellent performance.

2. Efficient Updating Speed

Featuring the innovative "rapid mode", up to 10,000 price tags can be updated in 25 minutes.

How Do We Achieve This?



Faster refresh speed with shorter response time

< 3 secs

1 piece Response time after dispatch

> our competitors 15 - 35 secs

2 mins

100 pieces Response time after dispatch

our competitors > 15mins

5 mins

1000 pieces Response time after dispatch

our competitors > 25mins

25 mins

10,000 pieces Response time after dispatch

our competitors > 35mins


3. Simple System Infrastructure

Our ESL solution uses a simple infrastructure, the system provides the lowest cost installation and maintenance using the least amount of hardware in-store of any vendor.



4. Central Monitoring System

Centrally monitor the operating status of each store's system. This system also allows user to send and receive system reports and warnings regularly in real-time.



5. User-friendly

YalaTech's ESL software is super user-friendly, reduce your training costs and improve operational efficiency




- (1). One software to manage all.
- (2). An ordinary user who does not understand IT can master our ESL software within 2 hours, and the cost of training is low.
- (3). Users don't need to write code to create a template. Anyone who can use office can use our software to create a template.

For some competitors' ESL software, you need to write code to create a template, which increases the difficulty of users' operations.

ESL SOFTWARE

For both cloud or local server;

With both web application for PC and APP for PDA.



ESL software functions

1)Store management
The system supports functions
such as adding, modifying,
viewing, enabling and
disabling.

2)User management
The system supports functions
such as viewing, modifying and
deleting; it can also assigns
stores and give permissions to
users.

3)Commodity management
Users can view, add, modify,
delete commodities in the
system; also bind or unbind
price label according to
commodity number.

4)Device management
The system supports
importing data or deleting
data, binding or unbinding
labels with commodities, and
refreshing label screen.

5)Data statistics

The system supports viewing the updated records and historical price changes, as well as the updated records and historical price. 6)Early-warning Monitor
The system can monitor AP
and ESL, and abnormal data
will be sent to designated
personnel.

ESL software features

- --Support cloud and local server deplyment;
- --With Free and Open API for System Integration and Secondary Development;
- --APP used for PDA to manage ESL, manage product, manage price, query product and ESL;
- --Visual template editor for easy template creation;
- --The template editor allows personalized editing and typesetting of graphics, images, text, number and QR code.

Template Editor / What you see is what you get



Template(display format)





Number, letter, picture, currency symbol, punctuation mark, bar code, and QR code. Up to 10 of these can be displayed on the screen.

The template editor allows personalized editing and typesetting of graphics, images, text, number and QR code;

Split screen feature

Our ESL has a feature where you can display price vertically, upside down, and can be split into multiple small screens where you can display price of different products on one tag/label.



Greatly improve the screen utilization rate of the price tag and reduce the cost of use



System integration

Equipped with standard API that is compatible with any ERP or POS systems that allows you to manage your in-store price through your current system after integration with our digital label system.

Hardware integration is available for customers who hope to integrate their server with ESL gateway.

1. API

Our software has standard API with http and https protocol interface.

2. Database Storage


Database integration to allow user to view the data.

3. MQTT Protocol

Hardware integration that allows images to be sent to the gateway through MQTT protocol.

This method allows the gateway to be directly connected to your server and your server can run without using our back-end portal.


How to connect your ERP with ESL software?



Software integration

We provide free API for easy integration, user can manage the content of the digital label through their ERP or POS after integration.

If you hope to use your own ESL software



Hardware integration

We provide free MQTT protocol document for easy integration, user can manage the content of the digital label through their server after integration, so they can use their own ESL software.






YalaTech ESL system can be deployed to your private cloud server, local server (individual store) and central server (chain stores).

Simple Deployment - Flexible deployment solutions

Solution 1 - Intranet Centralized

- Centralized deployment and management of all stores with local server
- Server resources can be reused, reducing infrastructure investment
- Easy to implement, upgrade and maintain the system
- Reduce IT, operation and maintenance investment
- Robust system security
- Fault-tolerant design, low requirements on the external network of the store




Simple Deployment - Flexible deployment solutions

Solution 2 - Cloud Centralized

The most simple and cost-effective way to deploy and monitor your ESLs

- Centralized deployment and management of all stores
- Low infrastructure investment
- Easy to implement, upgrade and maintain the system
- Robust system security







To learn about how our Electronic Shelf Label solution can help your business, just contact us from below.

Email:sales@yalatechnology.com Tel: 86-020-3117 7067 Website:www.yalatechnology.com