







LD-14-711




Color rendering index: Ra ≥ 80
 Operating temperature: -20°C - +40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White

DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-14-71101	COB 3W	57*50*H90mm	45*40mm	180lm
LD-14-71102	COB 6W	98*50*H72mm	85*40mm	360lm
LD-14-71103	COB 9W	138*50*H90mm	125*40mm	540lm
LD-14-71104	COB 12W	178*50*H90mm	165*40mm	720lm
LD-14-71105	COB 15W	218*50*H90mm	200*40mm	900lm






LD-03-719



Color rendering index: Ra ≥ 80
 Operating temperature: -20°C - +40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black


DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-03-71901	SMD 7W	Ø66*H46.5mm	Ø60mm	455lm
LD-03-71902	SMD 12W	Ø83*H57 mm	Ø75mm	780lm
LD-03-71903	SMD 18W	Ø93*H65 mm	Ø85mm	1170lm





LD-03-730




Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White


DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-03-73001	COB 7W	Ø 77*H 53mm	Ø 75mm	525lm
LD-03-73002	COB 15W	Ø101*H 70 mm	Ø 95mm	1170lm
LD-03-73003	COB 20W	Ø137*H101 mm	Ø130mm	1600lm


7W




15W



20W



LD-03-729




Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black


DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-03-72901	COB 7W	Ø 77* 53mm	Ø 75mm	525lm
LD-03-72902	COB 15W	Ø101* 70mm	Ø 95mm	1170lm
LD-03-72903	COB 20W	Ø137*101mm	Ø130mm	1600lm


7W






15W




20W







LD-03-733




Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White

DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-03-73301	COB 10W	Ø 83*H 94mm	Ø 75mm	800lm
LD-03-73302	COB 15W	Ø102*H114 mm	Ø 95mm	1200lm




LD-03-736



Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black


DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-03-73601	COB 10W	Ø60*H56mm	Ø55mm	700lm






LD-03-731




Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White

DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-03-73101	COB 7W	Ø 65*H 72mm	Ø 60mm	560lm
LD-03-73102	COB 12W	Ø 82*H 95 mm	Ø 75mm	960lm
LD-03-73103	COB 18W	Ø106*H117 mm	Ø100mm	1140lm




LD-03-732



Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black


DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-03-73201	COB 5W	Ø63*H 76 mm	Ø55mm	400lm
LD-03-73202	COB 10W	Ø67*H 85 mm	Ø60mm	800lm
LD-03-73203	COB 15W	Ø83*H108 mm	Ø75mm	1200lm






LD-10-738



Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White




DATA SHEET


Model no.	Power	Dimension	Cut out	Lumens
LD-10-73801	COB 8W	85*85*H105mm	75*75mm	400lm



LD-03-737



Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black




DATA SHEET


Model no.	Power	Dimension	Cut out	Lumens
LD-03-73701	COB 7W	Ø 70*H61mm	Ø 60mm	490lm



LD-11-739



Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White




DATA SHEET


Model no.	Power	Dimension	Cut out	Lumens
LD-11-73901	COB 8W	Ø 77*H102mm	Ø 20mm	400lm



LD-10-740




Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black




DATA SHEET


Model no.	Power	Dimension	Cut out	Lumens
LD-10-74001	COB 8W	Ø 65*H96mm	Ø 55mm	400lm



LD-10-741



Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White




DATA SHEET


Model no.	Power	Dimension	Cut out	Lumens
LD-10-74101	COB 8W	Ø 85*H58mm	Ø 75mm	400lm



LD-11-715




Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black




DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-11-71501	COB 15W	Ø98*H98 mm	Ø20mm	1480lm



LD-12-719






Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black


DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-12-71901	COB 10W	Ø 100*H100mm	Ø 20mm	851lm

Inner rings color :




LD-10-743



Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black


DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-10-74301	COB 6W	Ø 52*H72 mm	Ø45mm	390lm
LD-10-74302	COB 8W	Ø 62*H78 mm	Ø55mm	544lm
LD-10-74303	COB 10W	Ø 73*H82 mm	Ø65mm	700lm
LD-10-74304	COB 15W	Ø 84*H86 mm	Ø75mm	1050lm







LD-11-744




Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White

DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-11-74401	COB 12W	Ø 74*H 97mm	Ø 20mm	960lm
LD-11-74402	COB 12W	Ø 74*H 97 mm	Ø 20mm	960lm
LD-11-74403	COB 18W	Ø100*H108 mm	Ø 20mm	1440lm
LD-11-74404	COB 18W	Ø100*H108 mm	Ø 20mm	1440lm



LD-11-745



Color rendering index: Ra≥80
 Operating temperature: -20°C-+40°C
 Life span: 50000H
 Material: Aluminum
 Housing colour: White/Black

DATA SHEET

Model no.	Power	Dimension	Cut out	Lumens
LD-11-74501	COB 5W	75* 75*H 79mm	Ø20mm	350lm
LD-11-74502	COB 10W	100*100*H 93mm	Ø20mm	700lm
LD-11-74503	COB 10W	150* 75*H 79mm	Ø20mm	700lm
LD-11-74504	COB 20W	200*100*H100mm	Ø20mm	1400lm

