



Report No.: CESHY210604015

此报告本年度有效
有效期至2021年12月31日

海运货物运输鉴定报告书

Certification Report for Sea Transport of Goods

危险物品

Dangerous Goods

Name of Sample: LiFePO4 Start Battery MC30

样品名称 : 磷酸铁锂启动电池 MC30

Model Specification:

样品型号 : MC30

Client: RAY-TECH INTERNATIONAL LIMITED

委托单位 : 深圳市锐创新科技有限公司

先进储能材料国家工程研究中心有限责任公司检测中心

Test Center of National Engineering Research Center of Advanced Energy Storage Materials Co., Ltd.



说 明

Marking

1. 本公司依据委托人（托运人或其代理人）提供的物品及其运输信息，确定货物的运输条件并出只此报告书

The report is issued by CES according to the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

2. 依据鉴别的需要，要求委托人提供真实、完整的货物样品及资料。

According to the demand of identification and classification, CES requires the applicant to provide true and exact sample and data of the cargo.

3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。

The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.

4. 本报告书仅对样品的鉴别结果负责。

The report is only responsible for the identification and classification of the sample provided by the applicant.

5. 本鉴定报告书无批准人、审核人及鉴定人签名无效。

This report is invalid without the signatures of Ratifier, Reviewer and Testing engineer.

6. 本鉴定报告书涂改无效。

This report is invalid if altered.

7. 未经实验室书面批准，不得部分复制本报告书。

The partial replica of this report is prohibited without the written approval of CES.

8. 报告书仅在本年度内有效。

This report is only valid within the year.

检测单位地址：广东省深圳市宝安区新安街道宝石路29号蓝坤集团大厦B栋一楼B102

Lab Address: No.B102, 1/F., Lankun Group Building B, No.29, Baoshi Road, Xin'an Street, Bao'an District, Shenzhen, Guangdong, China

电话(TEL): 86-755-22678310

传真(FAX): 0755-22678299

邮政编码(Post Code): 518101

网址(Website): www.cescert.com

E-mail: service@cescert.com


货物运输鉴定书
 Certification for Safe Transport of Goods

样品名称 Name of Goods	磷酸铁锂启动电池 MC30		
	LiFePO4 Start Battery MC30		
委托单位 Client	深圳市锐创新科技有限公司		
	RAY-TECH INTERNATIONAL LIMITED		
生产单位 Manufacturer	深圳市锐创新科技有限公司		
	RAY-TECH INTERNATIONAL LIMITED		
鉴定依据 Identification Criteria	《国际海运危险货物运输规则》(40-20) 《International Maritime Dangerous Goods》(40-20)		
样品信息 Sample information	电池类别/Battery type	锂离子电池组/ Li-ion Battery	
	型号规格/Model	MC30 (12.8V 10Ah 128Wh)	
	电池尺寸/Battery size	146.0mm×144.0mm×80.0mm (L×W×T)	
	外观颜色/ Appearance	黑色/Black	
包装件信息 Package information	包装件尺寸/Package size	510mm×310mm×320mm(L×W×H)	
	包装件重量/ Package weight	23.2 KG	
	电池个数/Battery number	12PCS	
	电池净重/Battery net quantity	19.2 KG	
设备信息 Equipment information	名称/Name	型号/Model	商标/Brand
	/	/	/
鉴定结果 Identification conclusion	1.运输名称/Shipping name 锂离子电池（包括聚合物电池） Lithium ion batteries (Including lithium ion polymer batteries) 2.危险品识别/ Hazards identification 第九类危险品/ Class 9 Hazard 3.包装符合IMDG CODE(Amdt.40-20)2020版包装导则 P903的要求/Package compiles with the Packing Instruction P903 of IMDG CODE(Amdt.40-20)2020Edition. -包装箱满足包装等级II的要求/ The package meet the Packing Group II performance standards.		
鉴定时间 Identification Date	2021-07-21	报告有效期 Period of validity	2021-12-31



 Approved by:
(批准)



 Reviewed by:
(审核)



 Appraisal by:
(鉴定人)



货物运输鉴定书
 Certification for Safe Transport of Goods

序号 NO.	检查结果 Inspection results
1	锂电池已通过联合国《试验和标准手册》第III部分 38.3 小节相应测试要求，（报告编号：CESUN210604015） Lithium battery is of a type proved to meet the Requirements of each test in the UN MANUAL OF TESTS AND CRITERIA, Part III, sub-section 38.3(Report No. : CESUN210604015) 锂电池生产商提供了联合国《试验和标准手册》第III部分 38.3.5 小节规定的试验概要（编号：CESUNTS210604015） Lithium battery manufacturer provided the test summary in the UN MANUAL OF TESTS AND CRITERIA, Part III, sub-section 38.3.5(No. : CESUNTS210604015)
2	本报告所述锂电池按照《国际海运危险货物运输规则》(40-20版)2020按照规定的质量管理体系进行制造。 Lithium cells and batteries listed in this report were manufactured under the quality management programmer as described in IMDG CODE(Amdt. 40-20)2020.
3	锂电池具有适当的防短路措施。 Cells and batteries are properly protected so as to prevent short circuits.
4	锂电池装在能完全封闭其的内包装再放置在坚固外包装。 Cells and batteries are packed in inner packagings that completely enclose the cell or battery then place in a strong outer package. 锂电池有适当的保护措施防止其在包装件内移位。 Cells and batteries are properly protected so as to prevent short circuits.

图片/Picture



-- End of Report--