

# Under water Light

水底灯 / 卫浴灯

Hot Tub Spa/Water Feature/Outdoor Pool/ Parts&stuff/Underwater light Series

浴缸灯/水饰灯具/户外泳池灯/其他配件

Coloured lighting is a great addition to any pool or spa, creating an attractive and eye catching Effect for outdoor or indoor area. Once installed correctly you will have hours of enjoyment with the colourful effects in your pool or spa. A range of lights are available, White, blue,green and other single color, multicolored are available as well . Lighting can be controlled by manual control or automatic control for a special effect and can be used as a safety feature to illuminated steps, sides and water features.

斑斓多彩的灯光乃是各种浴缸,水疗池,泳池的点睛之品,赋予室内外无限魅力。一旦把灯光安装得体,将能给你的水疗浴缸,泳池带来前所未有的体验。

灯光的颜色除了白光,蓝光,绿光,红色等单色,还可以是RGB多彩灯光。RGB灯光可以通过手动控制器选择单色灯光或者是变幻模式,还可以通过使用同步自动变色器自动变幻,为环境(如水边照明,水底照明等)营造安全&理想氛围。

佛山市威斯泰电器有限公司  
Foshan Weistai Electric Co.,Ltd

威斯泰电器(香港)有限公司  
Weistai Electric(HongKong)Co.,Ltd

地址: 广东省佛山市顺德区容桂街道昌宝西路39号  
Addr: NO.39 Changbao West Road ,Rongli ,  
Ronggui, Shunde ,Guangdong, China  
Tel: 0086-757-28327327 28989169 28899861  
Fax: 0086-757-28994783

Web: <http://www.weistai.com>  
E-mail: [tan@weistai.com](mailto:tan@weistai.com) / [lisheng-tan@163.com](mailto:lisheng-tan@163.com)



Web 官方网站



**Weistai** 威斯泰®  
佛山市威斯泰电器有限公司

# 公司简介 WEISTAI COMPANY PROFILE



## INTRODUCTION

Foshan Weistai Electric Co.,Ltd established in 1998,is a leading factory of develop, design, manufacture LED products which are environment-protecting,energy-saving, safe, healthy, long-life and applicable. And we are rated as Guangdong enterprise of high and new technology ,Shunde government enterprise of Longteng Starlight,Ronggui seed enterprise of high-Tech enterprise and Guangdong province enterprise of observing contract and valuing credit and so on.Here is our mainly products:

Here are our main products: Underwater lamp,Massage Jet lamp,Mini LED lamp,Outdoor pool lights,Bathroom light accessories,underground lights and so on Our company has obtained and managed the certification of ISO9001-2008 standard ,and passed TUV, GS,CE, ROHS, ERP, SAA,UL,FCC and CQC certificates.

Enjoying good market and reputation of European and American countries,Asia,Africa,Oceania and other areas. We have strong technology and our own developing teams,advanced production technology,which can produce and develop high-tech products to satisfy customers' unique needs.Now we have more than 30 Chinese patents of our products,over 100 product certificates ,registered trademark from home and abroad.

We are a company of developing,designing,producing and selling.New products and new technology has growing all the time.Hope we have opportunity to serve you sincerely and create a win-win benefits.

佛山市威斯泰电器有限公司创办于1998年,是一家专业开发,设计,生产:环保,节能,安全,创新,实用为特色的LED智能灯。被评为高新技术企业,顺德政府龙腾星光企业,容桂高新企业种子企业,广东省守合同重信用企业等荣誉,主要生产的产品有:浴缸灯系列,浴缸按摩灯系列,满天星系列,泳池灯系列,卫浴配件系列,埋地灯系列。

公司全面通过并实施ISO9001:2008标准化质量体系产品通过了TUV,GS,CE,ROHS,ERP,SAA,UL,FCC等多国认证。产品畅销欧美、亚洲、非洲、大洋洲等地区并享有声誉。公司技术力量雄厚,有10多人组成的开发团队,有先进的生产设备,能自行研制开发科技含量高的产品,满足客户的独特需要,公司已经获得三十多项国家专利。一百多份产品认证证书,国内外注册商标公司聚开发、研制、生产、销售为一体的企业。新产品、新技术与日俱增。愿真诚与国内外新老客户携手共创双赢!



## Catalog 目录

Company profile 公司简介	01
A Underwater lamp series 浴缸灯系列	03
B Massage Jet lamp series 浴缸按摩灯系列	07
C Mini LED lamp series 满天星系列	09
D Bathroom lamp accessories 卫浴灯配件	13
E Sauna&steam room lamp Series 桑拿房&淋浴房灯系列	17
F Bathroom mirror lights series 浴室镜灯系列	19
G Outdoor pool lights series 泳池灯系列	21

# Underwater lamp series

## 浴缸灯系列

Coloured lighting is a great addition to any pool or spa, or sauna room ,bath room ect,creating an attractive and eye catching Effect for outdoor or indoor area.Once installed correctly you will have hours of enjoyment with the colourful effects in your pool or spa or sauna room ,bath room ect,. A range of lights are available, White, blue,green and other single color, multicolored are available as well . Lighting can be controlled by manual control or automatic control for a special effect and can be used as a safety feature to illuminated steps, sides and water features.


斑斓多彩的灯光乃是各种浴缸,水疗池,泳池的点睛之品,赋予室内外无限魅力.一旦把灯光安装得体,将能为你的水疗浴缸,泳池带来前所未有的体验.灯光的颜色除了白光,蓝光,绿光,红色等单色,还可以是RGB多彩灯光.RGB灯光可以通过手动控制器选择单色灯光或者是变幻模式,还可以通过使用同步自动变色器自动变幻,为环境(如水边照明,水底照明等)营造安全&理想氛围.



### Installation instructions

### 安装说明


1



1,Check all parts is included, such as lamp body,rubber ring(gasket ring),and support screw nut

1.检查全部部件,灯体,橡胶圈(防水圈),支撑螺母

2



2,Put the parts on right place as the diagrammatic drawing,and then tighten the support nut;  
3,The installation step is finished ,connect with adapter(and lighting controller if requested), and connect with air pipe or water pipe to test.

2, 把各部件按图示安装,灯体和防水圈放在前面,螺母放在后面,然后拧紧螺母固定安装;  
3, 灯安装完成,连接变压器(可能还需要加上灯光控制器),连接好气管或水管进行测试工作.

### NO.01

#### Specifications 规格

Outer Size产品尺寸:	Φ63×53mm
Hole Size开孔尺寸:	Φ48mm
Material材质:	PC+Chroming
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°/120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Cover 透镜类型
WST-1323-01	DIPΦ5	18PCS	1.2W	Transparent 透明 /Frost 磨砂 /Crystal 晶体
WST-1323-3528	SMD3528	18PCS	1.2W	
WST-1323-5050	SMD5050	9PCS	1.5W	

### NO.02

#### Specifications 规格

Outer Size产品尺寸:	Φ68×53mm
Hole Size开孔尺寸:	Φ51mm
Material材质:	PC+Chroming
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Cover 透镜类型
WST-1323-07-SJ01	SMD5050	9PCS	1.5W	Chroming 镀铬
WST-1323-07-SJ02	SMD5050	9PCS	1.5W	White 奶白
WST-1323-07-SJ03	SMD5050	9PCS	1.5W	Transparent 透明

### NO.03

#### Specifications 规格

Outer Size产品尺寸:	Φ63×66mm
Hole Size开孔尺寸:	Φ47mm
Material材质:	PC+Chroming
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Cover 透镜类型
WST-1323-06-M01	SMD5050	9PCS	1.5W	Frost 磨砂
WST-1323-06-M02	SMD5050	9PCS	1.5W	Transparent 透明

## NO.04

### Specifications 规格

Outer Size产品尺寸: Φ94×68mm  
 Hole Size开孔尺寸: Φ67mm  
 Material材质: PC+Chroming  
 Voltage电压: 12V AC/DC  
 Beam Angel照射角度: 120°  
 Life Time寿命: ≥50000hours  
 Operate TEMP工作湿度: -20~80°C  
 Water Proof防水等级:Front IP68,Back IP44  
 Emitting Color灯光颜色: RGB  
 /single color



WST-1323-08-SJ01



WST-1323-08-FX02

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Len Type 面罩
WST-1323-08-SJ01	SMD5050	12PCS	2.5W	crystal 晶体
WST-1323-08-FX02	SMD5050	12PCS	2.5W	Anti-dizzy 防炫

## NO.07

### Specifications 规格

Material材质: PC+Chroming  
 Voltage电压: 12V AC/DC  
 Beam Angel照射角度: 120°  
 Life Time寿命: ≥50000hours  
 Operate TEMP工作湿度: -20~80°C  
 Water Proof防水等级:Front IP68,Back IP44  
 Emitting Color灯光颜色: RGB  
 /single color



WST-1351-01 / 1351-02



WST-1334

Item No.产品型号	Size 尺寸	Hole Size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率	Len Type 面罩
WST-1351-01	Φ85×50mm	Φ75mm	DIPΦ5	30PCS	2W	Transparent 透明
WST-1351-02						Crystal 晶体
WST-1334	Φ125×75mm	Φ95mm	SMD2835	60PCS	3.6W	Anti-dizzy 防炫

## NO.05

### Specifications 规格

Outer Size产品尺寸: Φ65×84mm  
 Hole Size开孔尺寸: Φ47mm  
 Material材质: PC+Chroming  
 Voltage电压: 12V AC/DC  
 Beam Angel照射角度: 120°  
 Life Time寿命: ≥50000hours  
 Operate TEMP工作湿度: -20~80°C  
 Water Proof防水等级:Front IP68,Back IP44  
 Emitting Color灯光颜色: RGB  
 /single color



WST-1323-05



WST-1323-05-5050

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Color 灯光
WST-1323-05	DIPΦ5	18PCS	1.5W	RGB/single Color
WST-1323-05	SMD5050	9PCS	1.5W	RGB/single Color

## NO.08

### Specifications 规格

Outer Size产品尺寸: Φ65×40mm  
 Hole Size开孔尺寸: Φ55mm  
 Material材质: PC+Chroming  
 Voltage电压: 12V AC/DC  
 Beam Angel照射角度: 120°  
 Life Time寿命: ≥50000hours  
 Operate TEMP工作湿度: -20~80°C  
 Water Proof防水等级:Front IP68,Back IP44  
 Emitting Color灯光颜色: RGB  
 /single color



WST-1352-CJ



WST-1352-CJ-5050

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Len Type 面罩
WST-1352-CJ	DIPΦ5	18PCS	1.2W	Clear 玻璃
WST-1352-CJ	SMD5050	9PCS	1.5W	

## NO.06

### Specifications 规格

Outer Size产品尺寸: Φ47×32mm  
 Hole Size开孔尺寸: Φ33.5mm  
 Material材质: PC+Chroming  
 Voltage电压: 12V AC/DC  
 Beam Angel照射角度: 120°  
 Life Time寿命: ≥50000hours  
 Operate TEMP工作湿度: -20~80°C  
 Water Proof防水等级:Front IP68,Back IP44  
 Emitting Color灯光颜色: RGB  
 /single color



WST-1353



WST-1353-5050

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Color 灯光
WST-1353	DIPΦ5	18PCS	1.5W	RGB/single Color
WST-1353-5050	SMD5050	9PCS	1.5W	RGB/single Color

## NO.09

### Specifications 规格

Outer Size产品尺寸: Φ50×38mm  
 Material材质: Glass 玻璃  
 Voltage电压: 12V AC/DC  
 Beam Angel照射角度: 120°  
 Life Time寿命: ≥50000hours  
 Operate TEMP工作湿度: -20~80°C  
 Water Proof防水等级:Front IP68,Back IP44  
 Emitting Color灯光颜色: RGB  
 /single color



WST-MR16



WST-MR16-SMD5050

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Color 颜色
WST-MR16	DIPΦ5	18PCS	1.5W	RGB/single Color
WST-MR16-SMD5050	SMD5050	9PCS	1.5W	RGB/single Color

# LED light

## with hydro-massage Jet (Air Hole) 浴缸按摩灯系列

LED lighting is another option for lighting the water of Jacuzzi Spa (Whirlpool). It allows for much more diverse and effective solutions: one color or multicolored gradient of color programming changing colors and visual effects. hydro-massage nozzle of lights, work to relax muscle, relieve pressure on nerves, boost circulation and accelerate the body's natural healing process, help promote relaxation and release stress.


LED灯光是水疗按摩池照明的理想解决方案选择,单色彩灯光或者是按照程序系统设置的渐变色彩都赋予栩栩如生的视觉享受。灯体的喷嘴(在浴缸系统运作中),能为体验者放松肌肉,舒缓神经压力,促进血液循环,享受水疗同时也是身心自然愈合的美妙过程。



### Installation instructions

### 安装说明


1



1, Check all parts is included, such as lamp body, rubber ring (gasket ring), and support screw nut

1. 检查全部部件, 灯体, 橡胶圈(防水圈), 支撑螺母

2



2, Put the parts on right place as the diagrammatic drawing, and then tighten the support nut;  
3, The installation step is finished, connect with adapter (and lighting controller if requested), and connect with air pipe or water pipe to test.

2, 把各部件按图示安装, 灯体和防水圈放在前面, 螺母放在后面, 然后拧紧螺母固定安装;  
3, 灯安装完成, 连接变压器(可能还需要加上灯光控制器), 连接好气管或水管进行测试工作。

## NO.10

### Specifications 规格

Material材质:	PC+304SS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作温度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



WST-1331-01



WST-1331-02



WST-1331-03

Item No. 产品型号	Size 尺寸	Hole Size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率
WST-1331-01	Φ47×52mm	Φ38mm	DIPΦ5	9PCS	1W
WST-1331-02	Φ47×52mm	Φ38mm	DIPΦ5	9PCS	1W
WST-1331-03	Φ33×61mm	Φ25mm	DIPΦ5	3PCS	0.6W

## NO.11

### Specifications 规格

Material材质:	PC+304SS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作温度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



WST-1331-04



WST-1331-05



WST-1331-06

Item No. 产品型号	Size 尺寸	Hole Size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率
WST-1331-04	Φ47×62mm	Φ38mm	DIPΦ5	9PCS	1W
WST-1331-05	Φ47×43mm	Φ35mm	SMD5050	1PCS	0.5W
WST-1331-06	Φ43×53mm	Φ35mm	SMD5050	1PCS	0.5W

## NO.12

### Specifications 规格

Nozzle喷嘴:	Flexible 360
Size尺寸:	Φ90×102mm
Material材质:	ABS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作温度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



WST-1355



WST-1356

Item No. 产品型号	LED 类型	Hole Size 开孔尺寸	Led Qty 数量	Power 功率	Control 控制
WST-1355	DIPΦ5	Φ68mm	7PCS	0.7W	Interior 内部
WST-1356	DIPΦ5	Φ68mm	7PCS	0.7W	Exterior 外部

# Mini led lights

## 满天星系列

Coloured lighting is a great addition to any pool or spa, or sauna room ,bath room ect,creating an attractive and eye catching Effect for outdoor or indoor area.Once installed correctly you will have hours of enjoyment with the colourful effects in your pool or spa or sauna room ,bath room ect,. A range of lights are available, White, blue,green and other single color, multicolored are available as well . Lighting can be controlled by manual control or automatic control for a special effect and can be used as a safety feature to illuminated steps, sides and water features.

斑斓多彩的灯光乃是各种浴缸,水疗池,泳池的点睛之品,赋予室内外无限魅力。一旦把灯光安装得体,将能为你的水疗浴缸,泳池带来前所未有的体验。灯光的颜色除了白光,蓝光,绿光,红色等单色,还可以是RGB多彩灯光。RGB灯光可以通过手动控制器选择单色灯光或者是变幻模式,还可以通过使用同步自动变色器自动变幻为环境(如水边照明,水底照明等)营造安全&理想氛围。



### Installation instructions

### 安装说明


1



1,Check all parts is included, such as lamp body,rubber ring(gasket ring),and support screw nut

1.检查全部部件,灯体,橡胶圈(防水圈),支撑螺母

2



2,Put the parts on right place as the diagrammatic drawing,and then tighten the support nut;  
3,The installation step is finished ,connect with adapter(and lighting controller if requested).

2,把各部件按图示安装,灯体和防水圈放在前面,螺母放在后面,然后拧紧螺母固定安装;  
3,灯安装完成,连接变压器(可能还需要加上灯光控制器)。

### NO.13

#### Specifications 规格

Outer Size产品尺寸:	Φ23×18mm
Hole Size开孔尺寸:	Φ17mm
Material材质:	ABS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作温度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



WST-1316-TX



WST-1316-NX

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Shell 外壳
WST-1316-TX	DIPΦ5	3PCS	0.6W	Clear 透明
WST-1316-NX	DIPΦ5	3PCS	0.6W	Milk 奶白

### NO.14

#### Specifications 规格

Outer Size产品尺寸:	Φ23×35mm
Hole Size开孔尺寸:	Φ17mm
Material材质:	ABS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作温度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



WST-1316-TD



WST-1316-ND

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Shell 外壳
WST-1316-TD	DIPΦ5	3PCS	0.6W	Clear 透明
WST-1316-ND	DIPΦ5	3PCS	0.6W	Milk 奶白

### NO.15

#### Specifications 规格

Outer Size产品尺寸:	Φ32×19mm
Hole Size开孔尺寸:	Φ23mm
Material材质:	ABS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作温度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB /single color



WST-1311-3



WST-1311-4

Item No.	LED	Led Qty	Power(W)	Color
WST-1311-3	DIPΦ5	4PCS	0.5W	RGB/single Color
WST-1311-4	SMD5050	3PCS	0.5W	RGB/single Color

## NO.16

### Specifications 规格

Outer Size产品尺寸:	Φ33.5×38mm
Hole Size开孔尺寸:	Φ22mm
Material材质:	ABS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB
	/single color



WST-1316QC-01

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Color 颜色
WST-1316QC-01	SMD5050	1PCS	0.5W	RGB/single Color

## NO.19

### Specifications 规格

Outer Size产品尺寸:	Φ17×37mm
Hole Size开孔尺寸:	Φ17mm
Material材质:	ABS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB
	/single color



Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Color 颜色
WST-1316-TXX-1	DIPΦ5	1PCS	0.3W	RGB/single Color
WST-1316-TXX-3	DIPΦ5	1PCS	0.3W	RGB/single Color

## NO.17

### Specifications 规格

Material材质:	ABS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB
	/single color



WST-1316QC-1A



WST-1316QC-2A



WST-1316-TXX-3A

Item No. 产品型号	Size 尺寸	LED 类型	Led Qty 数量	Power 功率	Color 颜色
WST-1316QC-1A	Φ5X30	DIPΦ5	1PCS	1.2W	RGB/single Color
WST-1316QC-2A	Φ5X36	DIPΦ5	1PCS	0.3W	RGB/single Color
WST-1316-TXX-3A	Φ13X30	SMD RGB	1PCS	0.6W	RGB/single Color

## NO.18

### Specifications 规格

Outer Size产品尺寸:	Φ18×36mm
Hole Size开孔尺寸:	Φ11mm
Material材质:	ABS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:Front IP68,Back IP44	
Emitting Color灯光颜色:	RGB
	/single color



WST-1316QC-TDX



WST-1316-TXX-3A

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Cover 材质
WST-1316QC-TDX	DIPΦ5	1PCS	0.3W	PC
WST-1316-TXX-3A	DIPΦ5	1PCS	0.3W	304SS





**NO.20**



Model No.型号: WTS-1799  
Input voltage电压: 12V AC/DC  
Press controller手按控制器

**NO.21**



Model No.型号: WTS-1799A  
Input voltage电压: 12V AC/DC  
Touch Controller触摸控制器

**NO.22**



Model No.型号: WTS-1803-1  
Input voltage电压: 12V AC/DC  
3key RGB light controller  
三按键控制器

**NO.23**



Model No.型号: WTS-1803-2  
Input voltage电压: 12V AC/DC  
3key RGB light controller  
三按键控制器

**NO.24**



Model No.型号: WTS-1800  
Input voltage电压: 12V AC/DC  
12V Automatic changing color controller  
12V 自动变色控制器

**NO.25**



Model No.型号: WTS-1800  
(350mA above)  
12V Automatic changing color controller  
12V 自动变色控制器 (350mA以上)

**NO.26**



Model No.型号: WTS-1797  
IRF RGB Light controller  
RGB遥控变色器

**NO.27**



Model No.型号: WTS-1800-6  
RF RGB Light controller  
RGB遥控变色器

**NO.28**



Model No.型号: WST-B12350  
waterproof AC adapter 110V/230V  
Waterproof:IP68 防水变压器  
Size尺寸: 70\*53mm  
Input输入: 110V/230VAC  
Output输出: 12V AC 350mA  
Power功率: 6W

**NO.29**



Model No.型号: WST-B12150  
European standard AC Adapter 230V  
欧规AC变压器  
Input输入: 230VAC  
Output输出: 12V AC  
150MA/350MA /500MA

**NO.30**



Model No.型号: WST-B121200  
waterproof AC adapter 110V/230V  
Waterproof:IP68 防水变压器  
Size尺寸: 70\*53mm  
Input输入: 110V/230VAC  
Output输出: 12V AC 1200mA  
Power功率: 12W

**NO.31**



Model No.型号: WST-B12500B  
waterproof AC adapter 110V/230V  
Waterproof:IP68 防水变压器  
Input输入: 110V/230VAC  
Output输出: 12V AC 500mA  
Power功率: 6W

**NO.32**



Model No.型号: WST-1801  
12V.AC to 12V.DC Convertor  
12V交流转换器

**NO.33**



Model No.型号: WST-12024  
Electronic transformer  
直流电子变压器  
Input输入: 110V-245V.AC  
Output输出: 12V DC  
Power功率: 24W

**NO.34**



Model No.型号: WST-12036  
Electronic transformer  
直流电子变压器  
Input输入: 110V-245V.AC  
Output输出: 12V DC  
Power功率: 36W

**NO.35**



Model No.型号: WST-12012  
Power supply  
直流电源/直流电源适配器  
Input输入: 110V-245V.AC  
Output输出: 12V DC  
Power功率: 12W

**NO.36**



Model No.型号: WST-B12150U  
12V.AC Transformer (USA plug)  
12V.AC 交流变压器(美规)  
Input输入: 110V.AC  
Output输出: 12V AC  
Power功率: 12W

**NO.37**



Model No.型号: WST-12012  
Power supply  
直流电源/直流电源适配器  
Input输入: 110V-245V.AC  
Output输出: 12V DC  
Power功率: 12W

**NO.38**



Model No.型号: WST-12024  
Power supply  
直流电源/直流电源适配器  
Input输入: 110V-245V.AC  
Output输出: 12V DC  
Power功率: 24W

**NO.39**



Model No.型号: WST-12045  
Power supply  
直流电源/直流电源适配器  
Input输入: 110V-245V.AC  
Output输出: 12V DC  
Power功率: 45W





**NO.40**



Model No.型号: WTS-1798W  
Input输入: 220V  
(Lights,air pump,water pump)  
Control System  
浴缸(灯光/气泵/水泵)控制系统

**NO.41**



Model No.型号: WTS-1798B  
Input输入: 220V  
Output输出: 12V  
Control System: 浴缸控制系统

**NO.42**



Model No.型号: WST-KGA32  
Button Switch: 空气开关  
Size尺寸: 46\*60mm  
Hole size开孔: φ32mm

**NO.43**



Model No.型号: WST-KGB  
Micro Switch: 微动开关  
Size尺寸: 60\*34mm

**NO.44**



Model No.型号: WTS-QB1X2.0  
Size尺寸: 85\*48\*38mm  
1\*2.0L/Min  
Input输入: 220-240V AC  
0.015Mpa

**NO.45**



Model No.型号: WTS-QB1X2.5  
Size尺寸: 80\*46\*42mm  
1\*2.5L/Min  
Input输入: 220-240V AC  
0.015Mpa

**NO.46**



Model No.型号: WST-QB2X9.0  
Size尺寸: 136\*136\*95mm  
2\*9.0L/Min  
Input输入: 220-240V AC  
0.025Mpa

**NO.47**



Model No.型号: WST-QB4X3.0  
Size尺寸: 220\*140\*63mm  
4\*3.0L/Min  
Input输入: 220-240V AC  
0.018Mpa

**NO.48**



Model No.型号: WST-C-2  
2pins wire  
2芯公母插  
Customized Length  
长度可定制

**NO.49**



Model No.型号: WST-C-4  
4pins wire  
4芯公母插  
Customized Length  
长度可定制

**NO.50**



Model No.型号: WST-C-2F  
2pins waterproof Wire  
2芯防水连接线  
Customized Length  
长度可定制

**NO.51**



Model No.型号: WST-C-4F  
4pins waterproof Wire  
4芯防水连接线  
Customized Length  
长度可定制

# Sauna&steam room Lamp Series

## 桑拿房灯系列

Coloured lighting is a great addition to any Sauna steam ,bathroom or pool or spa, creating an attractive and eye catching Effect for outdoor or indoor area.Once installed correctly you will have hours of enjoyment with the colourful effects in your pool or spa.A range of lights are available, White, blue,green and other single color, multicolored are available as well . Lighting can be controlled by manual control or automatic control for a special effect and can be used as a safety feature to illuminated steps, sides and water features.



斑斓多彩的灯光乃是各种 桑拿房,浴室,浴缸,水疗池,泳池的点睛之品,赋予室内外无限魅力.一旦把灯光安装得体,将能为你的水疗浴缸,泳池带来前所未有的体验.灯光的颜色除了白光,蓝光,绿光,红色等单色,还可以是RGB多彩灯光.RGB灯光可以通过手动控制器选择单色灯光或者是变幻模式,还可以通过使用同步自动变色器自动变幻为环境(如水边照明,水底照明等)营造安全&理想氛围.

### NO.52

Material材质: PC  
Voltage电压: 12V AC/DC  
Beam Angel照射角度: 120°  
Life Time寿命: ≥50000hours  
Operate TEMP工作湿度: -20~80°C  
Water Proof防水等级: IP 65  
Emitting Color灯光颜色: RGB/singleColor



WST-1312-42YX



WST-1312-60YD

Item No. 产品型号	Size 产品尺寸	Hole Size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率	Color 颜色
WST-1312-42YX	Φ208	Φ160	SMD 5050	42PCS	9W	RGB/singleColor
WST-1312-60YD	Φ260	Φ220	SMD 5050	60PCS	12W	RGB/singleColor

### NO.53

Outer Size产品尺寸: Φ100×56mm  
Hole Size开孔尺寸: Φ66mm  
Material材质: PC  
Voltage电压: 12V AC/DC  
Beam Angel照射角度: 120°  
Life Time寿命: ≥50000hours  
Operate TEMP工作湿度: -20~80°C  
Water Proof防水等级: IP 44  
Emitting Color灯光颜色: RGB/singlecolor



Item No. 产品型号	LED 类型
WST-1323-09	SMD5050
Led Qty 数量	Power 功率
12PCS	2.5W

### NO.54

Outer Size产品尺寸: Φ65×53mm  
Hole Size开孔尺寸: Φ55mm  
Material材质: Stainless steel+glass  
Voltage电压: 12V AC/DC  
Beam Angel照射角度: 120°  
Life Time寿命: ≥50000hours  
Operate TEMP工作湿度: -20~80°C  
Water Proof防水等级: IP 44  
Emitting Color灯光颜色: White/WarmWhite



Item No. 产品型号	LED 类型
WST-1812-9	SMD5050
Led Qty 数量	Power 功率
12PCS	2.5W

### NO.55

Outer Size产品尺寸: Φ70×53mm  
Hole Size开孔尺寸: Φ50mm  
Material材质: ABS  
Voltage电压: 12V AC/DC  
Beam Angel照射角度: 120°  
Life Time寿命: ≥50000hours  
Operate TEMP工作湿度: -20~80°C  
Water Proof防水等级: IP 44  
Emitting Color灯光颜色: White/WarmWhite



Item No. 产品型号	LED 类型
WST-1704	DIPΦ5
Led Qty 数量	Power 功率
12PCS	2W

### NO.56

Material材质: Aluminum+PC  
Voltage电压: 12V AC/DC  
Beam Angel照射角度: 120°  
Life Time寿命: ≥50000hours  
Operate TEMP工作湿度: -20~80°C  
Water Proof防水等级: IP 44  
Emitting Color灯光颜色: RGB/singleColor



Item No. 产品型号	Size 产品尺寸	Hole Size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率	Color 颜色
WST-TD100-D3	Φ100×55	Φ70	DIP Φ5	3PCS	3W	RGB/singleColor
WST-TD115-DX	Φ115×60	Φ85	DIP Φ5	3/5PCS	3/5W	RGB/singleColor
WST-TD180-DXX	Φ180×65	Φ135	DIP Φ5	7/9PCS	7/9W	RGB/singleColor
WST-TD195-DXX	Φ195×65	Φ135	DIP Φ5	12/15PCS	12/15W	RGB/singleColor
WST-TD230-DXX	Φ230×65	Φ200	DIP Φ5	15/18PCS	15/18W	RGB/singleColor

# Bathroom mirror lights Series

## 浴室镜灯系列

The LED mirror, makes the mirror more bright, more clearly to show your beautiful and lovely appearance. It makes your life more colorful with self-confident. The LED Mirror is with anti-fog, it can use in the wet condition in sauna room, steam room, bathroom etc. The LED Mirror with flat and smooth touch sensor switch, that made the light on and off easily.

We have several kinds of LED mirror, you can choose it as you want, for example, LED mirror which using in the door of a cabinet, and 360 degree rotated LED make-up mirror, and the LED mirror which can be folded and put into a cabinet and so on.

LED镜灯,让镜子自行发光,更清晰地照出您美丽动人的样子。内置防雾功能,能防止水蒸气在镜子表面上附着,可以在浴室,蒸汽房,桑拿房等湿度较大的环境下使用。配置感应触摸开关,轻松触摸开灯关灯,在不影响镜子平整的前提下,增添美观。多款镜灯设计,您可以根据实际情况选择不同的产品,例如镜门灯,能多角度旋转的化妆镜灯,滑轨折叠穿衣镜灯,让您的生活更加多姿多彩,充满自信。



### NO.57

#### Specifications 规格

Material材质:	Stainless steel+glass
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Emitting Color灯光颜色:	Single color
Purpose用途:	Used in bathroom 用在浴室



Usage effect 使用效果

Item No. 产品型号	Size 尺寸	LED 类型	Led Qty 数量	Power 功率
WST-HZJ-01A	200×350×120mm	SMD 5050	9PCS	3W

### NO.58

#### Specifications 规格

Function功能:	Antifogging防雾
Material材质:	Stainless steel+glass
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Emitting Color灯光颜色:	Single color
Purpose用途:	Used in bathroom 用在浴室



WST-YXJ-01A



WST-YXJ-01B

Item No. 产品型号	Size 尺寸	Thickness 厚度	LED 类型	Led Qty 数量	Power 功率
WST-YXJ-01A	700×500mm	18mm	SMD 5050	30PCS	10W
WST-YXJ-01B	800×600mm	18mm	SMD 5050	40PCS	12W

### NO.59

#### Specifications 规格

Function功能:	Antifogging防雾
Material材质:	Stainless steel+glass
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Emitting Color灯光颜色:	Single color
Purpose用途:	Used on cabinets instead of cabinet doors 用在柜子上,代替柜门



Usage effect 使用场景

Item No. 产品型号	Size 尺寸	Thickness 厚度	LED 类型	Led Qty 数量	Power 功率
WST-YXJ-02A	1000×497mm	22mm	SMD 5050	9PCS	5W
	1000×557mm	22mm	SMD 5050	9PCS	5W
	1000×597mm	22mm	SMD 5050	9PCS	5W

### NO.60

#### Specifications 规格

Material材质:	Stainless steel+glass
Voltage电压:	12V AC/DC
Beam Angel照射角度:	120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Emitting Color灯光颜色:	Single color
Purpose用途:	Used in wardrobe 用在衣柜里面



Usage effect 使用场景

Item No. 产品型号	Size 尺寸	Thickness 厚度	LED 类型	Led Qty 数量	Power 功率
WST-CYJ-01A	1000×350mm	18mm	SMD 2835	140PCS	1.4W
	1100×350mm	18mm	SMD 2835	150PCS	1.5W
	1200×350mm	18mm	SMD 2835	160PCS	1.6W

# Outdoor pool lights Series

## 户外泳池灯系列

Coloured lighting is a great addition to any pool or spa, creating an attractive and eye catching Effect for outdoor or indoor area. Once installed correctly you will have hours of enjoyment with the colourful effects in your pool or spa. A range of lights are available, White, blue, green and other single color, multicolored are available as well. Lighting can be controlled by manual control or automatic control for a special effect and can be used as a safety feature to illuminate steps, sides and water features.



斑斓多彩的灯光乃是各种浴缸, 水疗池, 泳池的点睛之品, 赋予室内外无限魅力。一旦把灯光安装得体, 将能为你的水疗浴缸, 泳池带来前所未有的体验。灯光的颜色除了白光, 蓝光, 绿光, 红色等单色, 还可以是RGB多彩灯光。RGB灯光可以通过手动控制器选择单色灯光或者是变幻模式, 还可以通过使用同步自动变色器自动变幻, 为环境 (如水边照明, 水底照明等) 营造安全&理想氛围。

### NO.61

#### Specifications 规格

Material材质:	Stainless steel/Glass
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°/120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB /single color



Item No. 产品型号	LED 型号	Led Qty 数量	Power 功率	Size 尺寸
WST-PQD-01	SMD5050	9PCS	9W	φ160mmX45mm
WST-PQD-02	SMD5050	18PCS	18W	φ180mmX50mm
WST-PQD-03	SMD5050	12PCS	12W	φ180mmX50mm
WST-PQD-04	SMD5050	6PCS	6W	φ130mmX35mm
WST-PAR56QC-A	SMD5050	144/252/546 PCS	9/15/35W	φ178mmX100mm
WST-PAR56W-A	SMD5050	144/252/546 PCS	9/15/35W	φ178mmX100mm

### NO.62

#### Specifications 规格

Outer Size产品尺寸:	Φ208×175mm
Hole Size开孔尺寸:	Φ100mm
Material材质:	ABS+PC/304SS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°/120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB /single color



WST-1337QC-A1



WST-1336QC-A1

Control 控制	LED 类型	Led Qty 数量	Power 功率	Color 颜色
Exterior 外部	SMD5050	84 PCS	15 W	RGB Color
Interior 内部	SMD5050	84 PCS	15 W	RGB Color
Switch 开关	SMD5050	84 PCS	15 W	White Color

### NO.63

#### Specifications 规格

Outer Size产品尺寸:	Φ208×45mm
Material材质:	ABS+PC/304SS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°/120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB /single color



WST-1337W-A2



WST-1336W-A2

Control 控制	LED 类型	Led Qty 数量	Power 功率	Color 颜色
Exterior 外部	SMD5050	84 PCS	15 W	RGB Color
Interior 内部	SMD5050	84 PCS	15 W	RGB Color
Switch 开关	SMD5050	84 PCS	15 W	White Color

### NO.64

#### Specifications 规格

Outer Size产品尺寸:	Φ295×70mm
Material材质:	ABS+PC/304SS
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°/120°
Life Time寿命:	≥50000hours
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB /single color



WST-1337



WST-1336

Control 控制	LED 类型	Led Qty 数量	Power 功率	Color 颜色
Exterior 外部	SMD5050	84 PCS	15 W	RGB Color
Interior 内部	SMD5050	84 PCS	15 W	RGB Color
Switch 开关	SMD5050	84 PCS	15 W	White Color

## NO.65

## Specifications 规格

Material材质:	Stainless steel
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°
Life Time寿命:	≥50000hours
Len Type: 面罩	Clear
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB/single color



WST-SDD-01



WST-SDD-02

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Size 尺寸
WST-SDD-01	SMD LED	7PCS	7W	φ160 X H225mm
WST-SDD-02	SMD LED	9PCS	9W	φ145 X H180mm

## NO.67

## Specifications 规格

Material材质:	Stainless steel
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°
Life Time寿命:	≥50000hours
Len Type: 面罩	Clear
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB/single color



WST-DCD-903



WST-DCD-904



WST-DCD-905

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Size 尺寸
WST-DCD-903	SMD LED	3PCS	3W	φ100 X H322mm
WST-DCD-904	SMD LED	3PCS	3W	φ95 X H295mm
WST-DCD-905	SMD LED	3PCS	3W	φ70 X H310mm

## NO.66

## Specifications 规格

Material材质:	Aluminum alloy
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°
Life Time寿命:	≥50000hours
Len Type: 面罩	Clear
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB/single color



WST-TGD-06



WST-DCD-901



WST-TGB-05

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Size 尺寸
WST-TGD-06	SMD LED	3PCS	1.2W	φ42 X H88mm
WST-DCD-901	SMD LED	3PCS	1.2W	φ80 X H142mm
WST-TGB-05	SMD LED	3PCS	1.2W	φ75 X H113mm

## NO.68

## Specifications 规格

Material材质:	Stainless steel
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°
Life Time寿命:	≥50000hours
Len Type: 面罩	Clear
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB/single color



WST-SDD-02



WST-SDD-07



WST-SDD-08

Item No. 产品型号	LED 类型	Led Qty 数量	Power 功率	Size 尺寸
WST-SDD-02	SMD3528	18PCS	1.2W	φ155 X H70mm
WST-SDD-07	DIP φ5	60PCS	9W	φ170 X H70mm
WST-SDD-08	DIP φ5	48PCS	1.2W	φ150 X H70mm

**NO.69****Specifications 规格**

Material材质:	Stainless steel
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°
Life Time寿命:	≥50000hours
Len Type: 面罩	Clear
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB/single color



WST-MD1001

WST-MD1002

WST-MD1003

Item No. 产品型号	Size 尺寸	Hole size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率
WST-MD1001	φ100 X H73mm	φ58mm	DIPφ5	24PCS	1.5W
WST-MD1002	φ100 X H73mm	φ58mm	SMD5050	14PCS	3W
WST-MD1003	φ120 X H78mm	φ65mm	High power 大功率	3PCS	3W

**NO.71****Specifications 规格**

Material材质:	Stainless steel
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°
Life Time寿命:	≥50000hours
Len Type: 面罩	Clear
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB/single color



Item No. 产品型号	Size 尺寸	Hole size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率
WST-MD1006	φ92 X H106mm	φ53mm	High power 大功率	3PCS	3W

**NO.70****Specifications 规格**

Material材质:	Stainless steel
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°
Life Time寿命:	≥50000hours
Len Type: 面罩	Clear
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB/single color



WST-MD1004

WST-MD1005

Item No. 产品型号	Size 尺寸	Hole size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率
WST-MD1004	φ100X H73mm	φ58mm	High power 大功率	3PCS	3W
WST-MD1005	φ100X H165mm	φ65mm	SMD5050	14PCS	3W

**NO.72****Specifications 规格**

Material材质:	Stainless steel
Voltage电压:	12V AC/DC
Beam Angel照射角度:	60°
Life Time寿命:	≥50000hours
Len Type: 面罩	Clear
Operate TEMP工作湿度:	-20~80°C
Water Proof防水等级:	IP 68
Emitting Color灯光颜色:	RGB/single color



WST-MD1007

WST-MD1008

Item No. 产品型号	Size 尺寸	Hole size 开孔尺寸	LED 类型	Led Qty 数量	Power 功率
WST-MD1007	95*95*58mm	63*63*38mm	DIPφ5	45PCS	3W
WST-MD1008	110*65*45mm	80*50*25mm	SMD2835	12PCS	2.5W