Material Safety data sheet



QUICK DRING ADHESIVE A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: <u>DQ-TOOL[®] quick drying adhesive</u> <u>A</u>
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- **Application of the substance / the mixture** Resin component of a 2-component special resin system for industrial or professional applications.
- Applications, which are not recommended: Not suitable for do-it-your-self-applications
- 1.3 Details of the supplier of the safety data sheet
- · Supplier:
- Dongguan Dongquan Mould Materials Co., Ltd ADD: No.10 Yihuan Road, Chiling Industrial, Dongguan City, CHINA Email: dqtoolingboard@gmail.com
- · 1.4 Emergency telephone number: +86 0769-85878968

SECTION 2: Hazards identification

- \cdot 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
- The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:
- Contains Fettsäuren, C 18-unges., Dimere, Verbindungen mit Kokosalkylamin. May produce an allergic reaction.
- Safety data sheet available on request.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients


· 3.2 Mixtures

- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

CAS:	7085-85-0	Ethyl cyanoacrylate	70-100%

(Contd. on page 2)

123



- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water. Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- · 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.

(Contd. on page 3)

(Contd. of page 2) • 7.2 Conditions for safe storage, including any incompatibilities • Storage: • Requirements to be met by storerooms and receptacles: No special requirements. • Information about storage in one common storage facility: Store away from foodstuffs. • Further information about storage conditions: Store in dry conditions.

Keep container tightly sealed.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.
- · Respiratory protection: Not required.
- · Protection of hands:

For the permanent contact gloves made of Nitrilkautschuk with a layer thickness of at least 0.20 mm are suitable. The penetration time of this glove material is 480 minutes.

The glove material has to be according the requirement of EU-guideline 89/686/EWG and the resulting norm EN374, for example KCL Dermatril P,Art.Nr. 0743. The above mentioned penetration times are based on laboratory measurements of KCL according to EN 374.

This recommendation is only valid for the product, which is delivered from us and only for the intended mentioned application. Regarding dissolution or mixing with other substances please contact suppliers of CE-approved gloves. (For example KCL GmbH, D-36124 Eichenzell, internet: www.kcl.de)

DQ gives this recommendation in good faith, without liability for any claims arising from the recommendation or the use of the suggested protection gloves.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

• Eye protection: Safety glasses

· Body protection: Protective work clothing

GB (Contd. on page 4)

(Contd. of page 3)

9.1 Information on basic physical a General Information	nd chemical properties
Appearance:	
Form:	Fluid
Colour:	light yellow
Odour:	Especial odor
Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling ra	nge: > 200 °C (DIN 53171)
Flash point:	> 200 °C (c.c.)
Ignition temperature:	450 °C (DIN 51794)
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard
Density at 20 °C:	1.3 g/cm³ (ISO 2811)
Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: Does not occur until boiling point.
- · 10.3 Possibility of hazardous reactions
- Reacts e.g. with isocyanates (intensive development of heat) when uncontrolled reaction.
- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on toxicological effects

- · Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Causing slight conjunctivitis for a short period of time.
- · Respiratory or skin sensitisation
- Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met. (Contd. on page5)

GB

(Contd. of page 4)

- STOT-single exposure Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met. • **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Waste disposal key:

The Waste-Key-Numbers have to be given from the waste-producer depending on the respective trade. Therefore no information can be stated from the manufacturer.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14.1 UN-Number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	

(Contd. on page 6) GB

SMaterial Safety data sheet

	(Contd. of pa
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Transport in bulk according to Annex	
II of Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ΙΑΤΑ	
Remarks:	No dangerous good according to ADR

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

• **VOC (EC)** 1.00 %

Class	Share in %
NK	0.3

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

• Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

No substances of very high concern contained resp. below the limit.

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H336 May cause drowsiness or dizziness.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 7) GB

Material Safety data sheet

