# MATERIAL SAFETY DATA SHEET



DQ-TOOL® 460 CN

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

**Product name** : DQ-TOOL® 460 CN

Use of the Board material

substance/mixture

**Supplier** : Dongguan Dongquan mould material Co.,Ltd.

No.10 Yihuan Road, Chiling Industria, Dongguan CHINA

Tel.: +86 0769-85878968 Fax: +86 0769-88665083

**Emergency telephone** number (24h/7day)

: +86 0769-85878968

e-mail address of person responsible for this SDS

: edmsupply@vip.163.com

### Section 2. Hazards identification

Classification of the substance or mixture

: Not classified.

**GHS** label elements

Signal word : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

**Precautionary statements** 

**Prevention** : Avoid ingestion, inhalation, skin and eye contact. Handle in accordance with good

industrial hygiene practice and any legal requirements.

: Not applicable. Response : Not applicable. **Storage** : Not applicable. **Disposal** : Not applicable. **Hazardous ingredients** : Not available. Other hazards which do not

result in classification

# Section 3. Composition/information on ingredients

Substance/mixture : Article.

Ingredient name	%	CAS number
Polyurethane	55-60%	67700-43-0
Silica	25-30%	7631-86-9
aluminium oxide	2-6%	1344-28-1

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Version : 1 Date of issue/Date of: 25/2/2023 DQ-TOOL® 460 CN Page: 2/8

### Section 4. First-aid measures

### Description of necessary first aid measures

**Inhalation**: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Get medical attention if symptoms occur.

**Ingestion**: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position

comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and

shoes. Get medical attention if symptoms occur.

**Eye contact**: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. Check for and remove any contact lenses. Get medical attention if irritation

occurs.

### Most important symptoms/effects, acute and delayed

### Potential acute health effects

Inhalation : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Eye contact : No known significant effects or critical hazards.

### Over-exposure signs/symptoms

Inhalation: No specific data.Ingestion: No specific data.Skin: No specific data.Eyes: No specific data.

#### Indication of immediate medical attention and special treatment needed, if necessary

**Specific treatments**: Not available.

Notes to physician : No specific treatment. Treat symptomatically. Call medical doctor or poison control

centre immediately if large quantities have been ingested.

**Protection of first-aiders**: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

### Section 5. Fire-fighting measures

### **Extinguishing media**

Suitable : Use an extinguishing agent suitable for the surrounding fire.

Not suitable : None known.

Specific hazards arising from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products

: Decomposition products may include the following materials: metal oxide/oxides

Special precautions for firefighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Remark : Not available.

Version : 1 Date of issue/Date of : 25/2/2023

Page: 3/8 DQ-TOOL® 460 CN

### Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

### **Environmental precautions**

Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

# Methods and materials for containment and cleaning

: Move containers from spill area. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor.

Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labelled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

# Section 7. Handling and storage

### **Precautions for safe** handling

: Put on appropriate personal protective equipment (see Section 8). Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas.

### Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Storage hazard class

: Storage class 13, Solid materials, not dangerous

# Section 8. Exposure controls/personal protection

#### Control parameters

Ingredient name	Exposure limits
aluminium oxide	GBZ-2 (China, 4/2007). PC-TWA: 4 mg/m³ 8 hour(s). Form: total dust

Workplace exposure limits (for total dust and inhalable quartz dust) must be complied with. If this is not possible, then suitable dust masks must be worn.

WARNING! This product contains quartz, which has been classified by IARC as carcinogenic for humans (Group 1), and which can cause silicosis and lung cancer following exposure to respirable dust. It is therefore important to take particular care to avoid inhalation exposure.

# procedures

**Recommended monitoring**: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Version : 1 Date of issue/Date of: 25/2/2023

Page: 4/8 DQ-TOOL® 460 CN

### Section 8. Exposure controls/personal protection

### Appropriate engineering controls

; No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

### **Environmental exposure** controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### **Individual protection measures**

### **Hygiene measures**

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

### **Respiratory protection**

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

### **Hand protection**

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

### Material of gloves for long term application (BTT>480min):

: Polyvinyl Chloride (PVC), neoprene, nitrile rubber, Ethyl Vinyl Alcohol Laminate (EVAL), butyl rubber

# term/splash application (10min<BTT<480min):

Material of gloves for short : Polyvinyl Chloride (PVC), neoprene, nitrile rubber, Ethyl Vinyl Alcohol Laminate (EVAL), butyl rubber

#### (BTT = Break Through Time)

Use gloves approved to relevant standards e.g. EN 374 (Europe), F739 (US). Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material and dexterity. Always seek advice from glove suppliers. Additional information can be found for instance at www.gisbau.de.

### Eye protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.

### **Skin protection**

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

# Section 9. Physical and chemical properties

#### **Appearance**

: Solid. [boards] **Physical state** 

Colour : Brown. Odour Odourless. **Odour threshold** : Not available. pН : Not available. **Melting point**  Not available. : Not available. **Boiling point** 

Version : 1 Date of issue/Date of: 25/2/2023 DQ-TOOL® 460 CN Page: 5/8

### Section 9. Physical and chemical properties

Flash point : Not available.

Evaporation rate (butyl : Not available.

acetate = 1)

Flammability (solid, gas) : Not available.

Lower and upper explosive : Not available.

(flammable) limits

Vapour pressure: Not available.Vapour density: Not available.

Relative density : 0.83

Solubility : Not available.

Water solubility : Insoluble

Partition coefficient: n- : Not available.

octanol/water

Auto-ignition temperature: Not available.Viscosity: Not available.Explosive properties: Not available.Oxidising properties: Not available.

Other information

**Density** : 0.83 g/cm<sup>3</sup>

No additional information.

### Section 10. Stability and reactivity

**Chemical stability**: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Risk of dust explosion

Incompatible materials

Hazardous decomposition products

: No specific data.

: Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Carbon oxides, nitrogen oxides, Burning produces obnoxious and toxic fumes.

# Section 11. Toxicological information

### Information on the likely routes of exposure

Inhalation : No known significant effects or critical hazards.
 Ingestion : No known significant effects or critical hazards.
 Skin contact : No known significant effects or critical hazards.
 Eye contact : No known significant effects or critical hazards.
 Symptoms related to the physical, chemical and toxicological characteristics

Inhalation : No specific data.

Ingestion : No specific data.

Skin contact : No specific data.

Eye contact : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Version : 1 Date of issue/Date of : 25/2/2023

DQ-TOOL® 460 Page: 6/8

### Section 11. Toxicological information

### **Acute toxicity**

Product/ingredient name Endpoint Species Result Exposure

**DQ-TOOL® 460** LD50 Oral Rat >5000 mg/kg -

**Sensitisation** 

exposure

**DQ-TOOL® 460** - skin Guinea pig Not sensitizing

### Potential chronic health effects

Inhalation : No known significant effects or critical hazards. Ingestion : No known significant effects or critical hazards. : No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. **Eye contact** Carcinogenicity : No known significant effects or critical hazards. Mutagenicity : No known significant effects or critical hazards. : No known significant effects or critical hazards. **Teratogenicity** : No known significant effects or critical hazards. **Developmental effects** : No known significant effects or critical hazards. **Fertility effects** 

### Section 12. Ecological information

**Environmental effects**: No known significant effects or critical hazards.

Mobility : Not available.

Other adverse effects: No known significant effects or critical hazards.

# Section 13. Disposal considerations

#### **Disposal methods**

: The generation of waste should be avoided or minimised wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

#### International transport regulations

14.1 UN number 14.2 UN proper shipping name

ADR/RID Not regulated. IMDG Not regulated. IATA Not regulated. -

Version: 1 Date of issue/Date of: 25/2/2023

DQ-TOOL® 460 CN

# Section 14. Transport information

	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards	14.6 Special precautions for user	Additional information
ADR/RID	-	-	No.	Not available.	-
IMDG	-	-	No.	Not available.	-
IATA	-	-	No.	Not available.	-

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not applicable.

# Section 15. Regulatory information

Signal word : No signal word.

**Hazard statements**: No known significant effects or critical hazards.

**Precautionary statements** 

Prevention : Avoid ingestion, inhalation, skin and eye contact. Handle in accordance with good

industrial hygiene practice and any legal requirements.

Response : Not applicable.

Storage : Not applicable.

Disposal : Not applicable.

### Additional information: EU regulations

Classification and labeling have been determined according to EU Directives 67/548/EEC and 1999/45/EC (including amendments) and take into account the intended product use.

Risk phrases : This product is not classified according to EU legislation.

Version : 1 Date of issue/Date of : 25/2/2023

DQ-TOOL® 460

### Section 16. Other information

### **History**

Date of printing : 30 March 2012

Date of issue/Date of : 30 March 2012

revision

Date of previous issue : No previous validation

Version : 1

MSDS no. : 00055431

**Further information** 

### **Notice to reader**

While the information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

Version: 1 Date of issue/Date of: 25/2/2023