



Shishangmei Group

Integrity creates quality Innovation leads the future





CONTENTS 目录









Shishangmei Printing Group

Fashionable Printing Group is headquartered in Humen, China with convenient transportation. The factory covers an area of more than 10,000 m². The branch factory is located in Ganzhou, Jiangxi Province, covering an area of more than 20,000 square meters. These buildings are totally self owned.

The group assets is over 30 million dollars, and over 600 professional and technical workers. The company's main business is environmentally friendly paper bags,oriented to high-end paper bags such as electronic products, clothing, jewelry, cosmetics, tobacco, wine, and tea etc. After years of rapid development, we have much advantages in cost, quality, producting, marketing, shipping and service. We company has experienced printing and bag-making technicians, and has introduced a number of advanced fully automatic paper bag production lines and advanced Heidelberg printing equipment from Germany. Through the perfect combination of traditional manual production and modern advanced equipment, it can produce paper bags of any structure. The daily production capacity can reach 500,000 paper bags.

At present, the company has served many well-known brands, such as Huawei, OPPO, Starbucks, ZARA, Disney, Uniqlo, Nike, Chow Tai Fook, Chanel, Anta, etc., and we have annual sales volume of more than 20 million dollars. We implements IS09002, IS0140001, SMETA and FSC ertification. We have professional laboratories and modern scientific colorimeters to pick up equipment to conduct a full set of inspections on raw materials, semi-finished products, and finished products. Ensure that the quality meets the standards set by the industry. The company has always been adhering to the corporate values of "honesty, respect, and go beyond"











Establishment





Corp in DongGuan





Automatic beer machine





Heidelberg masterCX102 Printer

Automatic laminating machine





Automatic hot beer machine





Corp in Quannan











Production Workshop

















Machines











Paper cutting









Mold cutting









Debossing & Lamination









CMYK printer









R&D



















The company has excellent professional management and technical personnel: There are 12 department managers, 15 department heads, 25 production team leaders, and 80 technical masters. The average management personnel of the company have worked in the post for more than 15 years, with an average age of about 38 years old; professional and technical masters have worked in the post for more than 20 years, with an average age of about 45 years old.







Holiday



Party









































f案登记表编号: 0240		统一社会信用代码 进出口企业代	
经营者中文名称	全南时尚美印刷有限公司		
经营者英文名称	Quannan Fashion Beauty Printing Co., Ltd.		
组织机构代码	Contraction of the second	经营者类型 (由备案登记机关填	写) 有限责任公司
住所	江西省赣州市全南	月县工业园三区旁	Sacara
经营场所(中文)	红西省赣州市全南		
经营场所 (英文)	Next to District 3, Quannan County Industrial Park, Ganzhou City, Jiangxi Province		
联系电话	15507025581	展系传真	
邮政编码	341800	电子邮箱	2401105564@qq. com
工商登记注册日期	2018-11-29	工業登记注册号	
依法办理工商登记的企.	业还须填写以下内容		Ash
全业法定代表人姓名	李美花	有效证件号	36213019810127272
注册资金	童任万元	452	山街美元
依法办理工商登记的外	国 (地区) 企业或个	体工商户 (独资经营制	() 还须填写以下内容
企业法定代表人 个体工商负责人姓名		有效证件号	All and a second
企业资产/个人财产	Wall - Los	THE REAL	(折美元
XXXXXXX		ALL	
备注一一一一		000000	
XXXXXXXXX		A A A A A A	
填表前请认真阅读背面	的条款、并由企业活	志定代表人或个体工商:	负责人签字、盖章。
International In			备案登记机关



















































切纸机 Paper cutting



丝印机 Screen printing

自动嗅机



海德堡S拍的masterCX102印刷机 Heidelberg spdmastercx102



自动烫金机 Auto hot stamp



全自动过胶机 Auto lamination

全自动啤机 Auto die-mould

🔶 设备介绍 (Equipment is introduced)



KL-35A折上口方底纸袋机 AUTOMATIC MACHINE KL-35A







技术参数 Main Technical Parameters:

180-350mm 70-150mm 290-600mm
200 600mm
290-6001111
530-1040mm
290-600mm

A 牛皮紙 120-200g A.Kraft Paper:120-200g/m² B.制版紙+PP電調 157-250 B.Art Paper+Laminated PP Film: 157-250g/m² C.白卡+PP 電調 180-250 V.Write Cardboard:180-250g/m² D. 灰板紙+PP電調 150-300 D.Grey Paperboard+Laminated PP Film:150-300g/m²

生产速度Working Speed 40-70 只 / 分钟 40-70pieces/min 胶水类型Glue Type 水性胶 (糊边可增配热熔胶系统)

Water Glue(Optional hot melt glue system to paste the bag tube)

设备总功率Total Power	15KW	
总重量Machine Weight	10T	
外型尺寸 (长 x 宽 x 高) Dimension(L*W*H)	15000x2100x1700mm	







KING-35H 全自动单张式方底制袋机 KING SERIES 35H





KING-35H 全自动单张式方底制袋机 KING-35H 全自动单张式方底制袋机是一台以单张纸、卷 筒式头卡及纸绳为原料,一次性完成把手制造,贴把手, 折上口,成筒,成风琴,封底,压实成型或贴关卡,折上 口,成筒,成风琴,打鸡眼孔,封底,压实成型两种完美 工艺,一机二用,物超所值。特别适用于服装,鞋类,运 动品牌或奢侈品牌的外包手提袋生产。真正实现了全自动 化生产,直接出袋打包给客户。

KING-35H fully automatic paper bag machine, it can take sheet paper, reel reinforced paper and paper twist rope as raw material, with one time finish continuous process of handle manufacturing, handle adhere, top folding (or without top folding), tube forming, gusset forming, bottom pasting, compaction output, Or stick reinforced paper, top folding, tube forming, gusset forming, punch eyelets, bottom pasting, compaction output. With two perfect technology combination, one machine with two methods of production, it worthy. Innovated servo reinforce paper cut off device. It can adjust the reinforce paper length to suit different size paper bag requirements.

技术参数 Main Technical Parameters:

成品袋宽 Bag Width	180 ~ 350mm
风琴高度 Bottom Width	70 ~ 160mm
纸袋长度 Bag Length	280 ~ 540mm
纸宽 Paper Width	530 ~ 1050mm
纸长 Paper Length	340 ~ 600mm
手把贴片长度 Handle patch width	188.4mm
贴片纸卷宽度 Handle patch roll width	90 ~ 100mm
绳间距 Handle rope distance	76.2mm
手把绳高 Handle rope height	170 ~ 185mm
袋口反折宽度 Top turn in width	40 ~ 60mm
功率 Power	27KW
	2050w
外形尺寸 (m/m) Machine Size	14680L
	2710H
	1340W
提手制造机尺寸 handle rope machine size	5410L
	2690H
制袋速度 Speed	60Bags/min
手提绳直径 Paper rope diameter	4~8mm
贴片纸卷直径 Handle patch roll diameter	(Max)1000mm
	A CONTRACTOR OF A CONTRACT OF A CONTRACT.







KING-45H 全自动单张式方底制袋机 KING SERIES 45H





KING-45H 全自动单张式方底制袋机 KING-45H 全自动单张式方底制袋机是一台以单张纸、卷 筒式头卡及纸绳为原料,一次性完成把手制造,贴把手, 折上口,成筒,成风琴,封底,压实成型或贴关卡,折上 口,成筒,成风琴,打鸡眼孔,封底,压实成型两种完美 工艺,一机二用,物超所值。特别适用于服装,鞋类,运 动品牌或奢侈品牌的外包手提袋生产。真正实现了全自动 化生产,直接出袋打包给客户。

KING-45H fully automatic paper bag machine, it can take sheet paper, reel reinforced paper and paper twist rope as raw material, with one time finish continuous process of handle manufacturing, handle adhere, top folding (or without top folding), tube forming, gusset forming, bottom pasting, compaction output, Or stick reinforced paper, top folding, tube forming, gusset forming, punch eyelets, bottom pasting, compaction output. With two perfect technology combination, one machine with two methods of production, it worthy. Innovated servo reinforce paper cut off device. It can adjust the reinforce paper length to suit different size paper bag requirements.

技术参数 Main Technical Parameters:

成品袋宽 Bag Width	220 ~ 450mm
风琴高度 Bottom Width	70 ~ 170mm
纸袋长度 Bag Length	300 ~ 560mm
纸宽 Paper Width	610 ~ 1260mm
纸长 Paper Length	380 ~ 620mm
手把贴片长度 Handle patch width	188.4mm
贴片纸卷宽度 Handle patch roll width	90 ~ 100mm
绳间距 Handle rope distance	94.2mm
手把绳高 Handle rope height	170 ~ 185mm
袋口反折宽度 Top turn in width	40 ~ 60mm
功率 Power	30
外形尺寸 (m/m) Machine Size	2320w
	14680L
	2710H
提手制造机尺寸 handle rope machine size	1340w
	5410L
	2690H
制袋速度 Speed	70Bags/min
手提绳直径 Paper rope diameter	4~8mm
贴片纸卷直径 Handle patch roll diameter	(Max)1000mm
	The second s


🔶 设备介绍 (Equipment is introduced)



KL-450T折上口方底纸袋机 AUTOMATIC MACHINE KL-450T ● 纸袋示意图 飞达送纸 贴卡纸 压横线(上边胶) 折上口 压竖线 袋体穿插 风琴成型 Automatic paper Top reinforced Creasing top line Top folding Gusset creasing Insert pasting Tube forming feeding card pasting and side gluing 打孔 压底部线 打开底部 底部上胶 压实成型 Holes punching Bottom creasing Bottom opening Bottom gluing Bag output

技术参数 Main Technical Parameters: 型号Model KL-450T 袋面宽度Paper Bag Width 220-450mm 风琴高度Paper Bag Bottom/Gusset 90-170mm 纸袋成筒高度Paper Barrel Height 320-600mm 原纸长度Paper Sheet Length 600-1240mm 原纸宽度Paper Sheet Width 320-600mm 贴切片纸卷直径Diameter Of Stick Slice Roll Φ600mm 贴切片纸卷克重Weight Of Stick Slice Paper Roll 150-350gs m² 贴片纸卷宽度Width Of Sticker Roll 160-260mm 贴片切断长度Cut Length Of Patch 20-50mm 打孔孔距Hole Spacing 100mm和140mm 冲孔大小Punch Size Φ4mm,Φ5mm,Φ6mm * 注:孔距可根据实际需要定制,以上标配孔距 Note: The hole spacing can be customized according to the actual needs. The above standard hole spacing 纸张克重Paper Types/Paper Weight A. 牛皮纸 120-200g(120克袋面不行超过380mm) A.Kraft Paper:120-200g/m²(120g bag surface shall not exceed 380mm) B. 铜版纸+PP覆膜 157-210g B.Art Paper+Laminated PP Film: 157-210g/m² 袋面不得超过300mm Bag surface shall not exceed 300 mm C. 白卡+PP 覆膜 180-250g C.White Cardboard:180-250g/m² D. 灰板纸+PP覆膜 150-300g D.Grey Paperboard+Laminated PP Film:150-300g/m² 230g-300g 需要先模切 230g-300g need die cutting first 生产速度Working Speed 40-75 只 / 分钟 40-75pieces/min 胶水类型Glue Type 水性胶(糊边可增配热熔胶系统) Water Glue(Optional hot melt glue system to paste the bag tube) 设备总功率Total Power 15KW 380V 50Hz 总重量Machine Weight 14T

外型尺寸(长 x 宽 x 高) Dimension(L*W*H) 16300x2100x2900mm









Prospects

♦ Goal

















1, The international market environment is becoming more and more complex, the instability and uncertainty are obviously increasing, and the international industrial division of labor system is constantly being reshaped.

2. The transformation of domestic economic development will further accelerate the formation of a new development pattern with the domestic cycle as the main body, domestic and international dual cycles, and mutual promotion.

公司发展前景(Development prospect of the company)





1, Market environment

1, The external market environment is constantly changing, but we have been focusing on paper bags, and continue to grow bigger and stronger in this industry;

2. At this stage, the printing industry is in a period of great change, and the competitiveness of the industry is constantly improving. Our business capabilities can still grow at a rate of 100%.

2. Inner situation

1. In order to enhance competitiveness, we continuously introduce excellent management and technical personnel, and improve production technology, so as to enhance our product quality and comprehensive service capabilities;

2. In recent years, it has been continuously put into production to expand the scale of digitalized and automated production, with 32 sets of automated production equipment and a monthly production capacity of 15 million bags.









Sample time

1-5 workdays (Varies based on different demand)

Sample price

RMB 0-800(Varies based on different demand)

Mass production time

1000-10000 pcs : 7 days 10001-100000 pcs: 15-20 days 100000 pcs+ : 20+ days





















地址:中国-广东省东莞市虎门镇小捷滘捷南路423号 江西工厂地址:江西省赣州市全南县金龙镇晶阳路赣商回归园 电话TEL:0769-38866008 传真FSX:+86-769-38866006 手机MB:13332688886 18938518999 网址:www.ssmpack.com 邮箱:Emily@ssmei.com.cn