

由于印刷等原因，颜色略有差别，请以实物为准(佛山达益有底纹释疑)
For printing reasons the picture's and real product have slight colour difference, please refer to the actual product.

Pure color; Various in Decors; Smooth Surface 颜色纯正、色彩丰富、美观平整

达益PETG板色彩丰富稳重加深咖色、浅黄、米灰色等自然色系，色彩丰富极具考究，舒适与华贵气息怦然相撞，精致与品位展露无疑。达益PETG板设计师从中国传统文化和人民历史中，引导出一种新的具有现代华贵精致意识的装饰风格。以静带动、由幽见深、自由直达地糅合了中西文化的现代装饰形式。中国传统色系融合欧洲古典元素，突出精致细腻综合的艺术色彩 体现出融合的文化艺术氛围

PETG plate colorful athletic as dark coffee color, yellow, rice and other natural gray color, colorful and very elegant, comfortable and luxurious atmosphere slam collided with exquisite taste will undoubtedly expose. Taib PETG board designers from the traditional Chinese culture and cultural history, the guide has a new sense of refined luxury modern decor. In quiet drive, secluded from the deep see, the song reached straight to blend modern form of Chinese and Western decor. Chinese traditional color fusion of European classical elements, highlighting the delicate, integrated color art reflects the fusion of cultural and artistic atmosphere.



PETG sheet has outstanding toughness and high impact strength, with 3-10 times of hither impact strength than traditional materials.

PETG sheet can be widely used; it has high mechanical strength and good flexibility; it is more transparent, more gloss and more Eco-friendly compared to PVC.

PETG 板材具有突出的韧性和高抗冲击强度，抗冲击强度是传统板的3-4倍
PETG 能被用于广泛的领域，有很高的机械强度和优异的柔韧性，比起PVC透明度更高，光泽更好，具有环保优势。



达益公众号



阿里国际站

Upgrade

DAEI

Subversion of the traditional process for the upgrading of the industry

EXCLUSIVE CREATIVE SOLUTIONS
www.desheet.com

TEC™

PETG SHEET



达益荣誉出品 **TEC™** PETG sheet

Upgrade technics, overturn the traditional process
EXCLUSIVE CREATIVE SOLUTIONS

佛山达益新材

NEW MATERIALS FROM FOSHAN DAEI

佛山市三水区乐平镇丰业大道东7号

D Zone, Central Science and Technology Industrial Zone Sanshui District, Foshan City

阿里国际站: <https://fsdayi.en.alibaba.com>

达益官网: www.foshandayi.com

服务热线: 0757-87335388



ABOUT US

公司简介

佛山达益生物工程技术有限公司是志华集团旗下的子公司之一，佛山达益以建材产业为主的多元化生产型企业，目前拥有先进的大型进口生产设备、以及多个千级净化车间。

自主研发生产 PETG 片材及卷材，并通过光固化的方式在片材、卷材表面进行硬化处理，使其表面生成一层微米厚度的功能涂层膜，进而达到高硬度、超耐磨、防划花的功能效果。

PETG 片材及卷材可贴合基材为：密度板、多层实木板、防潮颗粒板、PVC 发泡板等，应用范围包括：橱柜、衣柜、浴室柜、家具板材、家具门板等，选配同色封边条。

Foshan DAEI Biological Engineering Technology Co.Ltd belongs to ZHIHUA group companies. We are manufacturing enterprise , with our main business focus on the building materials industry, with diversified production lines.At present, we have advanced large-scale imported production equipments and several thousand-level static workshops.

We independently research and develop PETG sheets and PETG films. The surface of the sheet and the film is hardened by ultraviolet light curing to form a functional coating film of a micron thickness, thereby achieving a high hardness, super wear resistance and scratch resistance.

PETG sheet and PETG films can be laminated onto below substrates: MDF, plywood, moisture-proof particle board, PVC foam board, etc. Applications include: kitchen cabinets, wardrobes, bathroom cabinets, furniture panels, furniture door panels, etc., with the matching color edge banding available.



达益荣誉出品

Upgrade technics, overturn the traditional process

EXCLUSIVE CREATIVE SOLUTIONINGS



无尘车间

DUST FREE WORKSHOP

industry pioneer, point stone into gold
行业先锋，点石成金



PETG SHEET



佛山益达 - 植根于中国的 PETG 片材和卷材智造专家

Foshan DaYi- An expert in high gloss PETG film manufacturing rooted in China



佛山益达新材是一家知名家居饰面 PETG 片材制造商，佛山达益拆资千万进行片材研发和片材贴合，采用欧洲先进生产设备，我们的高品质 PETG 片材和卷材产品现已热销全球。凭借对质量的严格要求，达益公司致力于为各大家具公司和板材生产商提供顶级品质的卷材，引领行业新潮流。

Foshan Dayi new material is a well-known home decoration PETG film manufacturers, Dayi spent 10 million to carry out film research and development and film materials, we use European advanced production equipment, our high-quality PETG film products are now hot sales around the world. With strict requirements for quality, Dayi is committed to providing top quality rolls for major furniture companies and plate manufacturers, leading the new trend in the industry.



达益 PETG
关注家居安全
像水果一样安全



达益 PETG 片材和卷材环保性能优良，符合食品接触的相关管理规定，可广泛应用于厨房橱柜家具、现代室内家具等。耐油脂及耐化学性优，对于酸、碱、油类均不受侵蚀。

Dayi PETG sheet and coiled material has excellent environmental protection performance, and the relevant management regulations for compound food contact can be widely used in kitchen cabinet furniture, modern indoor furniture, etc.. It is resistant to oil and chemical resistance, and it is not eroded by acids, bases, and oils.

www.foshandayi.com



Mirror High Gloss Effect
镜面高光效果

表面无杂质，平整度高，纯镜面高光效果超乎想象。

High hardness scratch resistance
高硬度耐刮擦

出色的硬度以及耐刮伤性使他与众不同，表面硬度根据客户需求可达到 4H 以上，超高硬度越磨越鲜亮，永不变形。

Humanized and thoughtful design
人性化的设计
Original
原创性

Food grade environmental protection materials
食品级环保材料

environmental protection
环保



Skin Sensitivity Matte Effect
肤感哑光效果

- 抗指纹 Anti-fingerprint
- 耐刮伤 Scratching resistance
- 易清洁 Easy to clean
- 耐冲撞 Impact resistance

Feel the most comfortable material
感受最舒适的材料

Does not fade, colorless difference
不褪色，无色差

高端生产设备，经验丰富的技术人员，先进的生产技术，严格的质量管理体系，使得我们的产品三万平方无色差，避免因色差问题而产生的烦恼。

Five-star enjoyment
五星级的享受



PRODUCT CATALOGUE

产品目录


- TEC 系列成品
TEC series finished products
- 色卡表
colour chart
- 家居效果图
Home Effects Map
- 成品打包标准
Packing standards for finished products
- 货柜装箱示意图
Container Loading diagram




www.foshandayi.com

达益公司可为客户提供全套系列的高光 PETG 片材产品，单面和双面贴合的 PETG 密度板。



片材亮光系列
FILM LIGHT SERIES



卷材亮光系列
Volume Light Series




卷材肤哑系列
Volume matte series



TEC 高光单色 PETG 片材极其平整, 色彩性能稳定, 抗 UV 性能极佳

TEC High Gloss monochrome PETG sheet material is extremely flat, stable color performance, excellent UV resistance



产品信息 Product information

Matching substrate 可贴合基材
MDF, plywood, particle board, PVC foam board
密度板, 多层实木板, 防潮颗粒板, PVC 发泡板

Thickness of cladding substrate 可贴合基材厚度
9mm, 12mm, 16mm, 18mm

Application 应用范围
Cabinet, closet, bathroom cabinet, furniture board, furniture door board, etc.
橱柜, 衣柜, 浴室柜, 家具板材, 家具门板成品等

Size Specifications 尺寸规格
片材亮光系列: 1220x2440x0.8mm
卷材亮光系列: 1250x0.5mm
卷材肤哑系列: 1250x0.4mm

Optional Edge Type 可选封边类型
Same color edge
同色封边

Film Light Series 片材亮光系列




卷材肤哑系列 Volume matte series

TEC-101F	TEC-102F	TEC-103F	TEC-104F
TEC-105F	TEC-106F	TEC-107F	TEC-108F
TEC-109F	TEC-110F	TEC-111F	TEC-112F
TEC-113F	TEC-114F	TEC-115F	TEC-116F
TEC-117F	TEC-118F	TEC-119F	TEC-120F
TEC-121F	TEC-122F	TEC-123F	TEC-125F
TEC-124F	TEC-126F		

Volume Light Series 卷材亮光系列

TEC-101G	TEC-102G	TEC-103G	TEC-104G
TEC-105G	TEC-106G	TEC-107G	TEC-108G
TEC-109G	TEC-110G	TEC-111G	TEC-112G
TEC-113G	TEC-114G	TEC-115G	TEC-116G
TEC-117G	TEC-118G	TEC-119G	TEC-120G
TEC-121G	TEC-122G	TEC-123G	TEC-124G
TEC-125G	TEC-126G		






The simple and generous style, the perfect use of space, emphasizing light make up, spotless life enjoy, easy to let people's hearts with the dawn of joy all over ocean

简洁大方的风格，完美运用空间，强调了淡妆素抹，一尘不染的生活感受，容易让人的心随每天都洋溢着喜悦的曙光



达益 PETG 片材和卷材采用环保材料精制而成，符合食品接触的相关要求，可广泛用于家具产品领域，如橱柜、衣柜、浴室柜、电视柜等。

Dayi PETG sheet and coiled materials are made by environmentally materials. The related requirements for compound food contact can be widely used in furniture products, such as: cabinets, closets, bathroom cabinets, television cabinets, ect..





It integrates both aesthetical sense and function, create an easy and cozy feeling in the modern household.

美感与功能兼备，实用得体，更能营造现代家居中的一份轻松惬意。

The elegant overall design, meticulous production and complete quality control create a most comfortable and elegant environment to people.

整体设计美观，精工制造，层层质检，
给人们创造一个最舒适典雅的环境。





美感与功能兼备，实用得体，更能营造现代家居中的一份轻松惬意。
 高贵典雅的造型，轻柔美妙的触感，让一切变得舒适、自然，昨日的无限荣耀
 It integrates both aesthetical sense and function,
 create an easy and cozy feeling in the modern household.

—
 现代的质材，现代的设计，现代的风格，现代的时尚生活的无限魅力

The charm of the modern life expressn by the modern matrial, moderd design and modern type.





享受被自然亲吻的感觉，

已经成为喜来宝松木床具的一种生活境界、一个标志。

Enjoy the feeling of being kissed by nature has become a state of mind, a symbol for Xilaibao pine wood furniture.

生活，本就不容易被满足，追求是不断攀升的过程，而登后的心灵，需要犒赏，须独具慧眼，每一个细节都值得考究，每一种材质都经得起时间的打磨，每一处景致都近乎完美 选择，再怎么挑剔都不过分，唯有如此，才能报偿碌碌辛苦，才能被你一生收藏。



片材打包标准 Sheet packaging standard



卷材打包标准 Volume Packing Standard



PETG sheet material with pallets loading container instruction

	20GP	40GP
Maximum loading weight 最大承重	27000KGS	27000KGS
Weight of PETG sheet / sheets of pallet 每张片材重量 / 每托片材数量	4KGS/sheet 4 千克 / 张 500sheets/pallet 500 张 / 托	4KGS/sheet 4 千克 / 张 500sheets/pallet 500 张 / 托
Maximum loading quantity 最大装货数	4000sheets 4000 张	6000sheets 6000 张
Pallet weight 托盘重量	100KGS/pallet 100 千克 / 托	100KGS/pallet 100 千克 / 托

LOADING DATA	Length 长 (mm)	Width 宽 (mm)	Pallet Qty 托盘数量	Net Weight 净重	Pallet Weight 托盘重量	Total Weight 总重
装柜数据	20'	2440	8	16.000KG	800KG	16800KG
	40'	2440	12	24.000KG	1200KG	25200KG

PETG sheet material without pallets loading container instruction

LOADING DATA	Loose sheets loading container	Total weight /KGS
装柜数据	20' 6000sheets	24000
	40' 6750	27000

0.4MM thickness PETG coiled material loading container instruction

	20GP	40GP
Maximum loading weight 最大承重	27000KGS	27000KGS
Meters/Weight of PETG coiled material 1250*0.4 厚每卷卷材长度 / 重量	250Meters/roll 250 米 / 卷 165KGS/roll 165 千克 / 卷	250Meters/roll 250 米 / 卷 165KGS/roll 165 千克 / 卷
Maximum loading quantity 最大装货数	32 rolls 32 卷	66 rolls 66 卷
Pallet weight 托盘重量	40KGS/pallet 40 千克 / 托	40KGS/pallet 40 千克 / 托

LOADING DATA	Pallet Qty 托盘数量	Net Weight 净重	Pallet Weight 托盘重量	Total Weight 总重
装柜数据	20' 16	5280KG	640KG	5920KG
	40' 34	10890KG	1360KG	12250KG

0.5MM thickness PETG coiled material loading container instruction

	20GP	40GP
Maximum loading weight 最大承重	26500KGS	26500KGS
Meters/Weight of PETG coiled material 1250*0.5 厚每卷卷材长度 / 重量	250Meters/roll 250 米 / 卷 205KGS/roll 205 千克 / 卷	250Meters/roll 250 米 / 卷 205KGS/roll 205 千克 / 卷
Maximum loading quantity 最大装货数	32 rolls 32 卷	66 rolls 66 卷
Pallet weight 托盘重量	30KGS/pallet 40 千克 / 托	30KGS/pallet 40 千克 / 托

LOADING DATA	Pallet Qty 托盘数量	Net Weight 净重	Pallet Weight 托盘重量	Total Weight 总重
装柜数据	20' 16	6560KG	640KG	7200KG
	40' 34	13530KG	1350KG	14880KG

