

刀具车/工具柜

一站式购物体验

专注数控刀具车行业18年



DI

数控刀具车 ▶ CNC Tools holder carts

01 欧风款P01
CNC Tools holder carts



PIE 欧风款

型号/Product name	PIE-P01C
规格/Product size	720*420*980+420MM
详情参考第13页	Details are on page 13

02 欧风款P06刀具车
CNC Tools holder carts



PIE 欧风款

型号/Product name	PIE-P06C
规格/Product size	720*420*980+420MM
详情参考第14页	Details are on page 14

03 欧风款P06工具车
CNC Tools holder carts



PIE 欧风款

型号/Product name	PIE-P06C
规格/Product size	720*420*980+420MM
详情参考第14页	Details are on page 14

04 欧风款P02
CNC Tools holder carts



PIE 欧风款

型号/Product name	PIE-P02C
规格/Product size	720*420*980+220MM
详情参考第13页	Details are on page 13

05 欧风款P06-W3
CNC Tools holder carts



PIE 欧风款

型号/Product name	PIE-P06C-W3
规格/Product size	1000*520*940+500MM
详情参考第14页	Details are on page 14

06 欧风款P06-W2
CNC Tools holder carts



PIE 欧风款

型号/Product name	PIE-P06C-W2
规格/Product size	1000*520*940+500MM
详情参考第14页	Details are on page 14

07 加强款单抽刀具车
CNC Tools holder carts



型号/Product name	RGT-J03C
规格/Product size	720*420*980+220MM
详情参考第15页	Details are on page 15

08 加强款双抽刀具车
CNC Tools holder carts



型号/Product name	RGT-J04C
规格/Product size	720*420*980+220MM
详情参考第15页	Details are on page 15

09 加强款双抽工具车
CNC Tools holder carts



型号/Product name	RGW-G06
规格/Product size	720*420*980+390MM
详情参考第15页	Details are on page 15



10 加强款单抽工具车
CNC Tools holder carts



型号/Product name	RGW-G05
规格/Product size	720*420*980+390MM
详情参考第15页	Details are on page 15

11 F款单抽刀具车
CNC Tools holder carts



型号/Product name	RGT-J07C
规格/Product size	720*420*975+420MM
详情参考第17页	Details are on page 17

12 F款双抽刀具车
CNC Tools holder carts



型号/Product name	RGT-J06C
规格/Product size	720*420*975+420MM
详情参考第17页	Details are on page 17

13 钻攻双抽刀具车
CNC Tools holder carts



型号/Product name	RGT-ZG03
规格/Product size	573*470*920+390MM
详情参考第16页	Details are on page 16

14 钻攻三抽刀具车
CNC Tools holder carts



型号/Product name	RGT-ZG04
规格/Product size	573*470*920+390MM
详情参考第16页	Details are on page 16

15 钻攻三抽工具车
CNC Tools holder carts



型号/Product name	RGW-G08ZG
规格/Product size	573*470*920+390MM
详情参考第16页	Details are on page 16

16 钻攻双抽工具车
CNC Tools holder carts



型号/Product name	RGW-G07ZG
规格/Product size	573*470*920+390MM
详情参考第16页	Details are on page 16

17 车床款刀具车
CNC Tools holder carts



型号/Product name	RGT-SYC
规格/Product size	565*400*915+345MM
详情参考第17页	Details are on page 17

18 车床款工具车
CNC Tools holder carts



型号/Product name	RGW-SYC
规格/Product size	565*400*915+345MM
详情参考第17页	Details are on page 17

02

数控刀具架/存储柜 ▶ CNC Tools holder keeper

01 A型刀具架6排
CNC Tools holder



型号/Product name	RGT-DJ105AC-6
规格/Product size	660*550*900MM
详情参考第18页	Details are on page 18

02 A型刀具架8排
CNC Tools holder



型号/Product name	RGT-DJ105AC-8
规格/Product size	870*550*1100MM
详情参考第18页	Details are on page 18

03 A型刀具架10排
CNC Tools holder



型号/Product name	RGT-DJ105AC-10
规格/Product size	870*550*1300MM
详情参考第18页	Details are on page 18

04 A型刀具架16排
CNC Tools holder



型号/Product name	RGT-DJ103AC
规格/Product size	880*660*1540MM
详情参考第18页	Details are on page 18

05 L型刀具架8排
CNC Tools holder



型号/Product name	RGT-DJ103LC
规格/Product size	880*500*1540MM
详情参考第18页	Details are on page 18

06 L型刀具架5排
CNC Tools holder



型号/Product name	RGT-DJ104LC
规格/Product size	865*495*1015MM
详情参考第20页	Details are on page 20

07 H型刀具架6排
CNC Tools holder



型号/Product name	RGT-DJ106HC
规格/Product size	850*350*1530MM
详情参考第20页	Details are on page 20



08 刀具存储柜A
Knife handle storage cabinet



型号/Product name	RGT-DJGX04A
规格/Product size	850*550*1830MM
详情参考第19页	Details are on page 19

09 刀具存储柜B
Knife handle storage cabinet



型号/Product name	RGT-DJGX04B
规格/Product size	850*550*1830MM
详情参考第19页	Details are on page 19

10 刀具存储柜C
Knife handle storage cabinet



型号/Product name	RGT-DJGX04C
规格/Product size	850*550*1830MM
详情参考第19页	Details are on page 19

11 刀具存储柜D
Knife handle storage cabinet



型号/Product name	RGT-DJGX04D
规格/Product size	850*550*1830MM
详情参考第19页	Details are on page 19

12 刀具存储柜E
Knife handle storage cabinet



型号/Product name	RGT-DJGX04E
规格/Product size	850*550*1830MM
详情参考第19页	Details are on page 19

13 工具存储柜
Knife handle storage cabinet



型号/Product name	RGW-DJGX04
规格/Product size	850*550*1830MM
详情参考第19页	Details are on page 19

14 储物刀具柜
Knife handle storage cabinet



型号/Product name	RGT-DJGX02C
规格/Product size	1000*500*1800MM
详情参考第19页	Details are on page 19

15 组合刀具柜X06
Combined tool cabinet



型号/Product name	RGT-DJGX06C
规格/Product size	1350*550*1800MM
详情参考第20页	Details are on page 20

16 组合刀具柜X07
Combined tool cabinet



型号/Product name	RGT-DJGX07C
规格/Product size	1750*550*1800MM
详情参考第20页	Details are on page 20

03

装夹刀具工作台/工作站 ▶ CNC Tools holder station

01 工作台A1款
Lock knife table



新品 NEW

型号/Product name	RGT-SDTA1C
规格/Product size	400*260*850MM
详情参考第21页	Details are on page 21

02 工作台C1款
Lock knife table



型号/Product name	RGT-SDTC1C
规格/Product size	700*450*800+220MM
详情参考第22页	Details are on page 22

03 工作台C2款
Lock knife table



型号/Product name	RGT-SDTC2C
规格/Product size	700*450*800+220MM
详情参考第22页	Details are on page 22

04 工作台A2款
Lock knife table



新品 NEW

型号/Product name	RGT-SDTA2C
规格/Product size	430*200*850MM
详情参考第21页	Details are on page 21

05 工作台C3款
Lock knife table



新品 NEW

型号/Product name	RGT-SDTC3C
规格/Product size	700*450*800+420MM
详情参考第22页	Details are on page 22

06 工作台C4款
Lock knife table



新品 NEW

型号/Product name	RGT-SDTC4C
规格/Product size	700*450*800+420MM
详情参考第22页	Details are on page 22

07 工作台D1款
Lock knife table



型号/Product name	RGT-SDTD1C
规格/Product size	1280*685*850+615MM
详情参考第23页	Details are on page 23

08 工作台D2款
Lock knife table



新品 NEW

型号/Product name	RGT-SDTD2C
规格/Product size	1280*685*850+400MM
详情参考第23页	Details are on page 23



09 工作台B1款
Lock knife table



型号/Product name	RGT-SDTB1C
规格/Product size	880*555*800+610MM
详情参考第21页	Details are on page 21

10 工作台B2款
Lock knife table



型号/Product name	RGT-SDTB2C
规格/Product size	880*555*800+500MM
详情参考第22页	Details are on page 22

11 工作台B3款
Lock knife table



新品
NEW

型号/Product name	RGT-SDTB3C
规格/Product size	880*555*800+500MM
详情参考第22页	Details are on page 22

12 工作台B1D款
Lock knife table



新品
NEW

型号/Product name	RGT-SDTB1DC
规格/Product size	880*555*800+610MM
详情参考第21页	Details are on page 21

13 工作台B2D款
Lock knife table



新品
NEW

型号/Product name	RGT-SDTB2DC
规格/Product size	880*555*800+500MM
详情参考第22页	Details are on page 22

14 工作台B3D款
Lock knife table



新品
NEW

型号/Product name	RGT-SDTB3DC
规格/Product size	880*555*800+500MM
详情参考第22页	Details are on page 22

15 工作台D3款
Lock knife table



新品
NEW

型号/Product name	RGT-SDTD3C
规格/Product size	1280*685*850+615MM
详情参考第23页	Details are on page 23

16 工作台D4款
Lock knife table



新品
NEW

型号/Product name	RGT-SDTD4C
规格/Product size	1280*685*850+400MM
详情参考第23页	Details are on page 23

04

数控刀具运输车/转运刀具车 ▶ CNC Tools holder transfer cart

01 MTT-A0刀具车
Multi-purpose tool lathe



新品
NEW

型号/Product name	RGT-MTT-A0
规格/Product size	640*350*750MM
详情参考第24页	Details are on page 24

02 MTT-A2刀具车
Multi-purpose tool lathe



新品
NEW

型号/Product name	RGT-MTT-A2
规格/Product size	640*350*750MM
详情参考第24页	Details are on page 24

03 MTT-A4刀具车
Multi-purpose tool lathe



新品
NEW

型号/Product name	RGT-MTT-A4
规格/Product size	640*350*750MM
详情参考第24页	Details are on page 24

04 MTT-ADD刀具车
Multi-purpose tool lathe



新品
NEW

型号/Product name	RGT-MTT-ADD
规格/Product size	640*350*750MM
详情参考第24页	Details are on page 24

05 E款简易刀具车
Multi-purpose tool lathe



型号/Product name	RGT-JYCEC
规格/Product size	575*470*810+400MM
详情参考第25页	Details are on page 25

06 F款简易刀具车
Multi-purpose tool lathe



型号/Product name	RGT-JYFC
规格/Product size	575*470*810+400MM
详情参考第25页	Details are on page 25

07 转运刀具车A1
Multi-function Transfer Vehicle



型号/Product name	RGT-ZYCA1
规格/Product size	650*500*800MM
详情参考第25页	Details are on page 25

08 转运刀具车A2-加长款
Multi-function Transfer Vehicle



型号/Product name	RGT-ZYCA2
规格/Product size	850*500*800MM
详情参考第25页	Details are on page 25

09 转运刀具车A3
Multi-function Transfer Vehicle



新品
NEW


型号/Product name	RGT-ZYCA3
规格/Product size	660*800*815MM
详情参考第25页	Details are on page 25



05 机床脚踏板 Machine Fatigue Mat

01 机床脚踏板A款
Machine Foot pedal

A款 (单层)




2种站脚可选/
Two kinds of feet are optional

名称/Product name	CW2-单层脚踏板
规格/Product size	规格见详情页
详情参考第32页	Details are on page 32

02 机床脚踏板B款
Machine Foot pedal

B款 (双层)



2种站脚可选/
Two kinds of feet are optional

名称/Product name	CW2-双层脚踏板
规格/Product size	规格见详情页
详情参考第32页	Details are on page 32

03 机床脚踏板S款
Machine Foot pedal

S款




2种站脚可选/
Two kinds of feet are optional

名称/Product name	CW2-S款脚踏板
规格/Product size	规格见详情页
详情参考第32页	Details are on page 32

04 机床脚踏板US款
Machine Foot pedal

US款




2种站脚可选/
Two kinds of feet are optional

名称/Product name	CW2-US款脚踏板
规格/Product size	规格见详情页
详情参考第32页	Details are on page 32

05 机床脚踏板(接油盘款)
Machine Foot pedal

接油盘款

固定站脚



镀锌钢板接油盘

名称/Product name	CW2-接油盘款脚踏板
规格/Product size	规格见详情页
详情参考第32页	Details are on page 32

06 机床脚踏板(接油盘款)
Machine Foot pedal

接油盘款

可调站脚



镀锌钢板接油盘

名称/Product name	CW2-接油盘款脚踏板
规格/Product size	规格见详情页
详情参考第32页	Details are on page 32



06 其他设备工具推车 ▶▶ Other machine tools trolley

01 **PC柜01P**
Industrial PC cabinet



型号/Product name	RGT-LFPC01P
规格/Product size	580*450*910+420MM
详情参考第27页	Details are on page 27

02 **PC柜01W**
Industrial PC cabinet



型号/Product name	RGT-LFPC01W
规格/Product size	580*450*910+550MM
详情参考第27页	Details are on page 27

03 **PC柜02P**
Industrial PC cabinet



型号/Product name	RGT-LFPC02P
规格/Product size	750*420*1000+420MM
详情参考第27页	Details are on page 27

04 **PC柜02W**
Industrial PC cabinet



型号/Product name	RGT-LFPC02W
规格/Product size	750*420*1000+500MM
详情参考第27页	Details are on page 27

05 **PC柜03P**
Industrial PC cabinet



型号/Product name	RGT-LFPC03P
规格/Product size	950*450*990+420MM
详情参考第27页	Details are on page 27

06 **PC柜03W**
Industrial PC cabinet



型号/Product name	RGT-LFPC03W
规格/Product size	950*450*990+620MM
详情参考第27页	Details are on page 27



07 砂轮置物架13片
Rack for grinding wheel

型号/Product name	RGT-SLJ101C (13 片位砂轮架)
规格/Product size	700*230*450MM/700*450*1250MM
详情参考第28页	Details are on page 28

08 砂轮置物架26片
Rack for grinding wheel

型号/Product name	RGT-SLJ102C (26 片位砂轮架)
规格/Product size	700*230*730MM/700*450*1530MM
详情参考第28页	Details are on page 28

09 电动伺服攻丝机 (新增四种工作台)
Electric servo tapping machine—Four new counter tops

型号/Product name	RGT-GSJ960	RGT-GSJ850	RGT-GSJ960-D	RGT-GSJ850-D
规格/Product size	920*620*805MM	820*520*805MM	920*620*900MM	820*520*900MM
详情参考第29页	Details are on page 29	Details are on page 29	Details are on page 29	Details are on page 29

07 数控刀具分格柜/耗材零件分格柜 ▶ CNC Tools compartment

11 耗材分格柜A1
Consumable parts divider cabinet

型号/Product name	RGW-TCC-A1
规格/Product size	870*300*640MM
详情参考第28页	Details are on page 28

12 耗材分格柜A2
Consumable parts divider cabinet

型号/Product name	RGW-TCC-A2
规格/Product size	720*420*975MM
详情参考第28页	Details are on page 28

13 耗材分格柜A3
Consumable parts divider cabinet

型号/Product name	RGW-TCC-A3
规格/Product size	880*550*1440MM
详情参考第28页	Details are on page 28

|| 数控刀具车 / CNC Tools holder carts



PIE-P01AC



PIE-P01BC



PIE-P01CW

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK63
PIE-P01AC	W720*D420*H980+420MM	28	22	10	22
PIE-P01BC	W720*D420*H980+420MM	14	11	5	11
PIE-P01CW	W720*D420*H980+420MM	欧风款搭配木质台面 / With wooden countertop			

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



PIE-P02C



PIE-P02C-W



■ 抽屉带分隔，整齐收纳不凌乱
The drawers are separated and neatly stored



■ 加厚木质台面，保护刀柄、工具
Thick wooden countertop



■ 侧面图纸袋，可放文件
It can be used with hook bag

产品型号 Product name	产品尺寸 Product size	BT30	BT40	HSK63
PIE-P02C	W720*D420*H980+220MM	28 (11+17)	26 (9+17)	26 (9+17)
PIE-P02C-W	W720*D420*H980+420MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate		

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.

PIE
欧风款



PIE-P06C



PIE-P06C-W



■ 抽屉带分隔，整齐收纳不凌乱
The drawers are separated and neatly stored



■ 加厚木质台面，保护刀柄、工具
Thick wooden countertop



■ 侧面图纸兜，可放文件
It can be used with hook bag

产品型号 Product name	产品尺寸 Product size	BT30	BT40	HSK63
PIE-P06C	W720*D420*H980+420MM	6	6	6
PIE-P06C-W	W720*D420*H980+420MM	欧风款搭配木质台面 / With wooden countertop		

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.

PIE
欧风款



PIE-P06C-W2



PIE-P06C-W3



■ 方孔挂板，搭配挂钩（赠送挂件包）
Square hole hanging plate (send hook package)



■ 加厚木质台面，保护刀柄、工具
Thick wooden countertop



■ 优选福马轮，可固定在地面
Preferred Fuma wheel, can be fixed to the ground

产品型号 Product name	产品尺寸 Product size	
PIE-P06C-W2	W1000*D520*H940+500MM	欧风款搭配木质台面 / With wooden countertop
PIE-P06C-W3	W1000*D520*H940+500MM	欧风款搭配木质台面 / With wooden countertop

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



RGT-J03C

RGT-J04C



■ 抽屉带分隔，整齐收纳不凌乱
The drawers are separated and neatly stored



■ 柜体内部一层刀架板
One layer of knife holder board inside the cabinet



■ 方孔挂板，搭配挂钩（需另购）
Square hole hanging plate (additional purchase)

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-J03C	W720*D420*H980+220MM	31 (14+17)	29 (12+17)	24 (10+14)	31 (14+17)	31 (14+17)	29 (12+17)	15 (5+10)
RGT-J04C	W720*D420*H980+220MM	31 (14+17)	29 (12+17)	24 (10+14)	31 (14+17)	31 (14+17)	29 (12+17)	15 (5+10)

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



RGW-G05

RGW-G06



■ 侧面图纸兜，可放文件
It can be used with hook bag



■ 柜体侧面可装锁刀座
side mounted tool holder tightening fixture



■ 抽屉带分隔，整齐收纳不凌乱
The drawers are separated and neatly stored

产品型号 Product name	产品尺寸 Product size	
RGW-G05	W720*D420*H980+390MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate
RGW-G06	W720*D420*H980+390MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



RGT-ZG03




RGT-ZG04



■ 抽屉带分隔，整齐收纳不凌乱
The drawers are separated and neatly stored



■ 柜体内部一层刀架板
One layer of knife holder board inside the cabinet



■ 附带三个三脚架放刀柄
Comes with three tripod mounts

产品型号 Product name	产品尺寸 Product size	BT30	BT40	HSK50	HSK63
RGT-ZG03	W573*D470*H520+390MM	27(9+18)	24(9+15)	27(9+18)	24(9+15)
RGT-ZG04	W573*D470*H520+390MM	27(9+18)	24(9+15)	27(9+18)	24(9+15)

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



RGW-G07ZG




RGW-G08ZG



■ 方孔挂板，搭配挂钩
Square hole hanging plate



■ 灵活脚轮，防滑易推拉
Quiet, non-slip and easy to push and pull



■ 抽屉带分隔，整齐收纳不凌乱
The drawers are separated and neatly stored

产品型号 Product name	产品尺寸 Product size	
RGW-G07ZG	W573*D470*H920+390MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate
RGW-G08ZG	W573*D470*H920+390MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



■ 抽屉带分隔，整齐收纳不凌乱
The drawers are separated and neatly stored



■ 柜体内部一层刀架板
One layer of knife holder board inside the cabinet



■ 方孔挂板，搭配挂钩（需另购）
Square hole hanging plate (additional purchase)

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-J07C	W720*D420*H970+420MM	30 (13+17)	26 (9+17)	20 (6+14)	28 (11+17)	28 (11+17)	26 (9+17)	16 (6+10)
RGT-J06C	W720*D420*H970+420MM	30 (13+17)	26 (9+17)	20 (6+14)	28 (11+17)	28 (11+17)	26 (9+17)	16 (6+10)

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



■ ABS 材质加厚塑料刀套
ABS material thickened plastic



■ 方孔挂板，搭配挂钩（需另购）
Square hole hanging plate (additional purchase)



■ 抽屉带分隔，整齐收纳不凌乱
The drawers are separated and neatly stored

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-SYC2	W565*D400*H915+345MM	20	14	10	16	16	14	8
RGW-SYC2	W565*D400*H915+345MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate						

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.5MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.

|| 数控刀具架 / 存储柜 CNC Tools holder keeper



产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-DJ105AC-6	W660*D550*H900MM	60	42	30	48	48	42	24
RGT-DJ105AC-8	W870*D550*H1100MM	112	80	56	96	96	80	48
RGT-DJ105AC-10	W870*D550*H1300MM	140	100	70	120	120	100	60

钢板厚度: 根据不同位置承重要求不同, 采用 2.0 MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 2.0 thick steel plate is used.



产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-DJ103LC	W880*D550*H1540MM	112	80	56	96	96	80	48
RGT-DJ103AC	W880*D660*H1540MM	224	160	112	192	192	160	96

钢板厚度: 根据不同位置承重要求不同, 采用 2.0 MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 2.0 thick steel plate is used.



■ ABS 加厚刀套, 免安装螺丝
ABS thickened plastic, no installation required



■ 大容量空间, 可容纳上百把刀柄
Large capacity for more tools



■ 可调节防滑站脚
adjustable, non-slip



产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-DJGX04A/B/C	W850*D550*H1830MM	168	120	84	144	144	120	72
RGT-DJGX04D/E	W850*D550*H1830MM	168	120	84	144	144	120	72

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.2MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.




RGT-DJGX02C



RGW-DJGX04



ABS加厚刀套，免安装螺丝
ABS thickened plastic, no installation required



铝合金把手，带锁柜门，安全保管
Locked door to protect tools



侧面加装固纸兜，存放文件
Additional drawing pocket on the side

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-DJGX02C	W1000*D500*H1800MM	120	84	60	96	96	84	48
RGW-DJGX04	W850*D550*H1830MM	四层工具层板，高度可调节 / Four tool layers, height adjustable						

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.2MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



RGT-DJ104LC



RGT-DJ106HC



顶部一排刀具架，三个收纳盒
Top storage box with a row of tool racks



侧面加装图纸兜，存放文件
Additional drawing pocket on the side



可以容纳重型刀柄
Can accommodate heavy tool holders

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-DJ104LC	W865*D495*H1015MM	70	50	35	60	60	50	30
RGT-DJ106HC	W850*D350*H1530MM		80	56				48

钢板厚度：根据不同位置承重要求不同，采用 2.0MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 2.0 thick steel plate is used.



RGT-DJGX06C/7C



RGT-DJGX06F/7F



ABS 加厚刀套，免安装螺丝
ABS thickened plastic, no installation required



可调节刀架不同高度，随意调节
Adjustable Tool Plate Height



嵌入式结构，安装方便
Embedded structure, easy to install

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-DJGX06C	W1350*D550*H1800MM	240	168	120	192	192	168	96
RGT-DJGX07C	W1750*D550*H1800MM	336	240	168	288	288	240	144
RGT-DJGX06F	W700*D550*H1800MM	120	84	60	96	96	84	48
RGT-DJGX07F	W900*D550*H1800MM	168	120	84	144	144	120	72

钢板厚度：根据不同位置承重要求不同，采用 2.0MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 2.0 thick steel plate is used.

装夹刀具工作台、工作站/CNC Tools holder station


新品
NEW




RGT-SDTA1C



RGT-SDTA2C




采用5.0加厚板材，强度高，稳定性好。
5.0 thickened sheet, high strength, good stability.



送铝制锁刀座

一举两得，工作台自带锁刀座。
Kill two birds with one stone, the table comes with a locking knife holder.



A2款顶部带有2个锁刀座，可任意搭配。
A2 model has 2 lock knife holders at the top, which can be matched arbitrarily.

产品型号 Product name	产品尺寸 Product size	可装锁刀座型号/Can put tool holder tightening fixture model
RGT-SDTA1C	W400*D260*H850MM	BT30/BT40/BT50/HSK63/HSK100
RGT-SDTA2C	W430*D200*H850MM	双头锁刀座BT30/BT40/BT50/HSK63 BT30+BT40 BT40+BT50 BT40+HSK63 BT50+HSK63

钢板厚度：根据不同位置承重要求不同，台面采用5.0MM厚冷轧钢板。
Thickness: According to different load bearing of each position 5.0mm thick steel plate is used.

新品
NEW



RGT-SDTB1C



RGT-SDTB1DC



大容量，可放3排刀柄
Large capacity, can hold 3 rows of shank



抽屉可放工具、量具，整齐收纳不凌乱
Drawer can hold tools, measuring tools, neat storage is not messy



B1D/B2D/B3D带柜门和后档，封闭存储更整洁
B1D/B2D/B3D, with cabinet door and rear file, closed storage is neater

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK50	HSK63	HSK100
RGT-SDTB1C	W880*D555*H850+615MM	42	30	21	36	30	18
RGT-SDTB1DC	W880*D555*H850+615MM	42	30	21	36	30	18

钢板厚度：根据不同位置承重要求不同，台面采用2.5-3.0MM厚冷轧钢板。
Thickness: According to different load bearing of each position 2.5-3.0mm thick steel plate is used.



产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK50	HSK63	HSK100
RGT-SDTB2C	W880*D555*H800+500MM	42	30	21	36	30	18
RGT-SDTB2DC	W880*D555*H800+500MM	42	30	21	36	30	18
RGT-SDTB3C	W880*D555*H800+500MM	二层平板/ (double layer plate)					
RGT-SDTB3DC	W880*D555*H800+500MM	二层平板/ (double layer plate)					

钢板厚度：根据不同位置承重要求不同，台面采用2.5-3.0MM厚冷轧钢板。
Thickness: According to different load bearing of each position 2.5-3.0 thick steel plate is used.



产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50
RGT-SDTC1C	W700*D450*H800+220MM	31	29	24
RGT-SDTC2C	W700*D450*H800+220MM	14	12	10
RGT-SDTC3C	W700*D450*H800+420MM	17	17	14
RGT-SDTC4C	W700*D450*H800+420MM	二层平板/ (double layer plate)		

钢板厚度：根据不同位置承重要求不同，台面采用1.8-2.0MM厚冷轧钢板。
Thickness: According to different load bearing of each position 1.8-2.0 thick steel plate is used.

新品
NEW



RGT-SDTD1



RGT-SDTD2



3.0mm加厚台面，承重加强
3.0mm thickened table surface, bearing strengthening



双抽屉设计，整齐收纳不凌乱
Double drawer design, neat storage is not messy



原装锁刀座，专业拆装刀具（需另购）
Original lock knife holder, professional disassembly tool (need to buy separately)

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50
RGT-SDTD1	W1280*D685*H850+615MM	120	84	60
RGT-SDTD2	W1280*D685*H850+400MM	60	42	30

钢板厚度：根据不同位置承重要求不同，采用2.5-3.0MM厚冷轧钢板。
Thickness: According to different load bearing of each position 2.5-3.0thick steel plate is used.

新品
NEW



RGT-SDTD3



RGT-SDTD4



D2/D4 带工具挂板，可搭配挂钩包使用（需另购）
D2/D4 with tool hanging plate, can be used with hook pack



侧面图纸袋，整齐收纳不凌乱
Side picture paper bag, neat storage not messy



可固定旋转，通过膨胀螺丝固定，更加稳固
The feet can be fixed, fixed by expansion screws, more stable

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50
RGT-SDTD3	W1280*D685*H800+615MM	60	42	30
RGT-SDTD4	W1280*D685*H800+400MM	二层平板/ (double layer plate)		

钢板厚度：根据不同位置承重要求不同，采用2.5-3.0MM厚冷轧钢板。
Thickness: According to different load bearing of each position 2.5-3.0thick steel plate is used.

转运刀具车/CNC Tools holder transfer cart

新品
NEW



RGT-MTT-A0



RGT-MTT-A2



刀套免安装，省时省力
Tool sleeve free installation, save time and effort



侧面图纸袋，方便收纳
Side paper bag for easy storage



高强度金属把手，推拉方便
High strength metal handle, easy to push and pull

产品型号 Product name	产品尺寸 Product size	BT30	BT40	Bt50	HSK50	HSK63	HSK100
RGT-MTT-A0	W640*D350*H750MM	二层平板/ (double layer plate)					
RGT-MTT-A2	W640*D350*H750MM	20	14	10	16	14	8

钢板厚度：根据不同位置承重要求不同，采用1.0-1.5MM厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5thick steel plate is used.


新品
NEW



RGT-MTT-A4



RGT-MTT-ADD



ADD款BT30/BT40/HSK63为圆套
ADD model BT30/BT40/HSK63 is a round sleeve



ADD款BT50为方套
ADD type BT50 is a square sleeve



带锁抽屉，独立存储
Drawer with lock, independent storage

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK50	HSK63	HSK100
RGT-MTT-A4	W640*D350*H750MM	40	28	20	32	28	16
RGT-MTT-ADD	W640*D350*H750MM	17	17	10		17	

钢板厚度：根据不同位置承重要求不同，采用1.0-1.5MM厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5thick steel plate is used.



RGT-JYCEC



RGT-JYCFC



ABS原料加厚刀套
ABS raw material thickened cutter sleeve



增强型大把手，方便推拉
Enhanced large handle, easy to push and pull



强承重聚酯氨静音脚轮
Strong bearing polyester ammonia Mute casters

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK50	HSK63	HSK100
RGT-JYCEC	W575*D470*H810+400MM	36	30	25	36	30	19
RGT-JYCFC	W575*D470*H810+400MM	24	20	15	24	20	11

钢板厚度：根据不同位置承重要求不同，采用1.0-1.5MM厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



RGT-ZYCA1



RGT-ZYCA2



RGT-ZYCA3

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK50	HSK63	HSK100
RGT-ZYCA1	W650*D500*H800MM	60	42	30	48	42	24
RGT-ZYCA2	W850*D500*H800MM		60	42		60	36
RGT-ZYCA3	W660*D800*H815MM	60	42	30	48	42	24

钢板厚度：根据不同位置承重要求不同，采用1.0-1.5MM厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.


|| 车床夹头/ Lathe chuck



款式 1
RGT-DJ103C/ 夹头款

款式 2
RGT-SYC/ 夹头款

款式 3
RGT-ZYCA2/ 夹头款



产品参数 Product parameters

产品型号 Product name: RGT-DJ103C	产品尺寸 Product size: W880*D660*H1540MM
产品型号 Product name: RGT-SYC	产品尺寸 Product size: W575*D490*H910+390MM
产品型号 Product name: RGT-ZYCA2	产品尺寸 Product size: W850*D500*H800MM

钢板厚度: 根据不同位置承重要求不同, 采用 1.8-2.0MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.8-2.0 thick steel plate is used.

产品型号 Product name	RG40/ VDI40	RG50/ VDI50	RG60	RG71
RGT-DJ103C	224	160	160	112
RGT-SYC2	20	14	14	10
RGT-ZYCA2	14	10	10	7



工业PC柜/ Industrial PC cabinet



RGT-LFPC01CP



RGT-LFPC01CW



RGT-LFPC02CP



RGT-LFPC02CW

产品型号 Product name	产品尺寸 Product size	该产品的主要特点 Hauptmerkmale dieses Produkts
RGT-LFPC01CP	W580*D450*H910+420MM	适合 24 寸以下的显示器 Suitable for monitors up to 24 inches
RGT-LFPC01CW	W580*D450*H910+550MM	适合 24 寸以下的显示器 Suitable for monitors up to 24 inches
RGT-LFPC02CP	W750*D420*H1000+420MM	适合 27 寸以下的显示器 Suitable for monitors up to 27 inches
RGT-LFPC02CW	W750*D420*H1000+500MM	适合 27 寸以下的显示器 Suitable for monitors up to 27 inches

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.2MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.



RGT-LFPC03P



RGT-LFPC03W



■ 上层为整体抽屉，下层带分隔
The upper layer is an integral drawer, and the lower layer has a partition



■ 独立存储柜，可放大件物品
Independent storage cabinet, can enlarge items



■ 全封闭视窗（赠送屏幕支架）
Fully enclosed window (gift screen bracket)


产品型号 Product name	产品尺寸 Product size	该产品的主要特点 Hauptmerkmale dieses Produkts
RGT-LFPC03P	W950*D450*H990+420MM	适合 32 寸以下的显示屏 Suitable for monitors up to 32 inches
RGT-LFPC03W	W950*D450*H990+620MM	适合 27 寸以下的显示屏 Suitable for monitors up to 27 inches

钢板厚度：根据不同位置承重要求不同，采用 1.0-1.2MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 1.0-1.5 thick steel plate is used.

|| 砂轮置物架/ Grinding wheel rack



■ 排列整齐，ABS耐高温材质
Lined up, ABS high temperature resistant material.



■ 顶部和底部带分隔托盘，方便收纳
Top and bottom with separate tray, convenient storage.




■ 加装图纸袋，方便又美观。
Add picture paper bag, convenient and beautiful.

|| 耗材零件分格柜/ CNC Tools compartment

新品
NEW



■ 侧面图纸袋，方便存放文件
Side paper bag for easy file storage



■ 大小零件盒，自由组合
Large and small parts box, free combination



■ 抽屉分格，分类收纳
Drawer compartments, classified storage



■ 标签设计，方便查找物品
Label design, easy to find items




Search "lyreign" on social media outlets

|| 电动伺服攻丝机/Electric servo tapping machine



伺服电动 澎湃动力
Servo motor Surging power



新品
NEW

新增四种台面/ Four new countertops



W920*D620*H805MM



W820*D520*H805MM



W920*D620*H900MM



W820*D520*H900MM



■ 加厚金属台面，坚固耐用。
Thickened metal countertop for durability



■ 加装图纸袋，方便又美观。
Add picture paper bag, convenient and beautiful




■ 加厚滑轨，分格抽屉。
Thickened slide rails, divided drawers

DB

数控机床附件 ▶ CNC Machine tools accessory

刀具收纳盒


cnc tool storage box



- 铣刀收纳盒:** 4-16, 108 孔位适合收纳各种规格的钻头, 铣刀, 丝锥等。
 - 筒夹收纳盒:** ER16-C32 等 40 孔位, 适合收纳各种规格的筒夹等。
 - 刀杆收纳盒:** 12-32 等 40 孔位, 适合收纳各种规格的刀杆, U 钻等
 - 主要特征:** 高强 PP 材质, 加厚耐用, 底部加强筋骨
1. Milling cutter storage box: 4-16, 108 holes are suitable for storing various specifications Drill bits, milling cutters, taps, etc. 2. Collet storage box: ER16-C32, etc.40 holes, suitable for storing collets of various specifications, etc. 3. Arbor storage box: 40 holes such as 12-32, suitable for storing various specifications of tool holders, U drills, etc.

配件挂钩套装

accessory hook set




- 13 件套:** 单直 / 双直挂钩, U 型挂钩, 圆形挂钩等
15 件套: 单直 / 双直挂钩, U 型挂钩, 零件盒等
33 件套: 单直 / 双直挂钩, U 型挂钩, 圆形挂钩等
- 主要特征:** 存放各种工具, 工位整齐, 提高效率
- 13-piece set: single straight hook, double straight hook, U-shaped hook, parts box, etc.
 15-piece set: single straight hook, double straight hook, U-shaped hook, parts box, etc.
 33-piece set: single straight hook, double straight hook, U-shaped hook, round hook, etc.
 Main features: storage of various tools, tidy workstations, and improved efficiency



Search "lyreign" on social media outlets

U 型, L 型, C 型锁刀座

U-shaped L-shaped C-shaped tool holder tightening fixture



产品型号/
BT30/BT40/BT50/HSK50/HSK63/HSK80/HSK100

- 铝制座套:** 铝制座套, 保护刀柄不受损伤。
 - 冷轧钢板:** 冷轧钢板一次成型, 坚固耐用。
 - 打孔固定:** 可打孔固定在桌面牢固稳定。
 - 主要特征:** 可以更好的保护刀柄, 装卸更方便快捷, 整体金属材料, 铝制刀座一体铣成, 整体硬度高, 坚固耐用。
1. Aluminum seat cover: aluminum seat cover to protect the handle from damage.
 2. Cold-rolled steel plate: Cold-rolled steel plate is formed at one time, strong and durable.
 3. Punching and fixing: It can be punched and fixed on the desktop firmly and stably.
 4. Main features: The overall metal material, the aluminum knife seat is milled in one piece, the overall hardness is high, durable.

拉钉螺母扳手


Pull wrench, nut wrench



- 主要特征:** 1. 根据螺母外观采用开口或环形卡槽设计准确固定, 避免扳手打滑。
 2. 硬度高, 耐磨好, 经久耐用。3. 扳手杆表面镀铬后安装柄胶外观精美, 手感舒适
- Main features: 1. According to the appearance of the nut, the design of the opening or the ring slot is accurate to prevent the wrench from slipping.
 2. High hardness, good wear resistance and durability.
 3. The surface of the wrench rod is chrome-plated and the handle glue is installed. Exquisite appearance and comfortable hand feeling

机床脚踏板/Machine Fatigue Mat

NEW 新品上市
 产品升级



瑞格机床脚踏板采用玻璃钢网格, 结实耐用, 耐酸耐腐蚀、耐油污等, 一体式折弯冷轧边框, 结构升级, 承重加强。防滑且结构稳定, 美观大方, 无需维护, 经久耐用, 多尺寸多选择, 广泛用于各类机床作为机床脚踏板和其它工作环境使用。

LYREIGN machine tool pedals are made of fiberglass grids, which are durable, acid-resistant, corrosion-resistant, oil-resistant, etc. One-piece bent cold-rolled frame, upgraded structure, and enhanced load-bearing. Non-slip and stable structure, beautiful, generous, maintenance-free and durable. Widely applicable to all kinds of machine tools as machine tool pedals and other. It is used in working environment.

Foot upgrade **站脚升级**

- 1 耐磨TUP防滑材料**
 Wear-resistant TUP non-slip material
- 2 螺杆直径加大至16mm**
 Screw diameter increased to 16mm
- 3 底盘直径加大至70mm**
 Chassis diameter increased to 70mm
- 4 一体式包胶更牢固**
 One-piece adhesive is stronger



脚踏板规格/ Pedal Specifications


A款 (单层)
Type A (Single layer)



2种站姿可选
脚踏板高度
脚踏板宽度

产品规格 脚踏板高度 脚踏板宽度	1270*650*100mm 1650*650*100mm 1650*850*100mm	产品规格 脚踏板高度 脚踏板宽度	1270*650*130-160mm 1650*650*130-160mm 1650*850*130-160mm
------------------------	--	------------------------	--


B款 (双层)
Type B (Double layer)



2种站姿可选
脚踏板高度
脚踏板宽度

产品规格 脚踏板高度 脚踏板宽度	1260*640*170mm 1640*840*170mm	产品规格 脚踏板高度 脚踏板宽度	1260*640*200-230mm 1640*840*200-230mm
------------------------	----------------------------------	------------------------	--


S款
S Type



2种站姿可选
脚踏板高度
脚踏板宽度

产品规格 脚踏板高度 脚踏板宽度	1215*630*370mm 1615*830*370mm	产品规格 脚踏板高度 脚踏板宽度	1215*630*(210-250)+200mm 1615*830*(210-250)+200mm
------------------------	----------------------------------	------------------------	--


US款
US Type



2种站姿可选
脚踏板高度
脚踏板宽度

产品规格 脚踏板高度 脚踏板宽度	1640*840*370mm	产品规格 脚踏板高度 脚踏板宽度	1640*840*(210-250)+200mm
------------------------	----------------	------------------------	--------------------------

接油盘款
Receive the oil payment




脚踏板高度
脚踏板宽度

产品规格 脚踏板高度 脚踏板宽度	1270*650*100mm 1650*850*100mm
------------------------	----------------------------------

镀锌钢板接油盘

接油盘款
Receive the oil payment




脚踏板高度
脚踏板宽度

产品规格 脚踏板高度 脚踏板宽度	1270*650*130-160mm 1650*850*130-160mm
------------------------	--

镀锌钢板接油盘


细节展示/ Detail presentation



■ 玻璃钢网格，耐酸耐腐蚀，结实耐用
Glass steel mesh, acid and corrosion resistant, strong and durable



■ 一体折弯冷轧钢边框，承重加强
One body bending cold rolled steel frame, bearing strengthening



■ 底部强化，增加承重梁
Reinforcing the bottom, increasing the bearing beam



蓝色经典系列/ Blue Classic Collection



产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-J02L	W720*D420*H980MM+220MM	31	31	24	31	31	31	15
RGT-J03L	W720*D420*H980MM+220MM	31	31	24	31	31	31	15
RGW-J02L	W720*D420*H980MM+400MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate						
RGW-J03L	W720*D420*H980MM+400MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate						

钢板厚度: 根据不同位置承重要求不同, 采用 2.0MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 2.0 thick steel plate is used.



原装侧面托盘
Original side tray

抽屉安装静音滑轨轮
Drawer installation silent slide rail wheels

双把手推拉设计
Double handle push-pull design

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-JXC	W830*D440*H800MM	45	35	25	40	40	35	25
RGT-J2C	W830*D440*H800MM	27	21	15	24	24	18	12

钢板厚度: 根据不同位置承重要求不同, 采用 2.0MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 2.0 thick steel plate is used.

蓝色经典系列/ Blue Classic Collection



RGT-DJ101AL




RGT-DJ101LL



■ ABS加厚刀套，螺丝免安装
ABS thickened, screw-free installation



■ 2.0mm冷轧钢板
2.0mm cold rolled steel plate



■ 可调节防滑站脚
adjustable non-slip

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-DJ101AL	W830*D440*H800MM	196	140	98	168	168	140	98
RGT-DJ101LL	W830*D440*H800MM	98	70	49	84	84	70	49

钢板厚度：根据不同位置承重要求不同，采用 2.0MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 2.0 thick steel plate is used.



RGT-DJGX05



RGT-DJGX03



RGW-DJGX03



RGT-DJGX02

产品型号 Product name	产品尺寸 Product size	BT30	BT40	BT50	HSK40	HSK50	HSK63	HSK100
RGT-DJGX05	W620*D460*H1800MM	120	84	60	96	96	84	60
RGT-DJGX03	W820*D460*H1800MM	168	120	84	144	144	120	84
RGT-DJGX02	W1000*D460*H1800MM	120	84	60	96	96	84	60
RGW-DJGX03	W820*D460*H1800MM	工具车配备方孔挂板 / Tool cart with square hole hanging plate						

钢板厚度：根据不同位置承重要求不同，采用 2.0MM 厚冷轧钢板。
Thickness: According to different load bearing of each position 2.0 thick steel plate is used.

