



# Caresono




## Image Reading -- Swine



## Image reading - bovine



## Image reading - sheep







# Caresono

## HD6

Digital Palm Ultrasound



### Ultra-light,portable,easy operation digital palm ultrasound.

Parameters	
Application	All pregnancy diagnosis: sows;cows;sheep;goats and small ruminants
Transducer	Water proof mechanical sector probe
Monitor	5.6" LCD Screen
Depth	192mm
Weight	0.66 Kgs of main unit (including battery)
Display mode	B;B+B
Battery	Can continuous work 3 hours on fully charged battery
Warranty	2 year warranty



# Caresono

## HD9200A

Digital Palm Ultrasound



### Compact, reliable, extremely robust palm veterinary ultrasound.

Parameters	
Application	All pregnancy diagnosis: sows;cows;sheep;goats and small ruminants
Transducer	Water proof mechanical sector probe
Monitor	5.6" LCD Screen
Depth	192mm
Weight	0.75 Kgs of main unit (including battery)
Display mode	B;B+B;B+M;M
Measurement	Distance,Circumference,Area,Heart rate, Animals' gestation, Backfat thickness, Loin eye area
Video out	Can connect to external video display and video printer
Battery	Can continuous work 3 hours on fully charged battery
Warranty	2 year warranty
Other functions	Backfat measurement and data calibrated



Caresono  
HD9300  
Digital Palm Ultrasound



Excellent image quality and multiple function palm veterinary

ultrasound

Parameters	
Application	General, Gynaecology, Obstetrics, Abdominal
Transducer	3.5MHz convex probe 6.5MHz Rectal Linear Probe for Bovine 6.5MHz Rectal Linear Probe for Ovine 3.5MHz Backfat probe Optional
Monitor	5.6" LCD Screen
Depth	220mm
Weight	0.80 Kgs of main unit (including battery)
Display mode	B; B+B; B+M; M
Pseudo color display	four kinds: red, yellow, red-yellow, white-blue
Cine loop	256frames
Image storage	127frames
Grid indication	Grid for Estimation
VIDEO OUT	Can connect external video display and video printer
Measurement	Distance,Circumference,Area,Heart rate, Animals' gestation, Backfat thickness, Loin eye area
Adjustable parameters	Frequency,focal point,correlation,speed,overall gain, near field gain,far field
Battery	Can continuous work 3 hours on fully charged battery
Warranty	2 year warranty
Other functions	Automatic measurement for Back fat thickness

Caresono  
Palm Veterinary Ultrasound



Caresono Technology Co.,ltd.

Address: 4th Floor,No.11 Building,Initiating zone,Instruments and Meters Industry  
Base,Near Port Industry Zone, Dandong,Liaoning,China.  
spring.xu@caresono.com.cn  
www.caresonomedical.com