

HD-9220C



Specification:

- Scanning mode : Mechanical sector scanning
- Image storage : Storing 253 images permanently
- USB video output : External computer can be connected
- Character and annotation : Case number, Age, Gender
- Image rotation : Horizontally and vertically
- Grid scale : Display the grid scale in the image area
- Measure : Distance, Circumference, Area, Heart rate, Gestational weeks
- Probe frequency : 2.5MHz, 3.5MHz, 5.0MHz
- Image change : The Depth is from 100 to 192 mm which makes a conversion by 10mm per time.
- Display mode : B, DB (DBL, DBR), BM(BML, BMR), M
- Adjustable parameter : Brightness, Contrast, Overall gain, Speed, Frequency, Pseudo color
- M scanning speed : 2s/frame, 4s/frame, 6s/frame, 8s/frame, adjustable.
- Battery capacity : 2600MAh, continuous work above 4 hours on fully charged battery with real-time battery power display
- Scanning depth : 192mm
- Image gray scale : 256 levels
- Monitor : 5.6" TFT- LCD
- Cine loop : 256 frame
- Weight : <1000g (without probe)
- Pseudo color display : Four kinds

Features:

- Suitable for sow pregnancy test and reproductive system disease detection ;
- The whole device is waterproof, which is convenient for the pig farm to thoroughly disinfect and clean the device;
- The body is provided with ultrasound couplant card holder, convenient to apply couplant when using the device
- Built-in strap buckle, meet your various wearing operation needs.