



JP Hose Reel Irrigation Machine



China Yulin Irrigation Equipment Co., Ltd is a leading manufacturer of agricultural irrigation equipment in China. As an OEM manufacturer we have supplied more than 1,000 large scale irrigation projects between from 2000 to 2008 to the American irrigation company. We are the only Chinese manufacturer to achieve their certification on technology, manufacturing process, management standards and quality assurance.

Starting from 2009 Yulin has marketed irrigation equipment under the brand HUAXINGYULIN and has developed into a major supplier for industry and the Chinese Government through large government project tenders.

The manufacturing plant covers an area of 35,000 square meters with the whole plant covering 45,000 square meters. Total investment has reached 40 million RMB. Yulin has built a new production plant with research and development at its heart. With modern advanced manufacturing equipment and rigorous quality control procedures Yulin irrigation equipment offers quality and lifespan on a par with American products.

We supply advanced irrigation equipment, professional installation teams, high efficiency irrigation programs and timely after sales service for customers all over the world.

Yulin exports directly to the USA, Russia, Iraq, Australia and several African countries. Yulin continues OEM manufacturing for foreign customers in recent years especially in Spain.

China Yulin Irrigation Equipment Co., Ltd is dedicated to the development of agricultural irrigation areas. We maintain lasting relationships with both our Chinese and international business partners to constantly improve the farmers' use of their limited resource – water.




specification for hose reel



integrative water inlet
structure more durably



integrative water turbine
and gearbox



durable rotating chassis



Original SIMA spray gun
from Italy



synchronizer




new balance weight structure



hydraulic lifting system



more flexible



natural PE material
wear-resisting anti-aging

JP Hose Reel Irrigation Machine:

Diameter of PE pipe: 50mm,65mm,75mm,85mm,100mm,110mm

Length of PE pipe: 110m-500m



specification :

Ø	diameter nozzle	inlet pressure	range of spray gun	available range	Q mt/h(flow)	relationship between speed and intensity of irrigation								
						10	20	25	30	40	60	80		
						rainfall = mm - water								
Ø90	Ø63	14	4	31	55	14.7	26.7	13.4	10.7	8.9	6.7	4.5	3.3	
			5	34	60	16.4	27.5	13.7	11	9.2	6.8	4.6	3.4	
			6	37	66	18	29	14.5	10.9	9.6	7.2	4.8	3.6	
		16	4	32	57	19.4	33.5	16.7	13.4	11.2	8.3	5.6	4.1	
			5	35	62	21.4	34.5	17.2	13.8	11.5	8.6	5.7	4.3	
			6	38	68	23.5	34.5	17.2	13.8	11.5	8.6	5.7	4.3	
	18	4	35	62	25.6	41	20.5	16.5	13.6	10.2	6.8	5.1		
		5	38	67	28.3	42	21	16.9	14	10.5	7	5.2		
		6	40	72	31.3	43.5	21.7	17.4	14.5	10.8	7.2	5.4		
	Ø82	Ø75	20	4	37	66	31.6	48	24	19.1	16	12	8	6
				5	40	72	34	47.5	23.7	18.9	15.8	11.8	7.9	5.9
				6	43	77	38.7	50	25	20	16.6	12.5	8.3	6.2
22			4	39	69	38	55	27.5	22.1	18.3	13.7	9.2	6.8	
			5	42	76	42.4	55.5	27.7	22.3	18.5	13.8	9.2	6.9	
			6	45	80	46.4	58	29	23.2	19.3	14.5	9.6	7.2	
24		4	43	77	45.6	59	29.5	23.7	19.6	14.7	9.8	7.3		
		5	45	81	50.2	62	31	24.8	20.6	15.5	10.3	7.7		
		6	49	87	55.3	63.5	31.7	25.4	21.2	15.8	10.6	7.9		
26		4	46	83	53.4	64.5	32.2	25.7	21.5	16.1	10.7	8		
		5	50	90	59.2	68	33	26.3	22	16.5	11	8.2		
		6	52	94	64.8	69	34.5	27.6	23	17.2	11.5	8.6		
28	5	53	95	68.5	72	36	28.8	24	18	12	9			
	6	56	101	75.2	74.5	37.2	29.8	24.8	18.6	12.4	9.3			
	7	58	104	81.9	78.5	39.2	31.5	26.2	19.6	13.1	9.8			
30	5	55	99	79.5	80.5	40.2	32.1	26.8	20.1	13.4	10			
	6	59	106	86.4	81.5	40.7	32.6	27.2	20.3	13.6	10.2			
	7	62	112	94	84	42	33.6	28	21	14	10.5			
32	5	57	103	89.6	87	43.5	34.8	29	21.7	14.5	10.8			
	6	61	110	98.2	89	44.5	35.7	29.6	22.2	14.8	11.1			
	7	65	116	106.9	92	46	36.8	30.6	23	16.3	11.5			
34	5	58	104	101	97	48.5	38.9	32.3	24.2	16.1	12.1			
	6	62	112	111	99	49.5	39.6	33	24.7	18.5	12.3			
	7	65	117	120	102.5	51.2	41	34.2	25.6	17.1	12.8			
36	5	61	110	108.8	99	49.5	39.6	33	24.7	16.5	12.3			
	6	65	117	119.3	102	51	40.8	34	25.5	17	12.7			
	7	69	124	130.4	105	52.2	42.1	35	26.2	17.5	13.1			
38 ^N	6	72	130	134.2	108.1	54.1	43.3	36	27	18	13.5			
	7	76	137	153	111.8	55.9	44.7	37.3	28	18.6	14			
	8	79	142	164	115.3	57.7	46.1	38.4	28.8	19.2	14.4			



China Yulin Irrigation Equipment Co., Ltd

Office Address: No. 117, East Street, Xiaoping Island, High-Tech Industrial Park, Dalian City, Liaoning Province, China

Factory Address: No. 128, Yingshun Road, Lvshunkou District, Dalian City, Liaoning Province, China

Tel: 86-0411-84779430/84779018

Email: yulinirrigation@hotmail.com

Website: www.cyulin.com

Fax: 86-0411-84778735

huaxingyulin@163.com

<http://cyulin.en.alibaba.com>