

GUANGZHOU DMIS FILM CO.,LTD



Date: 2nd of May.,2023

Product Spec. Sheet

1-QF series Inorganic UV400 Skin Care Nano Ceramic Window Film













Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	QF75100	Yes	2mil	63%	15%	75%	92%	400%
	Dmis	QF70100	Yes	2mil	56%	15%	75%	84%	400%
	Dmis	QF65100	Yes	2mil	60%	25%	70%	87%	400%
	Dmis	QF35100	Yes	2mil	65%	86%	35%	89%	400%
	Dmis	QF18100	Yes	2mil	60%	96%	16%	87%	400%
	Dmis	QF15100	Yes	2mil	60%	96%	13%	91%	400%
	Dmis	QF10100	yes	2mil	53%	96%	8%	91%	400%
	Dmis	QF05100	Yes	2mil	60%	96%	7%	89%	400%
	Dmis	QF80100T	Yes	2mil	65%	25%	75%	88%	400%
	Dmis	QF7099T	Yes	2mil	65%	25%	76%	89%	400%
	Dmis	QF2099T	Yes	2mil	60%	96%	19%	87%	400%
	Dmis	QF1599T	Yes	2mil	60%	96%	14%	86%	400%
	Dmis	QF0599T	Yes	2mil	60%	96%	6%	87%	400%

2- IR Inorgangic Nano Ceramic Window Film






Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	IR5099	Yes	2mil	53%	53%	50.0%	92.0%	99.6%
	Dmis	IR3599	Yes	2mil	63%	86%	34.6%	88.8%	99.6%
	Dmis	IR2099	Yes	2mil	56%	93%	16.4%	89.2%	99.7%
	Dmis	IR0599	Yes	2mil	60%	96%	4.9%	94.3%	100.0%

Dmis Promise: 100% Korea Material with USA technology. Warranty number: +1(872)8028328. 24 hours online! Attn: Dmis Yang +86-13928879467 Email: dmispaintandtintsales@gmail.com.

3-HD series Inorganic Ceramic Pro 99+ 95+ IRR Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	HD7099	Yes	2mil	73%	15%	71.0%	98.2%	99.8%
	Dmis	HD5099	Yes	2mil	70%	25%	54.3%	97.9%	99.8%
	Dmis	HD3599	Yes	2mil	70%	86%	37.0%	97.6%	99.7%
	Dmis	HD1599	Yes	2mil	73%	96%	16.5%	98.6%	99.8%
	Dmis	HD0599	Yes	2mil	73%	96%	6.3%	98.7%	99.9%
	Dmis	HD7095	Yes	2mil	63%	15%	742.0%	95.5%	99.7%
	Dmis	HD5095	Yes	2mil	62%	25%	50.7%	94.7%	99.7%
	Dmis	HD3595	Yes	2mil	63%	86%	36.7%	94.5%	99.7%
	Dmis	HD2595	Yes	2mil	63%	96%	25.5%	95.7%	99.8%
	Dmis	HD1895	Yes	2mil	64%	96%	15.1%	95.4%	100.0%
	Dmis	HD1595	Yes	2mil	64%	96%	14.6%	95.5%	99.9%
	Dmis	HD0595	Yes	2mil	64%	96%	8.3%	96.0%	100.0%
	Dmis	HD7090	Yes	2mil	53%	25%	70%	90%	99%
	Dmis	HD5090	Yes	2mil	55%	35%	50%	90%	99%
	Dmis	HD3590	Yes	2mil	56%	86%	35%	90%	99%
	Dmis	HD1590	Yes	2mil	56%	96%	15%	90%	99%
	Dmis	HD0590	Yes	2mil	58%	96%	5%	90%	99%

4-HC series Original Color Inorganic Nano Ceramic 90+ 92+ IRR Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	HC3595	Yes	2mil	70%	86%	36.6%	86.9%	99.4%
	Dmis	HC2095	Yes	2mil	73%	96%	18.9%	92.7%	99.6%
	Dmis	HC1595	Yes	2mil	73%	96%	13.4%	93.9%	99.4%
	Dmis	HC0895	Yes	2mil	73%	96%	7.3%	96.1%	99.3%
	Dmis	HC0595	Yes	2mil	73%	96%	3.4%	97.5%	99.2%

Dmis Promise: 100% Korea Material with USA technology. Warranty number: +1(872)8028328. 24 hours online! Attn: Dmis Yang +86-13928879467 Email: dmispaintandtintsales@gmail.com.

5-NC series Original Color Inorganic Nano Ceramic 90+ 92+ IRR Window Film























Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	NC75100	Yes	2mil	63%	15%	73.7%	93.7%	99.7%
	Dmis	NC65100	Yes	2mil	65%	25%	68.2%	94.1%	99.7%
	Dmis	NC35100	Yes	2mil	70%	86%	35.4%	94.2%	99.7%
	Dmis	NC30100	Yes	2mil	70%	86%	32.0%	90.4%	99.8%
	Dmis	NC15100	Yes	2mil	73%	96%	12.5%	95.3%	99.8%
	Dmis	NC05100	Yes	2mil	73%	96%	5.4%	92.7%	99.9%
	Dmis	NCSF75100	Yes	3mil	63%	15%	75.0%	94.3%	99.4%
	Dmis	NCSF35100	Yes	3mil	70%	86%	35.0%	98.0%	99.0%
	Dmis	NCSF25100	Yes	3mil	70%	86%	26.2%	98.2%	100.0%
	Dmis	NCSF15100	Yes	3mil	73%	96%	15.0%	99.0%	99.0%
	Dmis	NCSF05100	Yes	3mil	73%	96%	5.0%	99.0%	99.0%

6-HS series Primary color Nano Ceramic 90+ IRR Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	AIR80	Yes	2mil	50%	10%	80.0%	82.0%	99.7%
	Dmis	HS8080	Yes	2mil	56%	15%	75.0%	90.0%	99.0%
	Dmis	HS7090	Yes	2mil	60%	25%	74.7%	83.8%	99.9%
	Dmis	HS5090	Yes	2mil	63%	35%	53.0%	85.6%	100.0%
	Dmis	HS3590	Yes	2mil	65%	86%	35.2%	85.7%	99.9%
	Dmis	HS1890	Yes	2mil	60%	96%	14.9%	88.9%	100.0%
	Dmis	HS1090	Yes	2mil	60%	96%	7.7%	90.3%	100.0%
	Dmis	HS0590	Yes	2mil	60%	96%	4.4%	89.9%	100.0%




Dmis Promise: 100% Korea Material with USA technology. Warranty number: +1(872)8028328. 24 hours online! Attn: Dmis Yang +86-13928879467 Email: dmispaintandtintsales@gmail.com.

7-Hybrid Double layer Magnetron High Heat Insulation Window Film





Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	MG7099-4mi	Yes	3.5mil	60%	10%	69.1%	87.6%	99.7%
	Dmis	MG3599-4mi	Yes	3.5mi	63%	15%	37.5%	88.9%	99.9%
	Dmis	MG2599-4mi	Yes	3.5mil	70%	25%	25.5%	89.1%	100.0%
	Dmis	MG1599-4mi	Yes	3.5mil	73	35%	16.3%	90.2%	100.0%
	Dmis	MG0599-4mi	Yes	3.5mil	76%	86%	7.4%	91.6%	100.0%
	Dmis	VK70	Yes	2.5mil	56%	15%	68.8%	77.6%	99.2%
	Dmis	VK7595	Yes	2.5mil	66%	16%	64.5%	96.3%	99.4%
	Dmis	VK60	Yes	2.5mil	63%	23%	57.6%	92.4%	99.6%
	Dmis	VK50	Yes	2.5mil	60%	35%	55.7%	91.6%	99.5%
	Dmis	VK35	Yes	2.5mil	73%	86%	35.5%	94.6%	99.4%
	Dmis	VK25	Yes	2.5mil	60%	87%	22.9%	88.4%	99.8%
	Dmis	VK18	Yes	2.5mil	72%	89%	16.5%	90.8%	99.6%
	Dmis	VK15	Yes	2.5mil	73%	96%	15.6%	90.8%	99.6%
	Dmis	VK05	Yes	2.5mil	76%	96%	6.5%	94.7%	99.9%
	Dmis	RS6099	Yes	2mil	56%	15%	65.8%	83.6%	99.4%
	Dmis	RS7099	Yes	2mil	66%	16%	66.8%	83.3%	99.4%
	Dmis	RS1099	Yes	2mil	63%	23%	7.3%	92.6%	99.9%
	Dmis	RSK14	Yes	2mil	60%	35%	16.1%	86.7%	99.9%
	Dmis	RSK28	Yes	2mil	73%	86%	30.3%	73.2%	99.8%
	Dmis	NSN60	Yes	2mil	60%	87%	69.1%	57.1%	99.9%
	Dmis	NSN70	Yes	2mil	72%	89%	76.6%	38.9%	99.8%
	Dmis	NSN-GR	Yes	2mil	73%	96%	63.6%	61.7%	99.8%

Dmis Promise: 100% Korea Material with USA technology. Warranty number: +1(872)8028328. 24 hours online! Attn: Dmis Yang +86-13928879467 Email: dmispaintandtintsales@gmail.com.

8-Hybrid Double layer Magnetron High Heat Insulation Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	NSN-BL	Yes	2mil	73%	96%	65.6%	55.7%	99.8%
	Dmis	NSN-BL0	Yes	2mil	73%	96%	65.6%	55.7%	99.8%
	Dmis	NSN-BL1	Yes	2mil	73%	96%	65.6%	55.7%	99.8%




9-Color Stable Nano Carbon Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	NC30	Yes	1.8mil	55%	75%	30.7%	45.1%	91.9%
	Dmis	NC18	Yes	1.8mil	65%	90%	14.9%	59.9%	97.5%
	Dmis	NC05	Yes	1.8mil	70%	90%	5.4%	72.5%	99.5%
	Dmis	NC03	Yes	1.8mil	70%	90%	3.0%	77.5%	99.8%

10-P series High Clarity Car Window Film



Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	P35	Yes	1.5-2mil	15%	55%	35.2%	10-20%	89.6%
	Dmis	P702	Yes	1.5-2mil	16%	75%	36.6%	10-20%	92.0%
	Dmis	PK18	Yes	1.5-2mil	24%	90%	15.4%	10-20%	91.5%
	Dmis	P808	Yes	1.5-2mil	23%	90%	5.9%	10-20%	98.3%
	Dmis	PSOC	Yes	1.5-2mil	26%	99%	2.5%	10-20%	99.5%

11-Chamelon Car Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	CM-G	Yes	2mil	65%	55%	65%	93%	99%
	Dmis	CM-B	Yes	2mil	65%	55%	73%	93%	99%
	Dmis	CM-R	Yes	2mil	65%	55%	76%	90%	99%

Dmis Promise: 100% Korea Material with USA technology. Warranty number: +1(872)8028328. 24 hours online! Attn: Dmis Yang +86-13928879467 Email: dmispaintandtintsales@gmail.com.

11-N Series 2ply Dyed Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	NK50	Yes	1.5-2mil	35%	75%	50%	45-65%	99%
	Dmis	NK702	Yes	1.5-2mil	35%	75%	35%	45-65%	99%
	Dmis	NK18	Yes	1.5-2mil	55%	90%	15%	45-65%	99%
	Dmis	NK05	Yes	1.5-2mil	55%	90%	5%	45-65%	99%

12-1ply Professional Dyed Window Film









Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	D-BK35	Yes	1.3mil	35%	75%	35%	35%	99%
	Dmis	D-BK20	Yes	1.3mil	55%	90%	20%	45%	99%
	Dmis	D-BK15	Yes	1.3mil	55%	90%	15%	45%	99%
	Dmis	D-BK05	Yes	1.3mil	55%	90%	5%	56%	99%
	Dmis	D-BK01	Yes	1.3mil	65%	90%	1%	65-70%	99%

13-1ply Economic Glue Tinting Window Film






Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	BK70	Yes	1.3mil	25%	75%	70%	10-20%	99%
	Dmis	BK50	Yes	1.3mil	35%	75%	50%	10-20%	99%
	Dmis	BK35	Yes	1.3mil	35%	75%	35%	10-20%	99%
	Dmis	BK20	Yes	1.3mil	55%	90%	15%	10-20%	99%
	Dmis	BK15	Yes	1.3mil	55%	90%	15%	10-20%	99%
	Dmis	BK05	Yes	1.3mil	55%	90%	5%	10-20%	99%
	Dmis	BK03	Yes	1.3mil	55%	96%	3%	10-20%	99%
	Dmis	BK01	Yes	1.3mil	65%	96%	1%	10-20%	99%

Dmis Promise: Any colors and vlt% could be made. 100% Korea Material with USA technology. Warranty number: +1(872)8028328. 24 hours online! Attn: Dmis Yang +86-13928879467 Email: dmispaintandtintsales@gmail.com.








14-Safety Security Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	SF4milclear	Yes	4mil	10-30%	10%	90%	10-20%	86-96%
	Dmis	SF8milclear	Yes	8mil	10-30%	13%	90%	10-20%	86-96%
	Dmis	SF12mil clear	Yes	12mil	10-30%	13%	90%	10-20%	86-96%
	Dmis	SF70	Yes	4mil	63%	15%	70%	36-56%	99%
	Dmis	SF50	Yes	4mil	70%	35%	50%	36-56%	99%
	Dmis	SF35	Yes	4mil	70%	86%	35%	36-56%	99%
	Dmis	SF20	Yes	4mil	73%	96%	15%	36-56%	99%
	Dmis	SF05	Yes	4mil	73%	96%	5%	36-56%	99%

15-4mil Nano Ceramic Safety Security Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
	Dmis	IRSF70	Yes	4mil	63%	15%	70%	92%	99%
	Dmis	IRSF50	Yes	4mil	70%	35%	50%	93%	99%
	Dmis	IRSF35	Yes	4mil	70%	86%	35%	90%	99%
	Dmis	IRSF20	Yes	4mil	73%	96%	15%	89%	99%
	Dmis	IRSF05	Yes	4mil	73%	96%	5%	93%	99%

16-Silver Reflective Window Film

Item Pic.	Brand	Item No.	Anti-Scratch	Thickness	TESR	Glare Rejection	VISIBLE LIGHT	IR Rejection	UV Rejection
		brownsilver	Yes	2mil	53%	63%	12%	86%	99%
		silversilver	Yes	2mil	65%	25%	12%	83%	99%
		blacksilver	Yes	2mil	70%	35%	12%	83%	99%
		bluesilver	Yes	2mil	70%	86%	12%	90%	99%
		greensilver	Yes	2mil	73%	96%	12%	86%	99%
	Dmis	redsilver	Yes	2mil	73%	96%	12%	86%	99%
	Dmis	goldsilver	Yes	2mil	73%	98%	12%	86%	99%

Dmis Promise: 100% korea material with USA technology. Warranty number: +1(872)8028328. 24hours on line! Attn: Dmis Yang Mobile: +1(872)8028328 email: dmispaintandtintsales@gmail.com




1-Nano Ceramic HD Window Film 10 years warranty

Item No.	Thickness	VLR	Glare reduction	Heat Gain Reduction/heat loss reduction	VLT	IR Cut	U Value	UV Cut	TSER	Color	
1	IR65100 2mil	5%	24%	65%	0.89	5%	96%	1.02	99%	95%	black
2	IR20100 2mil	4%	24%	70%	0.89	20%	93%	1.02	99%	70%	black
3	IR35100 2mil	7%	44%	72%	0.89	35%	92%	1.02	99%	53%	black

* 23um*23um*23um total 73-74Yes

- 2.3um/m² SRC scratch resistance (hardness: 1.5-2H) (ハードコート)
- 23um film PET film
- 23um film PET film
- 10um PSA Pressure Sensitive glue/Adhesive 感圧性接着
- 23um peeling peeling film (剥離フィルム)

* Film Construction: Hybrid Film




2-High Performance Dye Film 5 years warranty

Item No.	Thickness	VLR	Glare reduction	Heat Gain Reduction/heat loss reduction	VLT	IR Cut	U value	UV Cut	TSER	Color	
4	HP-BK35 2mil	6%	36%	35%	0.99	35%	45-55%	0.99	99%	26%	black
5	HP-BK20 2mil	5%	40%	36%	0.99	15%	45-55%	0.99	99%	32%	black
6	HP-BK05 2mil	4%	46%	46%	0.99	5%	45-55%	1.02	99%	40%	black

* 23um*23um*23um film

- 2.3um/m² SRC scratch resistance (hardness: 5-6H) (ハードコート)
- 23um film PET film
- 23um film PET film
- 12um PSA Pressure Sensitive glue/Adhesive 感圧性接着
- 23um peeling peeling film (剥離フィルム)

* Film Construction: Hybrid Film



Safety Window Film Physical Data-Dmis FILM

Item No.	thickness (Mil)	layers	VLT	IRR	UVR	Tensile Strength Break	Break Strength	Elongation	Peel Strength	ASTM D882	ASTM D3330	ASTM D2582AVG	ASTM D1044	ANSI 2297.1 2004	16 CFR 1201 US GOV.	AS/NZ 2208: 1996	BS 6206:1981	EN12600	烟浓度	火焰扩张率-S	点燃时间 (秒)	火焰落面 (max. feet)	燃烧率
SP-02	2mil	1ply	88%	10-20%	99%	30,000 PSI	12 lb/inch	125%	8 lb/inch	50psi	75 lbs/in	>30 lbs	<4.4%	-	-	-	-	-	20	assa*IBC Class 2	205	1	0.1
SP-04	4mil	2ply	88%	10-20%	99%	30,000 PSI	18 lb/inch	125%	8 lb/inch	-	-	-	-	B	CAT I	Grade A	Class B	Class 2B	20	assa*IBC Class 2	-	-	-
SP-07	7mil	3ply	88%	10-20%	99%	30,000 PSI	24 lb/inch	125%	8 lb/inch	-	-	-	-	B	CAT I	Grade A	Class B	Class 3B	20	assa*IBC Class 3	-	-	-
SP-09	9mil	3ply	88%	10-20%	99%	30,000 PSI	24 lb/inch	125%	8 lb/inch	-	-	-	-	B	CAT I	Grade A	Class B	Class 4B	20	assa*IBC Class 4	-	-	-
SP-12	12mil	3ply	88%	10-20%	99%	30,000 PSI	36 lb/inch	125%	8 lb/inch	-	-	-	-	B	CAT I	Grade A	Class B	Class 5B	20	assa*IBC Class 5	-	-	-

Packing Pictures:

Multiple packaging options

Packed tightly, a variety of packages are available for you to choose from.

Color packaging White packaging Yellow packaging (600 meters)