

COMPUS

HPR (HK) Group Co., Limited
Liaoning HPR Industrial Co., Ltd
Guangzhou Compus Technology Co., LTD

add: Building A.No71. Huagang
Avenue.Huadu District.Guangzhou.

www.compuspc.com

COMPUS

2023
PRODUCT CATALOG

ENTERPRISE PROFILE	02-03	MONITOR	14-29
DEVELOPMENT HISTORY	04	ALL-IN-ONE PC	30-37
QUALITY CONTROL	05-06	LAPTOP	38-41
QUALIFIED CERTIFICATION & PATENT	07-09	AUDIO	42
CORPORATE TEAM & CULTURE	10-11		
PRODUCTION LINE & SHOWROOM	12-13		

ENTERPRISE INTRODUCTION


SINCE 2002



HPR (Hong Kong) Group Co., Ltd consists of Liaoning HPR Industrial Co., Ltd. , Chenxi Computer (Joint Venture) Co. , Ltd., Guangzhou Compus Technology Co., Ltd. , Century Cebay (Guangdong) Technology Co., Ltd. and Australia Aopu Group Co., Ltd. Our production plant is located in the provincial instrument industry base. HPR(Hong Kong) Group is currently the unique high-tech enterprise in China that integrates IT, household electrical appliances, photo-voltaic, plastic electronics recycling, and intelligent remote systems.

Liaoning HPR Industrial Co., Ltd. is responsible for production and products testing. Other subsidiaries are responsible for R&D, service, and sales of different industrial projects. Currently, the group company possesses 11800 square meters of modern factory buildings, 6 production lines, more than 200 employees, more than 20 software and hardware engineers and an annual production capacity of over 2 million units.

We are committed to product research and development and innovation, we have invested a large amount of capital in product research and development, and have a professional R&D team. In addition to our own brands (CEBAY, HPR, HOOPON, COMPUS), we provide complete and efficient OEM and ODM customization services to meet customers' needs. All products of the company have passed 3C, UL, KC, PSE, UKCA, CE, FCC, ROHS, Reach, WEEE certification and Energy Star standards certification. Both raw materials and end products have passed strict quality standards testing . We have been always committed to the innovation and development in electronic industry, and we aim to be an leader of electronic industry.

ENTERPRISE INTRODUCTION

惠浦尔(香港)集团旗下拥有辽宁惠浦尔实业有限公司、晨曦电脑(合营)公司、广州康普斯科技有限公司、世纪易佰(广东)科技有限公司、澳大利亚澳普集团有限公司。



生产基地设立在省级仪器仪表产业基地。惠浦尔(香港)集团是目前中国唯一一家集IT、家电、光伏、塑料电子回收和智能远程系统为一体的高新企业。辽宁惠浦尔实业有限公司为产品生产 and 检测基地。其他分公司负责不同产业项目的研发、服务和销售。目前公司拥有11800平米现代化厂房,6条生产线,200多名员工,20多名软件工程师,年产能超过200万台。

我们致力于产品的研发和创新,投入大量资金用于产品研发并拥有专业研发团队,除了自己几大品牌(CEBAY、HPL、HOOPON、COMPUS)外,我们致力于满足客户需求,为客户提供完整的OEM和ODM定制服务。我们的产品从原料到成品都经过严格的质量标准检测,公司所有产品均通过3C,UL,KC、PSE,UKCA,CE,FCC,ROHS,Reach,WEEE,Energy Star标准认证。公司一直致力于本行业开拓和创新,致力于做行业引领者。

年产能
200万

厂房面积
11800平方

DEVELOPMENT HISTORY

2002

惠浦尔(香港)集团
战略定位电子行业发展方向。

HPR (Hong Kong) Group strategically established the development direction of the electronics industry.

2010

辽宁惠浦尔实业有限公司成立
建成4200平方米标准厂房。

Liaoning HPR Industrial Co., Ltd. was established, with a standard factory building of 4200 square meters.

2015

深圳惠浦尔电子有限公司成立
自主研发生产IT、TV类智能产品。

Shenzhen HPR Electronics Co., Ltd. was established, focusing on independently develop and produce intelligent products such as IT and TV.

2021

澳大利亚澳普集团有限公司成立
定位海外电商平台。

Australia Aopu Group Co., Ltd. was established and position itself as an overseas e-commerce platform.

2003

上海精邦电子科技有限公司成立
开拓东南亚、韩国、日本等国际市场。

Shanghai Jingbang Electronic Technology Co., Ltd. was established to explore international markets such as Southeast Asia, South Korea, and Japan.

2014

晨曦电脑(合营)公司成立
第一家海外分公司拥有10000平方米厂房,40多名软件工程师,员工300人。

Chenxi Computer (Joint Venture) Co., Ltd. was established. The first overseas branch has a 10000 square meters factory building, over 40 software engineers, and 300 employees.

2020

世纪易佰(广东)科技有限公司、广州康普斯科技有限公司成立
在广州和深圳两地设立研发销售服务基地。

Century Cebay (Guangdong) Technology Co., Ltd. and Guangzhou Compus Technology Co., Ltd. were established. R&D, sales and service base was established both in Guangzhou and Shenzhen.

2022


汇联国际贸易(江苏)有限公司成立
在江苏保税区拥有4600平方米的工厂,年产能200万台,年出口额4000万美元

Huilian International Trade (Jiangsu) Co., Ltd. was established, with a 4600 square meters factory in the Jiangsu Free Trade Zone, an annual production capacity of 2 million units, and an annual export value of 40 million dollars.


QUALITY CONTROL



PRODUCT AGING



VIBRATION TEST



SCREEN DETECTION



BRIGHTNESS AND COLOR TEMPERATURE TEST



HIGH AND LOW TEMPERATURE TEST

2023
PRODUCT
CATALOG




QUALITY CONTROL



DROPPING DOWN TEST



**APPEARANCE CLEANING,
WIPING AND INSPECTION**




GAMUT TEST



**MODULE COLOR
GAMUT TEST**

**PROFESSIONAL TESTING EQUIPMENT, RIGOROUS TESTING PROCESS,
IS TO ENSURE THE HIGH QUALITY OF PRODUCTS.**

QUALIFIED CERTIFI- CATION & PATENT



QUALIFIED CERTIFICATION & PATENT

CERTIFICATE

Fulfills testing requirement of the FCC Rules and Regulations.
 Registration No.: YB210510083NW-FCC-A1
 Report No.: YB210510083NW-FCC-B1

Supplier's Declaration of Conformity

Applicant : Liaoning HPR Industrial Co., Ltd.
Address : 4th floor, No. 70-34 Wengqing Road, Zhenxing District, Dandong Liaoning Province, China
Manufacturer : Liaoning HPR Industrial Co., Ltd.
Address : 4th floor, No. 70-34 Wengqing Road, Zhenxing District, Dandong Liaoning Province, China
Product : All-in-one Computer
Trademark : N/A
Model No. : CEBAY-AIO-***** (where * may be number from 0 to 9 or letters from A to Z or blank, stands for Serial Number.)

The submitted sample of the above equipment has been tested and found to comply with the following standard(s):

**FCC Part 15, Subpart B
 ANSI C63.4: 2014**

This document is only a proof to demonstrate that the product complied with FCC requirements. According to FCC Supplier's Declaration of Conformity procedure, the local responsible party should prepare a compliance information statement to be supplied with the product at the time of marketing.




Shenzhen Youbest Testing Technology Co., Ltd.
 2/F, No. 2 of Tongqing Road, Tongxin Community, Baolong Street, Longgang District, Shenzhen, China
 Web: <https://www.youbest-lab.com> Tel: 400-168-1910

Fulfills testing requirement of the RoHS Directive 2011/65/EU & (EU) 2015/863.
 Registration No.: YB210510084NW-ROHS-A1
 Report No.: YB210510084NW-ROHS-B1

Certificate of Compliance

Applicant : Liaoning HPR Industrial Co., Ltd.
Address : 4th floor, No. 70-34 Wengqing Road, Zhenxing District, Dandong Liaoning Province, China
Manufacturer : Liaoning HPR Industrial Co., Ltd.
Address : 4th floor, No. 70-34 Wengqing Road, Zhenxing District, Dandong Liaoning Province, China
Product : All-in-one Computer
Trademark : N/A
Model No. : CEBAY-AIO-***** (where * may be number from 0 to 9 or letters from A to Z or blank, stands for Serial Number.)

The submitted sample of the above equipment has been tested and found to comply with the following standards:

**IEC 62321-3-1:2013, IEC 62321-5:2013
 IEC 62321-4:2013+A1:2017, IEC 62321-7-1:2015
 IEC 62321-7-2:2017, IEC 62321-6:2015
 IEC 62321-8:2017**

The test results apply only to the particular sample tested and to the specific tests carried out. Technical report and documentation are at the holder's disposal. This certificate applies specifically to the sample investigated in our test reference number. It is possible to use RoHS marking to demonstrate the compliance with this RoHS directive. Relevant directives have to be observed.




Shenzhen Youbest Testing Technology Co., Ltd.
 2/F, No. 2 of Tongqing Road, Tongxin Community, Baolong Street, Longgang District, Shenzhen, China
 Web: <https://www.youbest-lab.com> Tel: 400-168-1910

Fulfills testing requirement of the RED Directive 2014/53/EU.
 Registration No.: YB210510082NW-RED-A1
 Report No.: YB210510082NW-RED-B1 / YB210510082NW-RED-B2 / YB210510082NW-RED-B3 / YB210510082NW-RED-B4

Certificate of Compliance

Applicant : Liaoning HPR Industrial Co., Ltd.
Address : 4th floor, No. 70-34 Wengqing Road, Zhenxing District, Dandong City, Liaoning Province, China
Manufacturer : Liaoning HPR Industrial Co., Ltd.
Address : 4th floor, No. 70-34 Wengqing Road, Zhenxing District, Dandong City, Liaoning Province, China
Product : All-in-one Computer
Trademark : N/A
Model No. : CEBAY-AIO-***** (where * may be number from 0 to 9 or letters from A to Z or blank, stands for Serial Number.)

The submitted products have been tested by us with the following standard(s) and found to be in compliance with the corresponding European Directives.

Essential requirement	Applied Specifications/Standards
Art.3.1(a) Safety	EN 62368-1:2020 + A11:2020
Art.3.1(a) Health	EN 62479:2010
Art.3.1(b) EMC	ETSI EN 301 489-1 V2.2.3 (2019-11) ETSI EN 301 489-17 V3.2.4 (2020-09)
Art.3.2 Radio	ETSI EN 300 328 V2.2.2 (2019-07)

The test results apply only to the particular sample tested and to the specific tests carried out. Technical report and documentation are at the holder's disposal. This certificate applies specifically to the sample investigated in our test reference number only. The CE markings as shown below can be affixed on the product after preparation of necessary technical documentation. Other relevant directives have to be observed.




Shenzhen Youbest Testing Technology Co., Ltd.
 2/F, No. 2 of Tongqing Road, Tongxin Community, Baolong Street, Longgang District, Shenzhen, China
 Web: <https://www.youbest-lab.com> Tel: 400-168-1910

QUALIFIED CERTIFICATION & PATENT



CORPORATE TEAM & CULTURE



CORPORATE TEAM & CULTURE



SPECIALIZED PRODUCTION LINE



7 AUTOMATIC MACHINE PRODUCTION LINES

2023
PRODUCT CATALOG

ENTERPRISE SHOWROOM



MULTIFUNCTIONAL PRODUCT DISPLAY

2023
PRODUCT CATALOG

E-SPORTS DISPLAY




E-SPORTS DISPLAY

YM300MFVR-200HZ / YM300MFVR-100HZ

2K QHD 30" Resolution:2560x1580

HDMI HDMI/DP line equipped

 Lifting and rotating bracket

 Display with 200 Hz refresh rate can refresh 200 pictures per second So that the naked eye can feel the picture more delicate and see

 Response Time:1ms

 No Frame design

 **IPS** Anti-Reflection Panel for More Comfortable Viewing The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

AMD FreeSync **G-SYNC** **HDR 400**

The above parameters are for reference only, and the products can be customized according to requirements.





E-SPORTS DISPLAY

MX240MFVR-75HZ / MX240MFVR-200HZ / MX270MFVR-75HZ / MX270MFVR-165HZ / MX270MFVR-200HZ / MX270MFVR-240HZ


2K FHD Screen size 24" 27"

 No Frame design,

 Display with 165 Hz refresh rate can refresh 165 pictures per second so that the naked eye can feel the picture more delicate and see

 IPS Anti-Reflection Panel for More Comfortable Viewing. The leading global sales of IPS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

HDMI HDMI/DP line equipped

 Response Time: 1ms

AMD FreeSync **G-SYNC**



The above parameters are for reference only, and the products can be customized according to requirements.



JT270MQID-165Hz / JT320MQID-165Hz / JT340MUVD-100Hz

2K QHD Screen size 24" 27" 34"

HDMI HDMI/DP line equipped

165Hz Display with 165 Hz refresh rate can refresh 165 pictures per second so that the naked eye can feel the picture more delicate and see

Response Time: 1ms


IPS IPS Anti-Reflection Panel for More Comfortable Viewing. The leading global sales of IPS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

AMD FreeSync **G-SYNC** **HDR 400**

The above parameters are for reference only, and the products can be customized according to requirements.



The above parameters are for reference only,
and the products can be customized according to requirements.



JT280MFID-144Hz

4K UHD 28" Resolution:3840x2160

HDMI HDMI/DP line equipped

Lifting and rotating bracket
Support vertical screen and wall hanging

Response Time:1ms

USB MEDIA PLAYER It is equipped With USB2.0 interface to readvarious local audio and video resourses

IPS IPS Anti-Reflection Panel for More ComfortableViewingThe leading global sales of PS panels,liquid crystal molecular horizontal movement,can effectively reduce light leakagephenomenon.Even when viewed from

AMD FreeSync **G-SYNC** **HDR 400** **Type-C**

DJ340MUD-165HZ

4K UHD 34" Resolution:3440x1440

HDMI HDMI/DP line equipped

Lifting and rotating bracket

165Hz Display with 165 Hz refresh rate can refresh 165 pictures per secondSo that the naked eye canfeel the picture more delicate and see

Response Time:1ms

USB MEDIA PLAYER It is equipped With USB2.0 interface to readvarious local audio and video resourses


IPS IPS Anti-Reflection Panel for More ComfortableViewingThe leading global sales of PS panels,liquid crystal molecular horizontal movement,can effectively reduce light leakagephenomenon.Even when viewed from

AMD FreeSync **G-SYNC** **HDR 400**



E-SPORTS DISPLAY

YS340MQVR-165HZ / YS340MQVR-120HZ / YS270MQVR-165HZ /
 YS270MQVR-240HZ / YS270MFVR-240HZ /
 YS270MFVR-200HZ / YS270MFVR-75HZ



2K/4K FHD 24" 27" 32" 34"

HDMI HDMI/DP line equipped

Lifting and rotating bracket

165Hz Display with 165 Hz refresh rate can refresh 165 pictures per second So that the naked eye can feel the picture more delicate and see

USB It is equipped With USB2.0 interface to read various local audio and video resources

IPS IPS Anti-Reflection Panel for More Comfortable Viewing The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

Response Time: 1ms

AMD FreeSync **G-SYNC** **HDR 400**

The above parameters are for reference only, and the products can be customized according to requirements.

E-SPORTS DISPLAY

YM250MFD-360HZ

2K
UHD 25" Resolution:1920x1080

HDMI HDMI/DP line equipped

360 Hz Display with 360 Hz refresh rate can refresh 360 pictures per second so that the naked eye can feel the picture more delicate and see

Response Time:1ms

No Frame

USB MEDIA PLAYER It is equipped With USB2.0 interface to read various local audio and video resources

IPS IPS Anti-Reflection Panel for More Comfortable Viewing The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from



AMD FreeSync G-SYNC

The above parameters are for reference only, and the products can be customized according to requirements.





E-SPORTS DISPLAY



HK340MUIR-165Hz

2K 24" 27" 32" Resolution:3440x1440

Response Time:1ms

VA VA Anti-Reflection Panel for More Comfortable Viewing. The leading global sales of VA panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

Ultra slim design, No Frame

HDMI HDMI/DP line equipped

The above parameters are for reference only, and the products can be customized according to requirements.

WM490MUIR-90Hz

2K 49" Resolution:5120X1440

Response Time:1ms

VA VA Anti-Reflection Panel for More Comfortable Viewing. The leading global sales of VA panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

Ultra slim design, No Frame

HDMI HDMI/DP line equipped

USB MEDIA PLAYER It is equipped With USB2.0 interface to read various local audio and video resources

PIP&PBP **AMD FreeSync** **G-SYNC** **HDR 400**

The above parameters are for reference only, and the products can be customized according to requirements.





**YM220MFVD-75Hz / YM240MFID -75Hz /
YM270MFVD -75Hz / YM270MFID-75Hz**




2K FHD 22" 27" Resolution:1920x1080

HDMI HDMI /DP line equipped

 Lifting and rotating bracket

 Display with 165 Hz refresh rate can refresh 165 pictures per second So that the naked eye can feel the picture more delicate and see

 Response Time:1ms

IPS IPS Anti-Reflection Panel for More Comfortable Viewing The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from


AMD FreeSync **G-SYNC**

The above parameters are for reference only, and the products can be customized according to requirements.

**MX240MFVD-75HZ / MX270MFID-75HZ/
MX270MFID-165HZ**

2K UHD 24" 27" Resolution:1920x1080

HDMI HDMI/DP line equipped

 Display with 165 Hz refresh rate can refresh 165 pictures per second So that the naked eye can feel the picture more delicate and see

 Response Time:1ms

IPS IPS Anti-Reflection Panel for More Comfortable Viewing The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

The above parameters are for reference only, and the products can be customized according to requirements.






OFFICE DISPLAY





YS240MFVD-75HZ / YS270MFVD-75HZ


4K
URD 24" 27" Resolution:3840x2160

HDMI HDMI/VGA line equipped

 **Lifting and rotating bracket**
Support vertical screen and wall hanging

 Display with 165 Hz refresh rate can refresh 165 pictures per second so that the naked eye can feel the picture more delicate and see

 **Response Time:1ms**

 **Ultra slim design, No Frame**

USB
HUB It is equipped With USB2.0 interface to read various local audio and video resources

IPS IPS Anti-Reflection Panel for More Comfortable Viewing The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

AMD
FreeSync **G-SYNC**

The above parameters are for reference only, and the products can be customized according to requirements.

OFFICE DISPLAY

YM220MFVD-75Hz / YM240MFVD-75Hz / YM270MUVD-60Hz
YM220MFID-75Hz / YM240MFID-75Hz / YM270MFVD-75Hz
YM270MFID-75Hz / YM270MUID-60Hz / YM280MUID-60Hz

FHD 22"24" 27"28"

HDMI HDMI/VGA line equipped



Display with 165 Hz refresh rate can refresh 165 pictures per second so that the naked eye can feel the picture more delicate and see



Response Time:1ms



IPS Anti-Reflection Panel for More Comfortable Viewing. The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from



The above parameters are for reference only, and the products can be customized according to requirements.





OFFICE DISPLAY



SL240MFVA-75HZ / SL270MFVA-75HZ



24" 27" Resolution:1920x1080



Response Time:1ms



IPS Anti-Reflection Panel for More Comfortable Viewing. The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from



Ultra slim design, No Frame



HDMI/VGA line equipped



150mm



-8/35°

The above parameters are for reference only, and the products can be customized according to requirements.

OFFICE DISPLAY




**YS240MFID-75HZ/YS240MQID-75HZ/YS240MUID-165HZ/
YS240MUID-200HZ**

 24" 27" 32"

 Response Time:1ms

 Ultra slim design, No Frame

 **IPS** Anti-Reflection Panel for More Comfortable Viewing
The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

 HDMI/DP line equipped

 150mm

 -8/35°

 -180/180°


The above parameters are for reference only, and the products can be customized according to requirements.

OFFICE DISPLAY




SL240MFVB-75HZ / SL270MFVB-75HZ

2K 24" 27" Resolution:1920x1080

 Response Time:1ms

IPS IPS Anti-Reflection Panel for More Comfortable Viewing. The leading global sales of IPS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

 Ultra slim design, No Frame

HDMI HDMI, VGA line equipped



The above parameters are for reference only, and the products can be customized according to requirements.




OFFICE DISPLAY

HK490MUIR-144HZ

4K UHD 24" 27" Resolution:3840x1440

 Response Time:1ms

IPS IPS Anti-Reflection Panel for More Comfortable Viewing. The leading global sales of IPS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from

 Ultra slim design, No Frame

USB It is equipped With USB2.0 interface to read various local audio and video resources

HDMI HDMI/DP line equipped

PIP&PBP **AMD FreeSync** **G-SYNC**  **HDR 400**



The above parameters are for reference only, and the products can be customized according to requirements.



ALL-IN-ONE PC



HP220YFVA-75HZ / HP240YFVA-75HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	21.5"/23.8"/27" IPS
Memory	DDR3/DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Support	GPS.FM.G-sensor Optional. L-sensor Optional.
Motherboard specification	170x170mm ITX
Camera	Support built-in 100W+ double label

The above parameters are for reference only, and the products can be customized according to requirements.



HP220YFVC-75HZ / HP240YFVC-75HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	21.5"/23.8"/27" IPS
Memory	DDR3/DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Support	GPS.FM.G-sensor Optional. L-sensor Optional.
Motherboard specification	170x170mm ITX
Camera	Support built-in 100W+ double label


The above parameters are for reference only, and the products can be customized according to requirements.



HP220YFVB-75HZ / HP240YFVB-75HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	21.5"/23.8"/27" IPS
Memory	DDR3/DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Support	GPS,FM,G-sensor Optional. L-sensor Optional.
Motherboard specification	170x170mm ITX
Camera	Support built-in 100W+ double label

The above parameters are for reference only,
and the products can be customized according to requirements.



OFFICE/DESIGN TOOL




Black
 white



SL220YFVA-75HZ / SL240YFVA-75HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	21.5"/23.8"/27" IPS
Memory	DDR3/DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Support	GPS.FM.G-sensor Optional. L-sensor Optional.
Motherboard specification	170x170mm ITX



The above parameters are for reference only, and the products can be customized according to requirements.





SL220YFVB-75HZ / SL240YFVB-75HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	21.5"/23.8"/27" IPS
Memory	DDR3/DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Support	GPS.FM.G-sensor Optional. L-sensor Optional.
Motherboard specification	170x170mm ITX

The above parameters are for reference only, and the products can be customized according to requirements.

E-SPORTS ALL-IN-ONE PC



CP340YQVA-144HZ(INTEGRATED GRAPHIC) / CP340YQVA-144HZ(DISCRETE GRAPHIC)

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	21.5"/23.8"/27" IPS
Memory	DDR3/DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Support	GPS.FM.G-sensor Optional. L-sensor Optional.
Motherboard specification	170x170mm ITX



150mm

The above parameters are for reference only,
and the products can be customized according to requirements.



SJ238YFVA-75HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	21.5"/23.8"/27" IPS
Memory	DDR3/DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Support	GPS.FM.G-sensor Optional. L-sensor Optional.
Motherboard specification	170x170mm ITX
Camera	Support built-in 100W+ double label



-8/35°

The above parameters are for reference only, and the products can be customized according to requirements.




ZN238YFVA-75HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	21.5"/23.8"/27" IPS
Memory	DDR3/DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Support	GPS.FM.G-sensor Optional. L-sensor Optional.
Motherboard specification	170x170mm ITX
Camera	Support built-in 100W+ double label



The above parameters are for reference only, and the products can be customized according to requirements.





E-SPORTS OFFICE IS
COMFORTABLE


ESPORTS/WORK LAPTOP

WS161NFID-144HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Size	16.1" IPS
Memory	DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Camera	Support built-in 100W+ double label

The above parameters are for reference only,
and the products can be customized according to requirements.







WS141NFIA-60Hz / WS141NFIB-60Hz



CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Sizw	14.1" IPS
Memory	DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Camera	Support built-in 100W+ double label



The above parameters are for reference only, and the products can be customized according to requirements.



WS160NQIA-60Hz

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Size	16 IPS
Memory	DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Camera	Support built-in 100W+ double label

The above parameters are for reference only, and the products can be customized according to requirements.




ESPORTS/WORK LAPTOP

WS156NFIA-60HZ

CPU	Intel /Celeron /pentium/Core i3/i5/i7/i9
Screen Size	15.6 IPS
Memory	DDR4 4GB/8GB/16GB
Storage	Flash 128GB/256GB/500GB/1TB
WiFi	2.4GHz 5 GHz/802.11a/b/g/n/ac
Camera	Support built-in 100W+ double label

The above parameters are for reference only,
and the products can be customized according to requirements.





LAPTOP DISPLAY

WM156MFID-75HZ / WM156CFID-75HZ

FHD Resolution:1920X1080



Touch screen optional

HDMI MINI HDMI/Type-C line



Response Time:1ms



IPS Anti-Reflection Panel for More Comfortable Viewing
The leading global sales of PS panels, liquid crystal molecular horizontal movement, can effectively reduce light leakage phenomenon. Even when viewed from



No Frame design

The above parameters are for reference only, and the products can be customized according to requirements.



LYIEW SCREEN LYRICS STEREO

TX2386FVD

size	574X153X356mm
Bluetooth	Super Bluetooth 5.0
Connection mode	wifi 2.4GHz&5GHZ / Bluetooth
Horn configuration	Treble * 2 Medium treble * 2 Bass * 1 Back
Frequency response	40Hz~40kH (±3dB)
Audio	Backward compatible aptXTM HD
Power	60w-120w

The above parameters are for reference only,
and the products can be customized according to requirements.



Lyrics and images on screen
0 distortion lossless sound
quality, HD picture quality



Super Bluetooth 5.0
wifi & Bluetooth



Three master tape
level tuning to meet
the sense of presence



Treble * 2 Medium treble * 2
Bass * 1 Back