



www.cnryce.com

CONTACT US



Add

No. 2 Keji Road, Chengdong Street,
Wenling City, Taizhou City,
Zhejiang Province



Phone

+86 187 5861 1996



Email

sales@cnryce.com



Website

www.cnryce.com



TAIZHOU RUIYING ELECTROMECHANICAL CO.,LTD

Specializing In High-performance Cleaning Equipment



CLEANING MACHINE MANUFACTURING EXPERT

ABOUT US

Welcome to Ruiying Electrimechanical Company- your trusted supplier for top-of-the-line high pressure cleaner, washer pump head, vacuum cleaner and all kind of pressure washer parts.


Taizhou Ruiying Electrimechanical Co., Ltd. is located in Wenling City, a coastal city in southeast Zhejiang Province, which is an enterprise focusing on the R&D, development, production and sales. Provide good quality and good price machine for you. Help you less after selling service.

At present, we have more than 10, 000 square meters of standardized workshop, near 100 production personnel and 10 management, technical person.

At Ruiying company, we believe maintaining excellence shouldn't be complicated. We specialize in research and development of product and ensures that every job is completed with precision and ease. In order to control quality from the source and reducing costs we build own production lines for motors and pump heads, and do strictly test to make machine with good performance. And every year we keep update new design for you developing the market. In the pressure washer filed we have been near 10 years. We have many big brand customers all over the world and get many good feedback. Our aim is to produce product with outstanding performance.

In a world where quality often falls short of expectations, Ruiying Electrimechanical Co., Ltd stands apart. We understand the need for durable, reliable, and high-performing tools that keep pace with your everyday demands. Our commitment is to provide innovative solutions that empower you to achieve professional results - at home, at work, and beyond. With Ruiying, every project becomes a step towards excellence.

"Driving Performance, Delivering Trust."



HOUSEHOLD PRESSURE WASHER SERIES

01-16



VACUUM CLEANER SERIES

33-38



PERMANENT MAGNET PRESSURE WASHER

17-18



PLUNGER PUMP SERIES

39-48



COMMERCIAL PRESSURE WASHER SERIES

19-28



ACCESSORIES SERIES

49-52



GASOLINE/DIESEL MACHINE SERIES

29-32

TAIZHOU RUIYING ELECTRIMECHANICAL CO.,LTD

HOUSEHOLD

PRESSURE WASHER SERIES

TAIZHOU RUIYING
ELECTRIMECHANICAL CO.,LTD

HOUSEHOLD
PRESSURE WASHER SERIES

PAGE
01/02



P16



PT16



P18PRO



PT18PRO



P18

Attachment



HOUSEHOLD SERIES

Power :	1500W	1800W	2000W
Voltage:	220V/50Hz	220V/50Hz	220V/50Hz
Max. Pressure :	80Bar	90Bar	100Bar
Flow Rate:	7L/min	8L/min	8L/min
Motor Type :	Induction Motor		
Package Size :	39x26.5x31.5CM (1 pcs)		

⚠ The data is for reference only



www.cnryce.com



CT1



CT2



CT5



CT6



CT3



CT4



CT8



CT9

**TAIZHOU RUIYING
ELECTRIMECHANICAL CO.,LTD**

HOUSEHOLD

PRESSURE WASHER SERIES

HOUSEHOLD

PRESSURE WASHER SERIES

PORTABLE PRESSURE REGULATOR



Copper core motor



Pressure regulation



Voltage protection



Silent noise reduction

Attachment



HOUSEHOLD SERIES

Power :	1800W	2000W
Voltage:	220V/50Hz	220V/50Hz
Max. Pressure :	80Bar	90Bar
Flow Rate:	7L/min	8L/min
Motor Type :	Induction Motor	
Package Size :	38x23x26.5CM (1 pcs)	

 The data is for reference only

HOUSEHOLD

PRESSURE WASHER SERIES

TAIZHOU RUIYING
ELECTRIMECHANICAL CO.,LTD

HOUSEHOLD
PRESSURE WASHER SERIES

PAGE
05/06



C1



C2




C3



C4

Attachment



HOUSEHOLD SERIES

Power :	1500W	1800W	2000W
Voltage:	220V/50Hz	220V/50Hz	220V/50Hz
Max. Pressure :	80Bar	90Bar	100Bar
Flow Rate:	7L/min	8L/min	8L/min
Motor Type :	Induction Motor		
Package Size :	39x26.5x31.5CM (1 pcs)		

⚠ The data is for reference only



www.cnryce.com



C5



C6



C9



C10



C7



C8



C11



C12



HOUSEHOLD

PRESSURE WASHER SERIES

PORTABLE ORDINARY MODEL

Copper core motor

Pressure regulation

Voltage protection

Silent noise reduction

Attachment



HOUSEHOLD

SERIES











Power :	1500W	1800W	2000W
Voltage:	220V/50Hz	220V/50Hz	220V/50Hz
Max. Pressure :	80Bar	90Bar	100Bar
Flow Rate:	7L/min	8L/min	8L/min
Motor Type :	Induction Motor		
Package Size :	39x26.5x31.5CM (1 pcs)		

 The data is for reference only



C13



C14



C17



C18



C15



C16



C19



C20



HOUSEHOLD

PRESSURE WASHER SERIES

PORTABLE ORDINARY MODEL



Copper core motor



Pressure regulation



Voltage protection



Silent noise reduction

Attachment



HOUSEHOLD SERIES

Power :	1500W	1800W	2000W
Voltage:	220V/50Hz	220V/50Hz	220V/50Hz
Max. Pressure :	80Bar	90Bar	100Bar
Flow Rate:	7L/min	8L/min	8L/min
Motor Type :	Induction Motor		
Package Size :	39x26.5x31.5CM (1 pcs)		

⚠ The data is for reference only



C22



C23



CT22



CT23



C25



C26



CT25



CT26

Attachment



HOUSEHOLD SERIES

Power :	1800W	2000W
Voltage:	220V/50Hz	220V/50Hz
Max. Pressure :	80Bar	90Bar
Flow Rate:	7L/min	8L/min
Motor Type :	Induction Motor	
Package Size :	38x23x26.5CM (1 pcs)	

 The data is for reference only

HOUSEHOLD

PRESSURE WASHER SERIES

TAIZHOU RUIYING
ELECTRIMECHANICAL CO.,LTD

HOUSEHOLD
PRESSURE WASHER SERIES

PAGE
13/14



RYT20



RYT25



RYT30



RYT35

Attachment



FRAME SERIES



Power :	1800W	2000W
Voltage:	220V/50Hz	220V/50Hz
Max. Pressure :	80Bar	90Bar
Flow Rate:	7L/min	8L/min
Motor Type :	Induction Motor	
Package Size :	39.5x26.5x34CM (1 pcs)	

⚠ The data is for reference only





RY390



RY380



B1



RY20S



RY25S



RY30S



B2



B3

Attachment



FRAME

SERIES



Power :	1800W	2000W
Voltage:	220V/50Hz	220V/50Hz
Max. Pressure :	80Bar	90Bar
Flow Rate:	7L/min	8L/min
Motor Type :	Induction Motor	
Package Size :	39.5x26.5x34CM (1 pcs)	

⚠ The data is for reference only

HOUSEHOLD

SERIES



Model	Power	Voltage	Flow Rate	Pressure
B1	1100W	220V/50Hz	6-8L/min	40-60Bar
B2	1100W	220V/50Hz	6-8L/min	40-60Bar
B3	1100W	220V/50Hz	6-8L/min	40-60Bar

⚠ The data is for reference only

PRODUCT FEATURES

- High Efficiency And Energy Saving
- Quiet Operation,noise Reduction
- Durable Construction
- Light Deisgn,easy To Move And Transport

STANDARD ACCESSORIES

- Water Inlet Pipe:2.5m
- Heavy-duty Outlet Pipe:8m
- Heavy-pressure Spray Gun
- Filter Screen,ensure Clean Water Supply



PERMANENT MAGNET SERIES



Model:	PM1800	PM2000	PM2500	PM3000
Power:	1800W	2000W	2500W	3000W
Voltage:	180-260V	180-260V	180-260V	180-260V
Flow Rate:	13L/min	14L/min	15L/min	11L/min
Pressure :	100Bar	100Bar	100Bar	130Bar
Speed:	1600-2500R	1600-2500R	1600-2500R	1600-2500R

⚠ Each machine has four classes



COMMERCIAL

PRESSURE WASHER SERIES

TAIZHOU RUIYING
ELECTRIMECHANICAL CO.,LTD

COMMERCIAL
PRESSURE WASHER SERIES

PAGE
19/20

PRODUCT FEATURES

- All Copper Wire Induction Motor
- Copper Cylinder Body Porcelain Spray
Plunger Crankshaft Link Self-priming Pump
- Full Power 2-pole Motor With Overload Protection
- Super Wear-resistant Water Seal

STANDARD ACCESSORIES

- 2.5m Water Inlet Pipe
- 8m Heavy Hydraulic Outlet Pipe
- Middle-pressure Spray Gun
- To Ensure Clean Water Supply



1810



1814A



1814B

COMMERCIAL SERIES



Model	Voltage	Pressure	Power	Flow Rate	Speed	Package Size
1810	220V/50Hz	75Bar	1.8KW	10L/min	2800/RPM	66.5x38x40.5CM
1814A	220V/50Hz	80Bar	1.8KW	11L/min	2800/RPM	56x44x48CM
1814B	220V/50Hz	80Bar	1.8KW	11L/min	2800/RPM	56x44x48CM

⚠ The data is for reference only



COMMERCIAL

PRESSURE WASHER SERIES

TAIZHOU RUIYING
ELECTRIMECHANICAL CO.,LTD

COMMERCIAL
PRESSURE WASHER SERIES

PAGE
21/22

PRODUCT FEATURES

- All Copper Wire Induction Motor
- Copper Cylinder Body Porcelain Spray
Plunger Crankshaft Link Self-priming Pump
- Full Power 2-pole Motor With Overload Protection
- Super Wear-resistant Water Seal

STANDARD ACCESSORIES

- 2.5m Water Inlet Pipe
- 8m Heavy Hydraulic Outlet Pipe
- Middle-pressure Spray Gun
- To Ensure Clean Water Supply



8090



8090P



8090R

COMMERCIAL SERIES



Model	Voltage	Pressure	Power	Flow Rate	Speed	Package Size
8090	220V/50Hz	110Bar	2.2KW	12L/min	2800/RPM	53x40.5x44CM
8090P	220V/50Hz	110Bar	2.2KW	12L/min	2300/RPM	53x40.5x44CM
8090R	220V/50Hz	110Bar	2.2KW	12L/min	2800/RPM	64x40x41CM

⚠ The data is for reference only



PRODUCT FEATURES

- All Copper Wire Induction Motor
- Copper Cylinder Block Ceramic Plunger Crankshaft
Link Self-priming Pump
- Full Power 4-pole Motor With Overload Protection
- Super Wear-resistant Water Seal
- Full Intelligent Protection Switch

STANDARD ACCESSORIES

- 2.5m Water Inlet Pipe
- 10m Heavy Steel Outlet Pipe
- Long Spray Gun
- Vertical Double Filter

OPTIONAL FRAME



PRODUCT FEATURES

- All Copper Wire Induction Motor
- Copper Cylinder Block Ceramic Plunger Crankshaft
Link Self-priming Pump
- Full Power 4-pole Motor With Overload Protection
- Super Wear-resistant Water Seal
- Full Intelligent Protection Switch

STANDARD ACCESSORIES

- 2.5m Water Inlet Pipe
- 10m Heavy Steel Outlet Pipe
- Long Spray Gun
- Vertical Double Filter



COMMERCIAL SERIES



Model	Voltage	Pressure	Power	Flow Rate	Speed	Package Size
2218S	220V	120Bar	2.5KW	13L/min	1440RPM	68x40x56CM
2618S	220V	130Bar	3.0KW	14L/min	1440RPM	68x40x56CM
2618T	380V	130Bar	3.0KW	14L/min	1440RPM	68x40x56CM
3018S	220V	150Bar	3.5KW	15L/min	1440RPM	68x40x56CM
3018T	380V	150Bar	3.5KW	15L/min	1440RPM	68x40x56CM
4018T	380V	160Bar	4.0KW	15L/min	1440RPM	68x40x56CM

⚠ The data is for reference only

COMMERCIAL SERIES



Model	Voltage	Pressure	Power	Flow Rate	Speed	Package Size
RY620S	220V	110Bar-1600PSI	2.3KW	13L/min	2800/RPM	56x44x48CM
RY730S	220V	120Bar-1740PSI	2.5KW	13L/min	1440/RPM	65x50x55CM
RY830S	220V	130Bar-1900PSI	3.0KW	14L/min	1440/RPM	71x53.5x54CM
RY830T	380V	130Bar-1900PSI	3.0KW	14L/min	1440/RPM	71x53.5x54CM
RY840T	380V	160Bar-2300PSI	4.0KW	15L/min	1440/RPM	71x53.5x54CM

⚠ The data is for reference only

PRODUCT FEATURES

- All Copper Wire Induction Motor
- Copper Cylinder Block Ceramic Plunger Crankshaft
Link Self-priming Pump
- Full Power 4-pole Motor With Overload Protection
- Super Wear-resistant Water Seal
- Full Intelligent Protection Switch

STANDARD ACCESSORIES

- 2.5m Water Inlet Pipe
- 10m Heavy Steel Outlet Pipe
- Long Spray Gun
- Vertical Double Filter



PRODUCT FEATURES

- All Copper Wire Induction Motor
- Copper Cylinder Block Ceramic Plunger Crankshaft
Link Self-priming Pump
- Full Power 4-pole Motor With Overload Protection
- Super Wear-resistant Water Seal
- Full Intelligent Protection Switch

STANDARD ACCESSORIES

- 2.5m Water Inlet Pipe
- 10m Heavy Steel Outlet Pipe
- Long Spray Gun
- Vertical Double Filter



COMMERCIAL SERIES



Model	Voltage	Pressure	Power	Flow Rate	Speed	Package Size
W2218S	220V	100Bar	2.2KW	14L/min	1450/RPM	61x39x50CM
W2518S	220V	120Bar	2.5KW	14L/min	1450/RPM	61x39x50CM
W3018S	220V	130Bar	3.0KW	14L/min	1450/RPM	61x39x50CM
W3018T	380V	150Bar	3.0KW	14L/min	1450/RPM	61x39x50CM
W4018T	380V	200Bar	4.0KW	15L/min	1450/RPM	61x39x50CM

⚠ The data is for reference only

COMMERCIAL SERIES



Model	Voltage	Pressure	Power	Flow Rate	Speed	Package Size
5518T	380V	210Bar	5.5KW	16L/min	1440/RPM	72x40x47CM
7518T	380V	260Bar	7.5KW	16L/min	1440/RPM	72x40x47CM
10018T	380V	310Bar	10.0KW	18L/min	1440/RPM	72x40x47CM
15018T	380V	350Bar	15KW	20L/min	1440/RPM	72x40x47CM

⚠ The data is for reference only



- Pump Head Life Can Reach More Than 4000 Working Hours
- High Water Pressure, Large Flow, Suitable For Removing Large Areas Of Hard Dirt
- A Delayed Shutdown Function Is Standard To Prevent Pole Damage From Frequent Starts And Stops
- Front Water Filter To Extend Service Life
- Easy To Move, Strong Mobility
- Stainless Steel Frame, Overall Ergonomic Design



COMMERCIAL SERIES




Model	Voltage	Pressure	Power	Flow Rate	Speed	Package Size
22018T	380V	500Bar	22KW	22L/min	1450/RPM	130x91x112CM
37018T	380V	800Bar	37KW	22L/min	1450/RPM	130x91x112CM

 The data is for reference only



- Large Pressure Up To 4000psi
- Fast And Efficient, Save Time And Effort
- Suitable For All Kinds Of Scenes, Ground, Roof, Wall, Solar Panels, Etc



SURFACE CLEANER SERIES



Model	Voltage	Pressure	Temperature	Flow Rate	Material	Package Size
RY328	220V	280Bar-4000PSI	90°C-212°F	20L/min	Stainless steel	76x60x26CM

 The data is for reference only

- Ahigh-performance Single-cylinder Air-cooled, Four-stroke Gasoline Engine With Low Lubrication Protection
- Copper Cylinder Body Porcelain Spray Plunger Crankshaft Connecting Rod Self-priming Pump And Pipe Coil
- 8mmx10m High Pressure Pipe
- Four Quick Connection Nozzles (0°, 15°, 25°, 40°).
- Pressure Adjustable
- High Pressure Spray Gun With Safety Buckle,Water Pipe And Gun Hook, Water Inlet Pipe And Components Thereof



2500GF



3600GF

GASOLINE SERIES



Model	Pressure	Power	Flow Rate	Speed	Package Size
2500GF	170Bar-2500PSI	6.5HP	17L/min	3400/RPM	69x57.5x53.5CM
3600GF	250Bar-3625PSI	13.0HP	18L/min	3400/RPM	69x57.5x53.5CM

⚠ The data is for reference only

- High Performance Electric Starting Diesel Engine
- Copper Cylinder Block Ceramic Piston Diesel Engine Direct Drive Crankshaft Link Pump
- Electric Starting
- 8mmx10m High Pressure Pipe
- 4 Quick Connection Nozzles (0°, 15°, 25°, 40 ")
- Pressure Adjustable
- High Pressure Spray Gun With Safety Catch
- Hose And Gun Hooks
- Water Inlet Pipes And Components Thereof



2900DF




3600DF

DIESEL SERIES



Model	Pressure	Power	Flow Rate	Speed	Package Size
2900DF	200Bar-2900PSI	173FE/8HP	18L/min	3400/RPM	81x63x66CM
3600DF	250Bar-3625PSI	188FE/10HP	18L/min	3400/RPM	81x63x66CM

⚠ The data is for reference only



DIESEL/GASOLINE PIPE DREDGE MACHINE

SERIES



Model	Flow Rate	Pressure	Power	Speed	Package Size
2500DFP	50L/min	170Bar-2500PSI	292FE/20HP	3400/RPM	145x84x101CM
2900DFP	40L/min	200Bar-2900PSI	292FE/20HP	3400/RPM	145x84x101CM
2500GFP	50L/min	170Bar-2500PSI	22HP	3400/RPM	145x84x101CM
2900GFP	40L/min	200Bar-2900PSI	22HP	3400/RPM	145x84x101CM

⚠ The data is for reference only

DIESEL/GASOLINE

SERIES



Model	Pressure	Power	Flow Rate	Volume	Speed	Package Size
2500GF	170Bar-2500PSI	6.5HP	17L/min	300L	3400/RPM	142x82x99CM
2900DF	200Bar-2900PSI	8.0HP	18L/min	300L	3400/RPM	142x82x99CM
3600GF	250Bar-3625PSI	13.0HP	18L/min	300L	3400/RPM	142x82x99CM
3600DF	250Bar-3625PSI	10.0HP	18L/min	300L	3400/RPM	142x82x99CM

⚠ The data is for reference only

VACUUM CLEANER

TAIZHOU RUIYING
ELECTRIMECHANICAL CO.,LTD

VACUUM
CLEANER

PAGE
33/34

RY-VC-18L



RY-VC-12L



RY-VC-15L



Standard Attachment



VACUUM C SERIES



	12L	15L	18L
Power :	110-240V	110-240V	110-240V
Voltage:	800-1200W	800-1200W	800-1200W
Rated Power:	>17kpa	>17kpa	>17kpa
Suction Power:	12L	15L	18L
Capacity:	32x32x40CM	32x32x42CM	32x32x49.5CM
Package Size :			

⚠ The data is for reference only



Attachment



VACUUM C SERIES			
Power:	20L	25L	30L
Voltage:	110-240V	110-240V	110-240V
Rated Power:	1000-1400W	1000-1400W	1000-1400W
Suction Power:	>18kpa	>18kpa	>18kpa
Capacity:	20L	25L	30L
Package Size:	36x36x51.5CM	36x36x58CM	36x36x66.5CM

⚠ The data is for reference only



Attachment



VACUUM C SERIES			
Power:	60L	70L	80L
Voltage:	110-240V	110-240V	110-240V
Rated Power:	2400-3600W	2400-3600W	2400-3600W
Suction Power:	>19kpa	>19kpa	>19kpa
Capacity:	70L	80L	90L
Package Size:	54.5x50.5x89CM	54.5x50.5x98CM	54.5x50.5x10.8CM

⚠ The data is for reference only



RY129A



RY130A



RY131A

Attachment



VACUUM C SERIES

Model:	RY129A	RY130A	RY131A
Voltage:	DC12V	DC12V	DC12V
Power:	84W	84W	84W
Suction:	3200Pa	3200Pa	3200Pa
Carton Qty:	20	20	20
Carton size:	65.5x42x47cm	65.5x37.5x47cm	65.5x37.5x47cm

⚠ The data is for reference only



RY129B



RY130B



RY131B


Attachment




VACUUM C SERIES

Model:	RY129B	RY130B	RY131B
Voltage:	7.4V	7.4V	7.4V
Power:	68W	68W	68W
Suction:	3200Pa	3200Pa	3200Pa
Battery:	2000mAh	2000mAh	2000mAh
Carton Qty:	20	20	20


⚠ The data is for reference only




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
R1 1407C	220V	100Bar-1450PSI	8L/min	1.6KW-2.1HP	2800RPM	3/4"	3/8"	14MM	19MM
R1 1408C	220V	100Bar-1450PSI	9L/min	1.8KW-2.4HP	2800RPM	3/4"	3/8"	14MM	19MM
R1 1409C	220V	100Bar-1450PSI	10L/min	2.0KW-2.7HP	2800RPM	3/4"	3/8"	14MM	19MM
R1 1410C	220V	100Bar-1450PSI	6L/min	1.2KW-1.6HP	1450RPM	3/4"	3/8"	14MM	19MM




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1508	220V	100Bar-1450PSI	11L/min	2.2KW-3.0HP	2800RPM	3/4"	3/8"	15MM	19MM




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
R3 1810C	220V	100Bar-1450PSI	11L/min	2.2KW-3.0HP	1450RPM	3/4"	3/8"	18MM	24/28MM
R3 1812C	220V	100Bar-1450PSI	13L/min	2.5KW-3.4HP	1450RPM	3/4"	3/8"	18MM	24/28MM
R3 1812C	380V	130Bar-1885PSI	13L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	24/28MM
R3 18065C	220V	100Bar-1450PSI	13L/min	3.0KW-4.0HP	2800RPM	3/4"	3/8"	18MM	24/28MM




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1810CB	220V	100Bar-1450PSI	11L/min	2.2KW-3.0HP	1450RPM	3/4"	3/8"	18MM	24/28MM
1812CB	220V	100Bar-1450PSI	13L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	24/28MM
1812CB	380V	130Bar-1885PSI	13L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	24/28MM
1814CB	380V	200Bar-2900PSI	15L/min	4.0KW-5.3HP	1450RPM	3/4"	3/8"	18MM	24/28MM




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1806	220V	100Bar-1450PSI	14L/min	2.2KW-3.0HP	2800RPM	3/4"	3/8"	18MM	24MM
1812	220V	130Bar-1885PSI	14L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	24MM




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1812CA	220V	100Bar-1450PSI	14L/min	2.2KW-3.0HP	1450RPM	3/4"	3/8"	18MM	24-28MM
1812CA	220V	130Bar-1885PSI	14L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	28MM
1812CA	380V	150Bar-2175PSI	14L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	28MM
1814CA	380V	200Bar-2900PSI	15L/min	4.0KW-5.3HP	1450RPM	3/4"	3/8"	18MM	28MM
1814CA	380V	220Bar-3200PSI	15L/min	5.5KW-7.3HP	1450RPM	3/4"	3/8"	18MM	28MM
1814CA	380V	250Bar-3625PSI	15L/min	7.5KW-10.0HP	1450RPM	3/4"	3/8"	18MM	28MM
1814CA	380V	300Bar-4350PSI	15L/min	10.0KW-12.0HP	1450RPM	3/4"	3/8"	18MM	28MM




Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1806DA	120Bar-1740PSI	17L/min	5.5HP	3400RPM	3/4"	3/8"	18MM	19.05-20MM
1806DA	170Bar-2500PSI	17L/min	6.5HP	3400RPM	3/4"	3/8"	18MM	19.05-20MM




Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1806DB	120Bar-1885PSI	16L/min	5.5HP	3400RPM	3/4"	3/8"	18MM	19.05-20MM
1806DB	150Bar-2175PSI	16L/min	6.5HP	3400RPM	3/4"	3/8"	18MM	19.05-20MM




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
2012CA	380V	200Bar-2900PSI	16L/min	7.5KW-10.0HP	1450RPM	3/4"	3/8"	20MM	28MM
2014CA	380V	250Bar-3625PSI	20L/min	10.0KW-12.0HP	1450RPM	3/4"	3/8"	20MM	28MM




Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1807DA	200Bar-2900PSI	18L/min	9HP	3400RPM	3/4"	3/8"	18MM	25-25.4MM
1807DA	250Bar-3625PSI	18L/min	13HP	3400RPM	3/4"	3/8"	18MM	25-25.4MM
1809DA	220Bar-3200PSI	22L/min	188FE	3400RPM	3/4"	3/8"	18MM	25-25.4MM





Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1807DB	200Bar-2900PSI	17L/min	13HP	3400RPM	3/4"	3/8"	18MM	25-25.4MM
1807DB	200Bar-2900PSI	17L/min	188FE	3400RPM	3/4"	3/8"	18MM	25-25.4MM



Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
2006DA	120Bar-1740PSI	19L/min	6.5HP	3400RPM	3/4"	3/8"	18MM	19.05-20MM
2006DA	150Bar-2175PSI	19L/min	173FE	3400RPM	3/4"	3/8"	18MM	19.05-20MM






Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
2007DA	220Bar-3200PSI	22L/min	13HP	3400RPM	3/4"	3/8"	18MM	25-25.4MM
2009DA	200Bar-2900PSI	28L/min	13FE	3400RPM	3/4"	3/8"	18MM	25-25.4MM




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1810NB	220V	100Bar-1450PSI	11L/min	2.2KW-3.0HP	1450RPM	3/4"	3/8"	18MM	24/28MM
1812NB	220V	100Bar-1450PSI	13L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	24/28MM
1812NB	380V	130Bar-1885PSI	13L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	24/28MM
1814NB	380V	200Bar-2900PSI	15L/min	4.0KW-5.3HP	1450RPM	3/4"	3/8"	18MM	24/28MM

Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1812NA	220V	100Bar-1450PSI	14L/min	2.2KW-3.0HP	1450RPM	3/4"	3/8"	18MM	24MM
1812NA	220V	130Bar-1885PSI	14L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	28MM
1812NA	380V	150Bar-2175PSI	14L/min	3.0KW-4.0HP	1450RPM	3/4"	3/8"	18MM	28MM
1814NA	380V	200Bar-2900PSI	15L/min	4.0KW-5.3HP	1450RPM	3/4"	3/8"	18MM	28MM
1814NA	380V	220Bar-3200PSI	15L/min	5.5KW-7.3HP	1450RPM	3/4"	3/8"	18MM	28MM
1814NA	380V	250Bar-3625PSI	15L/min	7.5KW-10.0HP	1450RPM	3/4"	3/8"	18MM	28MM
1814NA	380V	300Bar-4350PSI	15L/min	10.0KW-12.0HP	1450RPM	3/4"	3/8"	18MM	28MM




Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
2012NA	200Bar-2900PSI	16L/min	7.5KW-10.0HP	1450RPM	3/4"	3/8"	20MM	24MM
2014NA	200Bar-3625PSI	20L/min	10.0KW-12.0HP	1450RPM	3/4"	3/8"	20MM	24MM


Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
T3525N	350Bar-5075PSI	23L/min	15.0KW-20.0HP	1450RPM	3/4"	3/8"	20MM	24MM
T2040N	200Bar-2900PSI	40L/min	15.0KW-20.0HP	1450RPM	3/4"	3/8"	28MM	24MM
T1550N	150Bar-2175PSI	50L/min	15.0KW-20.0HP	1450RPM	3/4"	3/8"	28MM	24MM




Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1812SN	380V	200Bar-2900PSI	14L/min	5.5KW-7.3HP	1450RPM	3/4"	3/8"	18MM	24MM
1814SN	380V	250Bar-3625PSI	15L/min	7.5KW-10.0HP	1450RPM	3/4"	3/8"	18MM	24MM



Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1806SD	120Bar-1740PSI	17L/min	6.5HP	3400RPM	3/4"	3/8"	18MM	19.05-20MM
1806SD	170Bar-2500PSI	17L/min	173FE	3400RPM	3/4"	3/8"	18MM	19.05-20MM



Model	Voltage	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1812SC	380V	200Bar-2900PSI	16L/min	5.5KW-7.3HP	1450RPM	3/4"	3/8"	18MM	24MM
1814SC	380V	250Bar-3625PSI	20L/min	7.5KW-10.0HP	1450RPM	3/4"	3/8"	18MM	24MM



Model	Pressure	Flow Rate	Power	Speed	Inlet	Outlet	Piston Dia	Shaft Diameter
1807SD	250Bar-3625PSI	18L/min	13HP	3400RPM	3/4"	3/8"	18MM	25-25.4MM
1809SD	220Bar-3200PSI	22L/min	188FE	3400RPM	3/4"	3/8"	18MM	25-25.4MM

WATER PIPE SERIES



PH-01



PH-02



PH-03



PH-04



PH-05



PH-06



PH-07



PH-08



PH-09



PH-10



PH-11



PH-12



HC-01



HC-02



HC-03



HC-04



HC-05

SPRAY GUN SERIES



PG-01



PG-02



PG-03



PG-04



PG-05



PG-06



PG-07



PG-08



PG-09



PG-10



PG-11



PG-12



PG-13



PG-14



PG-15



PG-16



PG-17



PG-18



PG-19



PG-20



PG-21

OTHER ACCESSORIES



FC-01



FC-02



FC-03



FC-04



FC-05



FC-06



FC-07



FC-08



FC-09



FC-10



FC-11



FC-12



RY-01



RY-02



RY-03



RY-04



RY-05



RY-06



RY-07



RY-08

OTHER ACCESSORIES



RY-09



RY-10



RY-11



RY-12



RY-13



RY-14



RY-15