



2024

PRODUCTS CATALOGUE

Click on the menu below to jump directly to it!



Fan light display



Introduction to the motor and function




You can browse all thumbnails, making it easier to browse products!

Search: You can quickly locate the product page by keywords, such as product models.

Telephone: You can directly click to contact us.

More features





Search




share



Table of Contents bar




Phone






Each of our fans is equipped with a high-quality performance silent motor




**Imported
quality plates**



**Top of the line
double cover
silent bearings**



**100% pure
copper wire**



**The internal
structure of the
motor is silent**



**Imported
lubricating oil**



**Intelligent heat
dissipation technology
protects the motor
from getting hot**





The new generation is more stable, quieter and lasts longer



Silent motor

Bass noise cancellation

Equipped with a brushless DC motor, a strong magnetic field reduces resistance, stable operation, and strictly controls the sound decibel of fan operation.

The load of the motor is reduced by 25%, the service life is increased by 2 times, and the inner core of the strong motor is strong enough.



DC brushless



Variable frequency
and variable speed



Bass noise
cancellation





The new generation is not only environmentally friendly, energy-saving, but also money-saving!



Intelligent inverter, worry-free power saving

The inverter motor is more energy-saving, calculated by using it for 8 hours a day, and consuming 1 kWh of electricity in 30 days





style	Power Saving Index	Forward and reverse function	Natural wind function	Gear speed regulation	Power consumption
Inverter	★★★★★	✓	✓	6 speed	35W
Standard	★★★	✗	✗	3 speed	55W





It can turn forward or backwards, and it can also show its might in winter

The inverter fan light has a one-key forward and reverse function, which is more energy-efficient when used with an air conditioner



I turn cool ventilation

In summer, it can be used with air conditioning to speed up the circulation of cold air, refrigerate faster, and reduce electricity consumption.



Invert air convection

In winter, it is used with heating to promote warm air circulation, and the heating effect is better.

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources

Model: RF-CT001

size: 42" / 48"

LED: 24W

Motor: DC 6-speed



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close



Model: RF-CT092
No light
size: 36" /42" /52"



Model: RF-CT092
No light
size: 36" /42" /52"



Model: RF-CT092
No light
size: 36" /42" /52"



Model: RF-CT092
No light
size: 36" /42" /52"



Model: RF-CT092
No light
size: 36" /42" /52"



Model: RF-CT092
No light
size: 36" /42" /52"



Model: RF-CT124
size: 42" /52"



Model: RF-CT067
size: 48" /56" /60"



Model: RF-CT118
size: 54" /66"



Model: RF-CT118
size: 54" /66"



Model: RF-CT125
size: 42" /52" /60"



Model: RF-CT041
size: 42" /52"



Model: RF-CT125
size: 42" /52" /60"



Model: RF-CT125
size: 42" /52" /60"



Model: RF-CT128
size: 56"



Model: RF-CT129
size: 56"



Model: RF-CT130
size: 56"



Model: RF-CT131
size: 46" /56"



Model: RF-CT131
size: 46" /56"



Model: RF-CT099
size: 52" /56"



Model: RF-CT086
size: 54" /66"



Model: RF-CT123
size: 54" /66"



Model: RF-CT132
size: 60" /70" /100"

Tips: Click on the image to enlarge it



Model: RF-CT001-2
size: 42" /48"



Model: RF-CT001-2
size: 42" /48"



Model: RF-CT001-2
size: 42" /48"



Model: RF-CT001-2
size: 42" /48"



Model: RF-CT001-2
size: 42" /48"



Model: RF-CT001-2
size: 42" /48"



Model: RF-CT001-2
size: 42" /48"



Model: RF-CT001-1
size: 42" /48"



Model: RF-CT001-1
size: 42" /48"



Model: RF-CT001-1
size: 42" /48"



Model: RF-CT001-1
size: 42" /48"



Model: RF-CT001-1
size: 42" /48"

Tips: Click on the image to enlarge it



Model: RF-CT001-1
size: 42" /48"



Model: RF-CT001-1
size: 42" /48"



Model: RF-CT001-1
size: 42" /48"



Model: RF-CT037
size: 26" /36"



Model: RF-CT037
size: 26" /36"



Model: RF-CT037
size: 26" /36"



Model: RF-CT037
size: 26" /36"



Model: RF-CT037
size: 26" /36"



Model: RF-CT037
size: 26" /36"



Model: RF-CT037
size: 26" /36"



Model: RF-CT037
size: 26" /36"



Model: RF-CT038
size: 42" /52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources

Model: RF-CT055

size: 52"

LED: 72W/140W

Motor: DC 6-speed



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close

Tips: Click on the image to enlarge it



Model: RF-CT055
size: 42" /48"



Model: RF-CT055
size: 42" /48"



Model: RF-CT055
size: 42" /48"



Model: RF-CT056
size: 52"



Model: RF-CT034
size: 48"



Model: RF-CT030
size: 42" /48" /52"



Model: RF-CT030
size: 42" /48" /52"



Model: RF-CT030-2
size: 42" /48" /52"



Model: RF-CT030-2
size: 42" /48" /52"



Model: RF-CT030-2
size: 42" /48" /52"



Model: RF-CT002-2
size: 42" /48" /52"



Model: RF-CT002
size: 42" /48" /52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources

Model: RF-CT002-3
size: 42" /48" /52"
LED: 24W
Motor: DC 6-speed



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close

Tips: Click on the image to enlarge it



Model: RF-CT002-3
size: 42" /48" /52"



Model: RF-CT002-1
size: 42" /48" /52"



Model: RF-CT002-2
size: 42" /48" /52"



Model: RF-CT008-3LED
size: 42" /48" /52"



Model: RF-CT008-4LED
size: 42" /48" /52"



Model: RF-CT009
size: 42" /48" /52"



Model: RF-CT036
size: 42" /48" /52"



Model: RF-CT036-2
size: 42" /48" /52"



Model: RF-CT036-2
size: 42" /48" /52"



Model: RF-CT036
size: 42" /52"



Model: RF-CT009
size: 42" /52"



Model: RF-CT008-5LED
size: 42" /52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources

Model: RF-CT052
size: 42" /52"



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close

Tips: Click on the image to enlarge it



Model: RF-CT052
size: 42" /52"



Model: RF-CT043
size: 42" /52"



Model: RF-CT002-4Q
size: 42" /52"



Model: RF-CT002-4
size: 42" /52"



Model: RF-CT002-4Q
size: 42" /52"



Model: RF-CT002-4
size: 42" /52"



Model: RF-CT005-3LED
size: 42" /52"



Model: RF-CT005-4LED
size: 42" /52"



Model: RF-CT005-5LED
size: 42" /52"



Model: RF-CT005-5LED
size: 42" /52"



Model: RF-CT006
size: 42" /52"



Model: RF-CT006
size: 42" /48" /52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close

Model: RF-CT039
size: 42" /52"

Tips: Click on the image to enlarge it



Model: RF-CT005-5LED

size: 42" /48" /52"



Model: RF-CT005-4LED

size: 42" /48" /52"



Model: RF-CT005-3LED

size: 42" /48" /52"



Model: RF-CT010-1

size: 42" /48" /52"



Model: RF-CT010-3LED-1

size:42" /48" /52"



Model: RF-CT010-4LED -1

size:42" /48" /52"



Model: RF-CT010-4LED-1

size: 42" /48" /52"



Model: RF-CT011-1

size: 42" /48" /52"



Model: RF-CT011-1

size: 42" /52"



Model: RF-CT051

size: 42" /48" /52"



Model: RF-CT054

size: 42" /48" /52"



Model: RF-CT050

size: 42" /48" /52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close

Model: RF-CT008-3LED -1

size: 42" /52"



Model: RF-CT008-4LED-1
size: 42" /48" /52"



Model: RF-CT008-3LED-1
size: 42" /52"



Model: RF-CT010-1
size: 42" /48" /52"



Model: RF-CT008-3LED-1
size: 42" /52"



Model: RF-CT008-4LED-1
size: 42" /52"



Model: RF-CT010-1
size: 42" /48" /52"



Model: RF-CT008-4LED-1
size: 42" /48" /52"



Model: RF-CT008-3LED-1
size: 42" /48" /52"



Model: RF-CT010
size: 42" /52"



Model: RF-CT015
size: 42" /52"



Model: RF-CT011
size: 42" /52"



Model: RF-CT036
size: 42" /52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close

Model: RF-CT036-2

size: 42" /52"



Model: RF-CT036-2
size: 42" /52"



Model: RF-CT036-2
size: 42" /48" /52"



Model: RF-CT036
size: 42" /48" /52"



Model: RF-CT036
size: 42" /48" /52"



Model: RF-CT011
size: 42" /48" /52"



Model: RF-CT015
size: 42" /48" /52"



Model: RF-CT004
size: 42" /52"



Model: RF-CT004
size: 42" /48" /52"



Model: RF-CT004
size: 42" /52"



Model: RF-CT004
size: 42" /48" /52"



Model: RF-CT004
size: 42" /52"



Model: RF-CT004
size: 42" /52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources

Model: RF-CT045
size: 52"



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close



Model: RF-CT003
size: 42" /52"



Model: RF-CT003
size: 42" /52"



Model: RF-CT003
size: 42" /48" /52"



Model: RF-CT003
size: 42" /52"



Model: RF-CT003
size: 42" /52"



Model: RF-CT003
size: 42" /52"



Model: RF-CT008-3
LED -2
size: 42" /48" /52"



Model: RF-CT008-4
LED -2
size: 42" /48" /52"



Model: RF-CT009-1
size: 42" /48" /52"



Model: RF-CT009-1
size: 42" /48" /52"



Model: RF-CT008-4
LED -2
size: 42" /48" /52"



Model: RF-CT008-3
LED -2
size: 42" /48" /52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close

Model: RF-CT018
size: 52"



Model: RF-CT033
size: 42" /52"



Model: RF-CT019
size: 42" /52"



Model: RF-CT073
size: 42" /52"



Model: RF-CT020
size: 52" /64"



Model: RF-CT018
size: 52" /60"



Model: RF-CT086
size: 54" /66"



Model: RF-CT061
size: 42" /48" /52"



Model: RF-CT021
size: 52"



Model: RF-CT071
size: 36" /42" /52"



Model: RF-CT024
size: 52"



Model: RF-CT097
size: 52"



Model: RF-CT026
size: 52"

Tips: Click on the image to enlarge it



Multi-gear adjustment
ultra-far control



The inverter motor is
energy-saving and
stable



Safe and durable
imported blades



Focus on scientific
light sources

Model: RF-CT097
size: 52"



Long-term stability
and ultra-long life



Super quiet and
comfortable



Comfortable airflow
is naturally close



Model: RF-CT022
size: 52"



Model: RF-CT027
size: 56"



Model: RF-CT077
size: 52"



Model: RF-CT094
size: 52"



Model: RF-CT028
size: 56"



Model: RF-CT035
size: 54" /66"



Model: RF-CT029
size: 60"



Model: RF-CT022
size: 52"



Model: RF-CT086
size: 54" /66"



Model: RF-CT040
size: 52"



Model: RF-CT079
size: 48"



Model: RF-CT092
size: 52"



Model: RF-CT075
size: 42" /48" /52"



Model: RF-CT074
size: 52"



Model: RF-CT042
size: 52" /60"



Model: RF-CT049
size: 60"



Model: RF-CT091
size: 52"



Model: RF-CT046
size: 52"



Model: RF-CT057
size: 52"



Model: RF-CT046
size: 52"



Model: RF-CT078
size: 52"



Model: RF-CT076
size: 48"



Model: RF-CT076-2
size: 48"



Model: RF-CT076-1
size: 48"

Tips: Click on the image to enlarge it



Model: RF-CT077
size: 52" /64"



Model: RF-CT070
size: 52"



Model: RF-CT070-1
size: 52"



Model: RF-CT071
size: 36" /42" /56"



Model: RF-CT088
size: 54"



Model: RF-CT088
size: 54"



Model: RF-CT095
size: 52"



Model: RF-CT084
size: 52"



Model: RF-CT095-2
size: 52"



Model: RF-CT066
size: 46"



Model: RF-CT066
size: 46"



Model: RF-CT093
size: 42"

Tips: Click on the image to enlarge it



Model: RF-CT100
size: 44"



Model: RF-CT100
size: 44"



Model: RF-CT061
size: 42" /48" /52"



Model: RF-CT085
size: 52"



Model: RF-CT088
size: 54"



Model: RF-CT083
size: 42" /52"



Model: RF-CT083
size: 42" /52"



Model: RF-CT081
size: 42" /52"



Model: RF-CT061
size: 42" /48" /52"



Model: RF-CT081
size: 42" /52"



Model: RF-CT083
size: 42" /52"



Model: RF-CT082
size: 56"

Tips: Click on the image to enlarge it



Model: RF-CT080
size: 42" /48"



Model: RF-CT085
size: 52"



Model: RF-CT086
size: 54" /56"



Model: RF-CT072
size: 52"



Model: RF-CT068
size: 42" /42" /52"



Model: RF-CT060
size: 42" /52"



**Sincere cooperation and
honest management**

