



Filling weight 5-50kg

DCS-25K(3A)

Weighing packaging machine

Up to

900

Bags per hour

Suitable for particle materials' weighing, packaging, sewing and conveying rice, beans, seeds, sugar, and other granule material.

DESCRIPTION

- ☑ Double weighing hopper design, greatly improve the speed of packing.
- ☑ Include Packing Scale Body, Bafang Sewing Machine and 2.2m Auto Lifting Conveyor
- ☑ Auto Weighing, Filling, Sewing and thread cutting,
- ☑ High Accuracy and Stable ability, High-precision controller easy operate, Automatic error correction
- ☑ Auto alarm for over and under tolerance, fault auto diagnosis
- ☑ One key recovery function ,press the reset key back to the default parameters
- ☑ Super filter function of anti-vibration, anti-interference, ensure weighing process stable and accurate
- ☑ Reserve RS232/485 interface




Motor lifting conveyor



Auto oiling sewing machine



Omron Touch screen




Dual weighing hopper

SPECIFICATION

Model	DCS-25K(3A)	
Filling weight	5~25kg	25-50
Speed	600-900 bags/h	300-400 bags/h
Bag type	pillow bag and gusseted bag	
Bag material	woven PP bags, Paper bags, PE-bags	
Scale interval	10g	
Accuracy grade	X (0.2)	
Sewing machine type	Single needle/ Double thread	
Power supply	4N-AC 380V 50Hz	
Power consumption	1KW	
Air pressure	6 bar, constant, dry and oil free	
Air consumption	1m³/h	
Install height	2600mm	

* depending on product flow ability and filling weight

DIMENSION



MAIN SPARE PARTS

Item	Brand
Weighing controller	CA/General Measure
Touch screen	JP/Omron
Button, Knob	FR/Schneider
Load cell	USA/Celtron
Pneumatic elements	TW/Airtag
Air cylinder	TW/Airtag
Solenoid valve	TW/Airtag

ZHANGZHOU JIALONG TECHNOLOGY INC.

Beidou Industrial Park, Jinfeng Development

Area, Zhangzhou, Fujian, China

Tel: +86 596 2672993

Web: www.jialong.cn

