

## Ton Bag Packing Scale LCS-60T-CQ1

### I. Application

This machine is suitable for small particle material large-quantity quantitative packaging.

### II. Technical Parameters

Model	LCS-60T-CQ1
Weighing range (kg)	500~1000
Packing speed (bag/h)	20-30
Interval value (g)	100
Accuracy grade	X(0.2)
Air consumption	0.4~0.6MPa 1m <sup>3</sup> /h
Power consumption	AC 380V 50Hz 2.8KW
Install height (mm)	3800

### Main configuration

Name	Brand
Weighing controller	Canada/Gerenral Measure
Load cell	American/Celtron
Power switch	Japan/Omron
Limit switch	Japan/Omron
Miniature circuit breaker	France / Schneider
Button,knobs	France / Schneider
Intermediate relay	France / Schneider
Cylinder	Taiwan/Airtac
Solenoid value	Taiwan/Airtac

### III. Function and features:

- ▲ Gravity feeding mechanism, high speed loading, greatly increasing output.
- ▲ Use automatic bag removal mechanism to reduce labor intensity.
- ▲ Imported technology touch screen,weighing control instrument, weighing sensor, pneumatic actuator.
- ▲ Equipped with high-precision AC regulated power supply to ensure stable and reliable operation.
- ▲ Parts in touch with materials are made of imported stainless steel make sure a long service life.

Reserved RS232/485 serial port for data communication with peripheral management system.

#### IV.Product Photo






**Customer Sites**



## Procuton Details





## V.Company information



### OUR HISTORY

Zhangzhou Jialong Technology Inc. was founded in 2000, has specialized in grains weighing and packing for 22 years.

### LISTED COMPANY

We are the first listed company of weighing and packing industry in China.

### OUR CUSTOMER

We've sold our machine to over 50 countries and have agents in some countries. Such as Indonesia, Vietnam, Cambodia, India, Malaysia and Egypt.


### QUALITY CONTROL

Our company is strictly stick to the ISO-9001:2008 international quality control system.













SOME CUSTOMER SITES

## VI. Other Information

Packing dimension: 2640\*2220\*1270mm, 3360\*760\*60mm, 3330\*760\*60mm

Total gross weight:1490kg