



Zhangzhou Jialong Technology Inc.

## Quantitative packaging scale DS-50(V10)

### ● Scope of application

Quantitative packaging of granular materials in rice, grains, food and other industries.

### ● Technical Parameters

Model Specifications	DCS-50(V10)
Packaging range (kg)	25~50
Packing speed (bag/h)	400~500
Graduation value (g)	10
level of accuracy	X(0.2)
Power supply, power consumption	4N-AC 380V    50Hz    4kW
Gas source, gas consumption	0.5~0.6MPa    6m <sup>3</sup> /h
PP Woven bag width (mm)	500-700
PP Woven bag length (mm)	700-1050
Dimensions (length x width x height (mm))	3800 × 1700 × 3350

### ● Main configuration

No.	name	Main configuration
1	Weighing control instrument	Woyan
2	Load Cells	AVIC Optronics
3	touchscreen	Japan OMRON
4	Pneumatic Components	Taiwan AirTAC
5	AC contactor	Schneider, France
6	Frequency Converter	Japan Panasonic
7	PLC	Japan OMRON
8	Intermediate relay/button switch	SIEMENS, Schneider
9	servo motor	INOVANCE



**Zhangzhou Jialong Technology Inc.**

## ● **Features**




- Good on-site adaptability : Strong adaptability to packaging bag materials , small installation size
- Save labor: Automatically complete bag sorting, conveying, folding, sewing, and broken thread detection functions;
- Chain plate conveyor belt: strong and durable, no deviation , and has automatic lifting function;
- Compatible with manual bag sorting function : The accordion packaging bags can be manually sorted;
- Friendly human-computer interaction : Large size touch screen , for centralized control , easy to set parameters ,operate Simple;
- Complete information prompts : More effective real-time tracking of the system's working status , and give different Intuitive prompts and alarm information.



Zhangzhou Jialong Technology Inc.

● Equipment pictures





漳州佳龙 科技股份有限公司									
产品安装图									
图例	数量	材料标记	比例						
			1:20						
			第 1 层						
			第 1 层						
设计	审核	会签	更改之序号	颜色	年、月、日				
标题	材料	数量	规格	备注	图例				