

AUTOMATIC INNER AND OUTER TEA BAG PACKING MACHINE WITH THREAD AND TAG

Model:	SZ-18
Name:	AUTOMATIC INNER AND OUTER TEA BAG PACKING MACHINE WITH THREAD AND TAG
Application:	This machine is suitable for one-time packaging of small particles such as tea, medicinal tea, health tea, etc..
Features:	This machine is a new type of heat-sealed, multifunctional, fully automatic tea bag packaging equipment. The main feature of this machine is that the inner and outer bags are formed at one time, avoiding direct contact between human hands and materials and improving efficiency. The inner bag is filter cotton paper, which can be automatically lined with labels, and the outer bag is composite paper. Its biggest advantage is that both labeling and outer bag can be photoelectrically positioned, the packaging capacity, inner bag, outer bag, label, etc. can be adjusted at will. The size of the inner and outer bags can be adjusted according to the different needs of users in order to achieve the most ideal packaging effect.
Packing material	Paper/plastic/aluminum/filter paper, cotton thread, label paper
Technical parameters	
Packing capacity:	3~15 ml
Packing speed:	30~50 Bag/minute
Label size:	L20~24mm; W 40~55mm
Thread length:	155mm
Inner bag:	L50~70mm; W40~80mm
Outer bag:	L70~120mm W60~90mm
Power supply:	220V, 50HZ, 3.7KW
Dimensions:	L1250*W700*H1800mm
Weight:	450KG

Type:	Tea Bag Packing Machine Series
Product model:	SZ-18
Product name:	Automatic Double Chamber Tea Bag Packing Machine
Purpose:	It is suitable for double bag packing of small granular products, such as tea leaves, medicinal tea and health care tea.

Feature:	This machine is an automatic multi-functional tea bag packaging equipment with a new heat sealing type. The inner and outer bag forming is finished at the same time, avoid direct contact with the packing material and improve working efficiency. Inner bag is made of filter paper with thread and tag attached, and outer bag is made of composite paper. The biggest advantage is: tag attaching and outer bag making can adopt photoelectric positioning. Packing capacity, inner bag and outer bag size can be easily adjusted according to different requirements in order to achieve the best packaging results, improve product appearance and enhance the value of the product.
Packing Material:	Paper/Plastic,Plastic/Plastic,Plastic/Aluminum/Plastic, Paper/Aluminum/Plastic, Tea filter paper, Thread, Tag paper.
Technical data	
Measuring:	Volumetric cup filler
Filling range:	3~15ml
Packing speed	30~50 bags/min
Tag Size	L:20~24mm , W:40~55mm
Thread Length	155mm
Inner Bag size	L:50~70mm , W:40~80mm
Outer Bag size	L:70~120mm , W:60~90mm
Power:	220V, 50HZ, 3.7KW
Dimension (L*W*H):	1250*700*1800mm
Weight:	370KG

Main configuration

No.	Name	Model and brand	Country
1	Main motor	Taibang	Taiwan
2	Touch screen	Delta	Taiwan
3	PLC	Delta	Taiwan
4	Cylinder	Airtac	Taiwan
5	Solenoid valve	Airtac	Taiwan
6	Relay	Schneider	Germany
7	Stepper motor	Lesai	Shenzhen
8	Manipulator	Jinqi	Taiwan
9	Temperature controller	Omron	Japan
13	Photoelectric	Ruban	China

