

## LZB-1200-R40/A Fully Automatic Brick Shape Vacuum Packing Machine

### ◉Applications

Used for the quantitative brick shape vacuum packaging in the industry of rice, grains, peanuts, and food etc.

### ◉ii. Technical parameters :

Model	LZB-1200-R40/A
Weighing extent (kg)	0.35~5
Speed(bags/h)	1000~1200
Power/power consumption	4N-AC 380V 50Hz、 13.5KW
Air consumption	0.4~0.6MPa 40m <sup>3</sup> /h
Sizes	3150×3550×2760

### ◉Basic configure :

NO.	Name	Supplier
1	Touch screen 10 "	Germany/ SIEMENS
2	Weighing controller	Switzerland/Mettler Toledo
3	PLC	Germany/ SIEMENS
4	Electronic components	Japan / Omron France/Schneider
5	Load cell	USA/Celtron
6	Phase sequence protection relay	France / Schneider
7	Vacuum pump	China/ Rufus
8	Cylinder	Taiwan /Airtac Japan/SMC
9	Linear Slides	Taiwan/Airtac
10	Miniature geared motors	TAIWAN/Wanxin

### ◉Functions and Features

Fully automatic, 4 working stations

New generation of high-speed weighing control mode parameter automatic correction,  
adaptive weighing process various materials;

Omron touch screen, Omron PLC centralized control, intelligent control weighing, filling, six-sided plastic,Vacuum, heat sealing, unloading bags, the whole process of transportation,

real-time tracking system working state, friendly interface, easy to operate;

high reliability and long service life;

different packaging specifications to replace the mold is simple, fast, without any tools;

device with fault self-test function, maintenance is simple and convenient;

intelligent control information presentation system;

Automatic Bag interface reserved.



